

































see similar files: <http://farbe.li.tu-berlin.de/BE12/BE12.HTM>
technical information: <http://farbe.li.tu-berlin.de> or <http://130.149.60.45/~farbmetrik>



see similar files: <http://farbe.li.tu-berlin.de/BE12/BE12.HTM>
technical information: <http://farbe.li.tu-berlin.de> or <http://130.149.60.45/~farbmeterik>



TUB-test chart BE12; CIE (x, y) and chroma (A^*_i, B^*_i)

















Munsell Chroma=2, Value=1,2,5,8 & 9 for CIE illuminant C; diagram for illuminant P50, $Y_w=100$

input: w/rgb/cmyk -> rgb

TUB registration: 20170801-BE12/BE12L0NP.PDF /.PS
application for measurement of offset print output

TUB material: code=rha4ta

see similar files: <http://farbe.li.tu-berlin.de/BE12/BE12.HTM>
technical information: <http://farbe.li.tu-berlin.de> or <http://130.149.60.45/~farbmetrik>



TUB-test chart BE12; CIE (x, y) and chroma (A^*_i, B^*_i)

















Munsell Chroma=2, Value=1,2,5,8 & 9 for CIE illuminant C; diagram for illuminant P45, $Y_w=100$

input: w/rgb/cmyk -> rgb

TUB registration: 20170801-BE12/BE12L0NP.PDF /.PS
application for measurement of offset print output

TUB material: code=rha4ta

see similar files: <http://farbe.li.tu-berlin.de/BE12/BE12.HTM>
technical information: <http://farbe.li.tu-berlin.de> or <http://130.149.60.45/~farbmetrik>



TUB-test chart BE12; CIE (x, y) and chroma (A^*_i, B^*_i)

















Munsell Chroma=2, Value=1,2,5,8 & 9 for CIE illuminant C; diagram for illuminant P40, $Y_w=100$

input: w/rgb/cmyk -> rgb

TUB registration: 20170801-BE12/BE12L0NP.PDF /.PS
application for measurement of offset print output

TUB material: code=rha4ta

see similar files: <http://farbe.li.tu-berlin.de/BE12/BE12.HTM>
technical information: <http://farbe.li.tu-berlin.de> or <http://130.149.60.45/~farbmeterik>



TUB-test chart BE12; CIE (x, y) and chroma (A^*_i, B^*_i)

















Munsell Chroma=2, Value=1,2,5,8 & 9 for CIE illuminant C; diagram for illuminant P35, $Y_w=100$

input: w/rgb/cmyk -> rgb

TUB registration: 20170801-BE12/BE12L0NP.PDF /.PS
application for measurement of offset print output

TUB material: code=rha4ta

see similar files: <http://farbe.li.tu-berlin.de/BE12/BE12.HTM>
technical information: <http://farbe.li.tu-berlin.de> or <http://130.149.60.45/~farbmeterik>



TUB-test chart BE12; CIE (x, y) and chroma (A^*_i, B^*_i)

















Munsell Chroma=2, Value=1,2,5,8 & 9 for CIE illuminant C; diagram for illuminant P30, $Y_w=100$

input: w/rgb/cmyk -> rgb

TUB registration: 20170801-BE12/BE12L0NP.PDF /.PS
application for measurement of offset print output

TUB material: code=rha4ta

see similar files: <http://farbe.li.tu-berlin.de/BE12/BE12.HTM>
technical information: <http://farbe.li.tu-berlin.de> or <http://130.149.60.45/~farbmeterik>



TUB-test chart BE12; CIE (x, y) and chroma (A_i, B_i)

Munsell Chroma=2, Value=1,2,5,8 & 9 for CIE illuminant C; diagram for illuminant P25, Y_w=100

input: w/rgb/cmyk -> rgb

TUB registration: 20170801-BE12/BE12L0NP.PDF /.PS
application for measurement of offset print output

TUB material: code=rha4ta