

















see similar files: <http://farbe.li.tu-berlin.de/BE13/BE13.HTM>
technical information: <http://farbe.li.tu-berlin.de> or <http://130.149.60.45/~farbmeterik>



TUB-test chart BE13; CIE (x, y) and chromaticities (a_i, b_i)

















Munsell Chroma=2, Value=1,2,5,8 & 9 for CIE illuminant C; diagram for illuminant D65, $Y_w=100$

input: w/rgb/cmyk -> rgb

TUB registration: 20170801-BE13/BE13L0NP.PDF /.PS
application for measurement of offset print output

TUB material: code=rha4ta

see similar files: <http://farbe.li.tu-berlin.de/BE13/BE13.HTM>
technical information: <http://farbe.li.tu-berlin.de> or <http://130.149.60.45/~farbmeterik>



TUB-test chart BE13; CIE (x, y) and chromaticities (a_i, b_i)

















Munsell Chroma=2, Value=1,2,5,8 & 9 for CIE illuminant C; diagram for illuminant D50, Y_w=100

input: w/rgb/cmyk -> rgb

TUB registration: 20170801-BE13/BE13L0NP.PDF /.PS
application for measurement of offset print output

TUB material: code=rha4ta

see similar files: <http://farbe.li-tu-berlin.de/BE13/BE13.HTM>
technical information: <http://farbe.li-tu-berlin.de> or <http://130.149.60.45/~farbmeterik>



TUB-test chart BE13; CIE (x, y) and chromaticities (a_i, b_i)

















Munsell Chroma=2, Value=1,2,5,8 & 9 for CIE illuminant C; diagram for illuminant P40, $Y_W=100$

input: w/rgb/cmyk -> rgb

TUB registration: 20170801-BE13/BE13L0NP.PDF /.PS
application for measurement of offset print output

TUB material: code=rha4ta

see similar files: <http://farbe.li.tu-berlin.de/BE13/BE13.HTM>
technical information: <http://farbe.li.tu-berlin.de> or <http://130.149.60.45/~farbmeterik>



TUB-test chart BE13; CIE (x, y) and chromaticities (a_i, b_i)

















Munsell Chroma=2, Value=1,2,5,8 & 9 for CIE illuminant C; diagram for illuminant A00, $Y_W=100$

input: w/rgb/cmyk -> rgb

TUB registration: 20170801-BE13/BE13L0NP.PDF /.PS
application for measurement of offset print output

TUB material: code=rha4ta

see similar files: <http://farbe.li.tu-berlin.de/BE13/BE13.HTM>
technical information: <http://farbe.li.tu-berlin.de> or <http://130.149.60.45/~farbmeterik>



TUB-test chart BE13; CIE (x, y) and chromaticities (a_i, b_i)

















Munsell Chroma=2, Value=1,2,5,8 & 9 for CIE illuminant C; diagram for illuminant E00, Y_w=100

input: w/rgb/cmyk -> rgb

TUB registration: 20170801-BE13/BE13L0NP.PDF /.PS
application for measurement of offset print output

TUB material: code=rha4ta

see similar files: <http://farbe.li.tu-berlin.de/BE13/BE13.HTM>
technical information: <http://farbe.li.tu-berlin.de> or <http://130.149.60.45/~farbmeterik>



TUB-test chart BE13; CIE (x, y) and chromaticities (a_i, b_i)

















Munsell Chroma=2, Value=1,2,5,8 & 9 for CIE illuminant C; diagram for illuminant C00, Y_w=100

input: w/rgb/cmyk -> rgb

TUB registration: 20170801-BE13/BE13L0NP.PDF /.PS
application for measurement of offset print output

TUB material: code=rha4ta

see similar files: <http://farbe.li.tu-berlin.de/BE13/BE13.HTM>
technical information: <http://farbe.li.tu-berlin.de> or <http://130.149.60.45/~farbmeterik>



TUB-test chart BE13; CIE (x, y) and chromaticities (a_i, b_i)

















Munsell Chroma=2, Value=1,2,5,8 & 9 for CIE illuminant C; diagram for illuminant P00, $Y_w=100$

input: w/rgb/cmyk -> rgb

TUB registration: 20170801-BE13/BE13L0NP.PDF /.PS
application for measurement of offset print output

TUB material: code=rha4ta

see similar files: <http://farbe.li.tu-berlin.de/BE13/BE13.HTM>
technical information: <http://farbe.li.tu-berlin.de> or <http://130.149.60.45/~farbmeterik>



TUB-test chart BE13; CIE (x, y) and chromaticities (a_i, b_i)

Munsell Chroma=2, Value=1,2,5,8 & 9 for CIE illuminant C; diagram for illuminant Q00, $Y_w=100$

input: w/rgb/cmyk -> rgb

TUB registration: 20170801-BE13/BE13L0NP.PDF /.PS
application for measurement of offset print output

TUB material: code=rha4ta