

















see similar files: <http://farbe.li.tu-berlin.de/BE14/BE14.HTM>  
technical information: <http://farbe.li.tu-berlin.de> or <http://130.149.60.45/~farbmeterik>



TUB-test chart BE14; CIE (x, y) and chromatic values ( $A_i, B_i$ )

















Munsell Chroma=2, Value=1,2,5,8 & 9 for CIE illuminant C; diagram for illuminant D65,  $Y_w=100$

input: w/rgb/cmyk -> rgb

TUB registration: 20170801-BE14/BE14L0NA.TXT /PS  
application for measurement of offset print output

TUB material: code=rha4ta

see similar files: <http://farbe.li.tu-berlin.de/BE14/BE14.HTM>  
technical information: <http://farbe.li.tu-berlin.de> or <http://130.149.60.45/~farbmeterik>



TUB-test chart BE14; CIE (x, y) and chromatic values ( $A_i, B_i$ )

















Munsell Chroma=2, Value=1,2,5,8 & 9 for CIE illuminant C; diagram for illuminant D50,  $Y_w=100$

input: w/rgb/cmyk -> rgb

TUB registration: 20170801-BE14/BE14L0NA.TXT /PS  
application for measurement of offset print output

TUB material: code=rha4ta

see similar files: <http://farbe.li.tu-berlin.de/BE14/BE14.HTM>  
technical information: <http://farbe.li.tu-berlin.de> or <http://130.149.60.45/~farbmeterik>



TUB-test chart BE14; CIE (x, y) and chromatic values ( $A_i$ ,  $B_i$ )  
Munsell Chroma=2, Value=1,2,5,8 & 9 for CIE illuminant C; diagram for illuminant P40,  $Y_w=100$

input: w/rgb/cmyk -> rgb

















TUB registration: 20170801-BE14/BE14L0NA.TXT /PS  
application for measurement of offset print output

TUB material: code=rha4ta

see similar files: <http://farbe.li.tu-berlin.de/BE14/BE14.HTM>  
technical information: <http://farbe.li.tu-berlin.de> or <http://130.149.60.45/~farbmeterik>

TUB registration: 20170801-BE14/BE14L0NA.TXT /PS  
application for measurement of offset print output

TUB material: code=rh4ta



















TUB-test chart BE14; CIE (x, y) and chromatic values (A<sub>i</sub>, B<sub>i</sub>)

Munsell Chroma=2, Value=1,2,5,8 & 9 for CIE illuminant C; diagram for illuminant A00, Y<sub>w</sub>=100

input: w/rgb/cmyk -> rgb

see similar files: <http://farbe.li.tu-berlin.de/BE14/BE14.HTM>  
technical information: <http://farbe.li.tu-berlin.de> or <http://130.149.60.45/~farbmeterik>



TUB-test chart BE14; CIE (x, y) and chromatic values ( $A_i, B_i$ )

















Munsell Chroma=2, Value=1,2,5,8 & 9 for CIE illuminant C; diagram for illuminant E00,  $Y_w=100$

input: w/rgb/cmyk -> rgb

TUB registration: 20170801-BE14/BE14L0NA.TXT /PS  
application for measurement of offset print output

TUB material: code=rha4ta

see similar files: <http://farbe.li.tu-berlin.de/BE14/BE14.HTM>  
technical information: <http://farbe.li.tu-berlin.de> or <http://130.149.60.45/~farbmeterik>



TUB-test chart BE14; CIE (x, y) and chromatic values (A<sub>i</sub>, B<sub>i</sub>)

Munsell Chroma=2, Value=1,2,5,8 & 9 for CIE illuminant C; diagram for illuminant C00, Y<sub>w</sub>=100

input: w/rgb/cmyk -> rgb

















TUB registration: 20170801-BE14/BE14L0NA.TXT /PS  
application for measurement of offset print output

TUB material: code=rha4ta

see similar files: <http://farbe.li.tu-berlin.de/BE14/BE14.HTM>  
technical information: <http://farbe.li.tu-berlin.de> or <http://130.149.60.45/~farbmeterik>

TUB registration: 20170801-BE14/BE14L0NA.TXT /PS  
application for measurement of offset print output

TUB material: code=rh4ta



















TUB-test chart BE14; CIE (x, y) and chromatic values ( $A_i, B_i$ )  
Munsell Chroma=2, Value=1,2,5,8 & 9 for CIE illuminant C; diagram for illuminant P00,  $Y_w=100$

input: w/rgb/cmyk -> rgb

1-000630-F0 C M Y O L V

see similar files: <http://farbe.li.tu-berlin.de/BE14/BE14.HTM>  
 technical information: <http://farbe.li.tu-berlin.de> or <http://130.149.60.45/~farbmeterik>



TUB-test chart BE14; CIE (x, y) and chromatic values (A<sub>i</sub>, B<sub>i</sub>)  
 Munsell Chroma=2, Value=1,2,5,8 & 9 for CIE illuminant C; diagram for illuminant Q00, Y<sub>w</sub>=100

input: w/rgb/cmyk -> rgb

TUB registration: 20170801-BE14/BE14L0NA.TXT /PS  
 application for measurement of offset print output

TUB material: code=rha4ta