

















see similar files: <http://farbe.li.tu-berlin.de/BE15/BE15.HTM>  
technical information: <http://farbe.li.tu-berlin.de> or <http://130.149.60.45/~farbmeterik>



TUB-test chart BE15; CIE (x, y) and chroma ( $A^*_i, B^*_i$ )

Munsell Chroma=2, Value=1,2,5,8 & 9 for CIE illuminant C; diagram for illuminant D65,  $Y_w=100$

input: w/rgb/cmyk -> rgb

















TUB registration: 20170801-BE15/BE15L0NA.TXT /PS  
application for measurement of offset print output

TUB material: code=rha4ta

see similar files: <http://farbe.li.tu-berlin.de/BE15/BE15.HTM>  
technical information: <http://farbe.li.tu-berlin.de> or <http://130.149.60.45/~farbmeterik>

TUB registration: 20170801-BE15/BE15L0NA.TXT /PS  
application for measurement of offset print output

















TUB material: code=rha4ta



TUB-test chart BE15; CIE (x, y) and chroma ( $A^*_i$ ,  $B^*_i$ )  
Munsell Chroma=2, Value=1,2,5,8 & 9 for CIE illuminant C; diagram for illuminant D50,  $Y_w=100$

input: w/rgb/cmyk -> rgb

see similar files: <http://farbe.li.tu-berlin.de/BE15/BE15.HTM>  
 technical information: <http://farbe.li.tu-berlin.de> or <http://130.149.60.45/~farbmeterik>



















TUB-test chart BE15; CIE (x, y) and chroma ( $A^*_i, B^*_i$ )  
 Munsell Chroma=2, Value=1,2,5,8 & 9 for CIE illuminant C; diagram for illuminant P40,  $Y_w=100$

input: w/rgb/cmyk -> rgb

TUB registration: 20170801-BE15/BE15L0NA.TXT /PS  
 application for measurement of offset print output

TUB material: code=rha4ta

see similar files: <http://farbe.li.tu-berlin.de/BE15/BE15.HTM>  
technical information: <http://farbe.li.tu-berlin.de> or <http://130.149.60.45/~farbmeterik>



TUB-test chart BE15; CIE (x, y) and chroma ( $A^*_i, B^*_i$ )

















Munsell Chroma=2, Value=1,2,5,8 & 9 for CIE illuminant C; diagram for illuminant A00,  $Y_w=100$

input: w/rgb/cmyk -> rgb

TUB registration: 20170801-BE15/BE15L0NA.TXT /PS  
application for measurement of offset print output

TUB material: code=rha4ta

see similar files: <http://farbe.li.tu-berlin.de/BE15/BE15.HTM>  
technical information: <http://farbe.li.tu-berlin.de> or <http://130.149.60.45/~farbmeterik>



TUB-test chart BE15; CIE (x, y) and chroma ( $A^*_i, B^*_i$ )

Munsell Chroma=2, Value=1,2,5,8 & 9 for CIE illuminant C; diagram for illuminant E00,  $Y_w=100$

input: w/rgb/cmyk -> rgb

















TUB registration: 20170801-BE15/BE15L0NA.TXT /PS  
application for measurement of offset print output

TUB material: code=rha4ta

see similar files: <http://farbe.li.tu-berlin.de/BE15/BE15.HTM>  
technical information: <http://farbe.li.tu-berlin.de> or <http://130.149.60.45/~farbmeterik>

TUB registration: 20170801-BE15/BE15L0NA.TXT /PS  
application for measurement of offset print output

TUB material: code=rh4ta



















TUB-test chart BE15; CIE (x, y) and chroma ( $A^*_i, B^*_i$ )  
Munsell Chroma=2, Value=1,2,5,8 & 9 for CIE illuminant C; diagram for illuminant C00,  $Y_w=100$

input: w/rgb/cmyk -> rgb



see similar files: <http://farbe.li.tu-berlin.de/BE15/BE15.HTM>  
technical information: <http://farbe.li.tu-berlin.de> or <http://130.149.60.45/~farbmeterik>



TUB-test chart BE15; CIE (x, y) and chroma ( $A^*_i, B^*_i$ )

Munsell Chroma=2, Value=1,2,5,8 & 9 for CIE illuminant C; diagram for illuminant Q00,  $Y_w=100$

input: w/rgb/cmyk -> rgb

TUB registration: 20170801-BE15/BE15L0NA.TXT /PS  
application for measurement of offset print output

TUB material: code=rha4ta