

Ostwald optimal colours (o) of maximum (m) C_{AB} for P60, Y_w=88,6, Y_m=520_770

i ₁ , λ ₁	i ₂ , λ ₂	L*	a*	b*	C* _{ab}	a'	b'	h _{ab}	i _d , λ _d	i _c , λ _c	Code
0 405	32 563	76.78	−66.3	−31.53	73.42	0.1809	−0.1017	205.4	16 483	38 590	Cm
6 435	32 563	77.07	−81.64	−16.69	83.33	0.1727	−0.0938	191.5	17 487	44 621	
10 450	33 565	77.39	−106.21	12.97	107.0	0.1596	−0.0781	173.0	19 497	−1 497c	
11 460	33 566	78.03	−110.35	23.32	112.78	0.1578	−0.0727	168.0	20 502	−1 502c	
13 465	33 568	78.32	−117.88	44.11	125.86	0.154	−0.0619	159.4	22 513	−1 513c	
14 470	34 570	79.09	−117.51	55.58	129.99	0.1547	−0.0561	154.6	24 521	−1 521c	
15 475	34 574	80.36	−113.06	67.46	131.66	0.1578	−0.0504	149.1	25 529	−1 529c	Gm
15 480	36 580	82.9	−102.54	71.82	125.19	0.1647	−0.0492	144.9	27 535	−1 535c	
17 485	39 595	86.55	−77.68	95.39	123.02	0.1788	−0.0391	129.1	29 549	−1 549c	
18 490	−1 490c	93.22	−21.11	114.46	116.39	0.2072	−0.0333	100.4	33 566	11 459	max
19 495	−1 495c	92.66	−18.79	120.57	122.03	0.2082	−0.0302	98.8	33 567	12 461	
20 500	−1 500c	91.95	−15.76	126.08	127.06	0.2095	−0.0273	97.1	33 568	12 464	
22 510	−1 510c	89.94	−7.33	134.83	135.03	0.2134	−0.0222	93.1	34 570	13 469	
24 520	−1 520c	87.02	4.01	138.94	139.0	0.2189	−0.0181	88.3	34 572	14 473	Ym
25 530	−1 529c	85.24	10.42	139.21	139.6	0.2221	−0.0163	85.7	34 574	15 475	
27 540	−1 539c	81.1	24.04	136.17	138.27	0.2294	−0.0133	79.9	35 578	15 478	
29 545	−1 545c	76.28	38.0	129.7	135.16	0.2376	−0.011	73.6	36 582	16 480	
29 550	−1 549c	76.28	38.0	129.7	135.16	0.2376	−0.011	73.6	36 582	16 480	
30 555	−1 554c	73.63	44.85	125.62	133.39	0.2421	−0.0103	70.3	36 584	16 481	
32 560	−1 560c	67.9	57.75	116.27	129.82	0.2515	−0.0093	63.5	37 589	16 483	
32 563	0 405	75.35	50.83	58.26	77.32	0.2449	−0.0535	48.8	38 590	16 483	Rm
32 563	6 435	75.05	59.61	22.35	63.66	0.2498	−0.0729	20.5	44 621	17 487	
33 565	10 450	74.71	71.59	−11.77	72.55	0.2566	−0.0914	350.6	−1 497c	19 497	
33 566	11 460	74.02	75.11	−19.43	77.58	0.2589	−0.0956	345.4	−1 502c	20 502	
33 568	13 465	73.7	78.97	−30.38	84.62	0.2612	−0.1017	338.9	−1 513c	22 513	
34 570	14 470	72.84	81.26	−35.61	88.72	0.2629	−0.1047	336.3	−1 521c	24 521	
34 574	15 475	71.34	83.61	−41.06	93.15	0.2651	−0.1082	333.8	−1 529c	25 529	Mm
36 580	15 480	68.04	87.66	−46.74	99.35	0.2694	−0.1124	331.9	−1 535c	27 535	
39 595	17 485	62.43	86.71	−60.18	105.55	0.2725	−0.1228	325.2	−1 549c	29 549	
−1 490c	18 490	47.67	49.8	−86.81	100.08	0.2563	−0.1522	299.8	11 459	33 566	min
−1 495c	19 495	49.27	43.08	−84.96	95.26	0.2501	−0.1492	296.8	12 461	33 567	
−1 500c	20 500	51.17	34.96	−82.38	89.49	0.2431	−0.1455	292.9	12 464	33 568	
−1 510c	22 510	55.91	14.94	−75.09	76.57	0.2273	−0.1365	281.2	13 469	34 570	
−1 520c	24 520	61.61	−7.3	−65.72	66.13	0.2122	−0.1267	263.6	14 473	34 572	Bm
−1 529c	25 530	64.59	−17.74	−60.73	63.27	0.2058	−0.1221	253.7	15 475	34 574	
−1 539c	27 540	70.42	−35.38	−50.84	61.94	0.1963	−0.114	235.1	15 478	35 578	
−1 545c	29 545	75.86	−47.62	−41.54	63.19	0.1908	−0.1073	221.0	16 480	36 582	
−1 549c	29 550	75.86	−47.62	−41.54	63.19	0.1908	−0.1073	221.0	16 480	36 582	
−1 554c	30 555	78.38	−51.59	−37.21	63.61	0.1894	−0.1044	215.8	16 481	36 584	
−1 560c	32 560	83.0	−55.32	−29.27	62.59	0.1888	−0.0995	207.8	16 483	37 589	
380	770	95.41	0.0	0.0	0.0	0.2169	−0.085	0.0			

Ostwald optimal colours (o) of maximum (m) C_{AB} for P55, Y_w=88,6, Y_m=520_770

i ₁ , λ ₁	i ₂ , λ ₂	L*	a*	b*	C* _{ab}	a'	b'	h _{ab}	i _d , λ _d	i _c , λ _c	Code
1 405	32 564	76.69	−70.09	−31.3	76.76	0.1791	−0.0988	204.0	16 484	38 591	Cm
6 435	32 564	76.95	−83.47	−17.4	85.27	0.1719	−0.0915	191.7	17 488	43 619	
9 450	33 565	77.34	−99.8	3.54	99.86	0.1633	−0.0808	177.9	18 494	−1 494c	
11 460	33 567	77.83	−109.42	21.85	111.58	0.1584	−0.0714	168.7	20 502	−1 502c	
13 465	33 568	78.09	−116.4	42.45	123.9	0.1548	−0.0609	159.9	22 513	−1 513c	
14 470	34 570	78.79	−116.01	53.75	127.86	0.1555	−0.0554	155.1	24 521	−1 521c	
15 475	34 574	79.96	−112.01	65.44	129.72	0.1583	−0.0499	149.7	25 529	−1 529c	Gm
16 480	36 580	81.96	−102.52	77.91	128.77	0.1644	−0.0444	142.7	27 537	−1 537c	
17 485	38 592	85.55	−81.14	92.36	122.94	0.1769	−0.039	131.2	29 547	−1 547c	
17 490	−1 489c	93.78	−20.34	106.51	108.44	0.2078	−0.0361	100.8	33 566	11 456	max
19 495	−1 495c	92.82	−16.5	119.62	120.75	0.2095	−0.0299	97.8	33 567	12 462	
19 500	−1 499c	92.82	−16.5	119.62	120.75	0.2095	−0.0299	97.8	33 567	12 462	
21 510	−1 509c	91.28	−9.94	130.19	130.57	0.2125	−0.0244	94.3	33 569	13 467	
24 520	−1 520c	87.38	5.52	139.69	139.8	0.2199	−0.018	87.7	34 573	14 474	Ym
26 530	−1 530c	83.72	18.33	139.03	140.23	0.2264	−0.0146	82.4	35 576	15 477	
27 540	−1 539c	81.6	25.1	137.04	139.32	0.2301	−0.0132	79.6	35 578	15 479	
28 545	−1 544c	79.32	31.97	134.21	137.96	0.2341	−0.012	76.5	36 580	16 480	
30 550	−1 550c	74.27	45.62	126.7	134.66	0.2427	−0.0102	70.1	37 585	16 482	
30 555	−1 554c	74.27	45.62	126.7	134.66	0.2427	−0.0102	70.1	37 585	16 482	
32 560	−1 560c	68.61	58.43	117.47	131.2	0.252	−0.0092	63.5	38 590	16 484	
32 564	1 405	75.45	52.74	56.96	77.63	0.2462	−0.0527	47.2	38 591	16 484	Rm
32 564	6 435	75.17	60.24	23.44	64.64	0.2505	−0.0702	21.2	43 619	17 488	
33 565	9 450	74.76	68.75	−3.58	68.84	0.2554	−0.0845	357.0	−1 494c	18 494	
33 567	11 460	74.24	74.14	−18.33	76.37	0.2586	−0.0923	346.1	−1 502c	20 502	
33 568	13 465	73.95	77.69	−29.42	83.08	0.2607	−0.0982	339.2	−1 513c	22 513	
34 570	14 470	73.18	79.7	−34.58	86.88	0.2622	−0.1012	336.5	−1 521c	24 521	
34 574	15 475	71.83	81.81	−39.87	91.01	0.2641	−0.1043	334.0	−1 529c	25 529	Mm
36 580	16 480	69.31	84.23	−46.42	96.18	0.2669	−0.1087	331.1	−1 537c	27 537	
38 592	17 485	64.1	85.06	−57.07	102.43	0.2707	−0.1167	326.1	−1 547c	29 547	
−1 489c	17 490	45.96	50.87	−88.34	101.94	0.2586	−0.1509	299.9	11 456	33 566	min
−1 495c	19 495	48.81	39.17	−85.61	94.15	0.2477	−0.1459	294.5	12 462	33 567	
−1 499c	19 500	48.81	39.17	−85.61	94.15	0.2477	−0.1459	294.5	12 462	33 567	
−1 509c	21 510	52.84	21.97	−79.94	82.9	0.2333	−0.1382	285.3	13 467	33 569	
−1 520c	24 520	60.97	−10.41	−66.79	67.6	0.2104	−0.1242	261.1	14 474	34 573	Bm
−1 530c	26 530	66.89	−30.16	−56.85	64.36	0.1988	−0.1154	242.0	15 477	35 576	
−1 539c	27 540	69.78	−38.32	−51.94	64.55	0.1947	−0.1116	233.5	15 479	35 578	
−1 544c	28 545	72.57	−45.11	−47.17	65.27	0.1915	−0.1081	226.2	16 480	36 580	
−1 550c	30 550	77.8	−54.38	−38.2	66.46	0.188	−0.1021	215.0	16 482	37 585	
−1 554c	30 555	77.8	−54.38	−38.2	66.46	0.188	−0.1021	215.0	16 482	37 585	
−1 560c	32 560	82.49	−57.95	−30.15	65.33	0.1875	−0.0972	207.4	16 484	38 590	
380	770	95.41	0.0	0.0	0.0	0.2172	−0.0826	0.0			

Ostwald optimal colours (o) of maximum (m) C_{AB} for P50, Y_w=88,6, Y_m=520_770

i ₁ , λ ₁	i ₂ , λ ₂	L*	a*	b*	C* _{ab}	a'	b'	h _{ab}	i _d , λ _d	i _c , λ _c	Code
0 405	33 565	76.56	−73.34	−31.97	80.01	0.1776	−0.0958	203.5	17 485	38 592	Cm
7 435	33 565	76.76	−90.16	−12.54	91.03	0.1686	−0.086	187.9	18 490	−1 490c	
9 450	33 566	77.15	−99.73	2.12	99.75	0.1636	−0.0787	178.7	19 495	−1 495c	
11 460	33 568	77.58	−108.39	20.08	110.24	0.1592	−0.0698	169.5	20 502	−1 502c	
12 465	33 569	78.0	−111.35	30.6	115.48	0.1578	−0.0647	164.6	21 507	−1 507c	
14 470	34 571	78.44	−114.26	51.57	125.36	0.1565	−0.0545	155.7	24 520	−1 520c	
15 475	34 574	79.49	−110.77	63.04	127.45	0.1591	−0.0492	150.3	25 528	−1 528c	Gm
16 480	35 579	81.29	−102.35	75.15	126.98	0.1645	−0.044	143.7	27 536	−1 536c	
16 485	37 589	84.85	−85.44	81.26	117.92	0.1749	−0.0424	136.4	28 544	−1 544c	
17 490	47 636	92.74	−27.73	103.12	106.78	0.2048	−0.0358	105.0	33 565	−1 565c	max
19 495	−1 495c	93.01	−14.04	118.42	119.25	0.2112	−0.0295	96.7	33 568	12 462	
20 500	−1 500c	92.37	−11.28	124.15	124.66	0.2124	−0.0267	95.1	33 569	13 465	
21 510	−1 509c	91.55	−7.79	129.25	129.49	0.214	−0.0241	93.4	34 570	13 468	
24 520	−1 520c	87.8	7.07	140.58	140.76	0.2211	−0.0178	87.1	34 574	14 474	Ym
26 530	−1 530c	84.25	19.51	139.98	141.33	0.2275	−0.0145	82.0	35 577	15 478	
28 540	−1 540c	79.97	32.85	135.32	139.25	0.235	−0.0119	76.3	36 581	16 481	
28 545	−1 544c	79.97	32.85	135.32	139.25	0.235	−0.0119	76.3	36 581	16 481	
30 550	−1 550c	75.02	46.28	127.98	136.09	0.2434	−0.0102	70.1	37 585	16 483	
30 555	−1 554c	75.02	46.28	127.98	136.09	0.2434	−0.0102	70.1	37 585	16 483	
32 560	−1 560c	69.45	58.97	118.9	132.73	0.2525	−0.0092	63.6	38 590	17 485	
33 565	0 405	75.57	54.22	58.89	80.05	0.2476	−0.05	47.3	38 592	17 485	Rm
33 565	7 435	75.38	62.93	15.43	64.8	0.2525	−0.0719	13.7	−1 490c	18 490	
33 566	9 450	74.97	68.19	−2.17	68.23	0.2555	−0.0809	358.1	−1 495c	19 495	
33 568	11 460	74.51	73.02	−16.99	74.97	0.2584	−0.0885	346.8	−1 502c	20 502	
33 569	12 465	74.05	75.44	−23.66	79.06	0.26	−0.0919	342.5	−1 507c	21 507	
34 571	14 470	73.57	77.92	−33.36	84.76	0.2616	−0.097	336.8	−1 520c	24 520	
34 574	15 475	72.38	79.77	−38.48	88.56	0.2633	−0.0999	334.2	−1 528c	25 528	Mm
35 579	16 480	70.19	81.82	−44.56	93.17	0.2656	−0.1037	331.4	−1 536c	27 536	
37 589	16 485	65.19	85.19	−53.16	100.42	0.2707	−0.1101	328.0	−1 544c	28 544	
47 636	17 490	49.05	59.49	−82.71	101.89	0.2639	−0.1386	305.7	−1 565c	33 565	min
−1 495c	19 495	48.27	34.67	−86.35	93.05	0.2449	−0.142	291.8	12 462	33 568	
−1 500c	20 500	50.07	27.0	−84.02	88.25	0.2383	−0.1386	287.8	13 465	33 569	
−1 509c	21 510	52.19	17.95	−80.95	82.91	0.231	−0.1347	282.5	13 468	34 570	
−1 520c	24 520	60.21	−13.9	−68.07	69.47	0.2084	−0.1211	258.4	14 474	34 574	Bm
−1 530c	26 530	66.1	−33.49	−58.18	67.14	0.1971	−0.1126	240.0	15 478	35 577	
−1 540c	28 540	71.81	−48.35	−48.47	68.47	0.1898	−0.1053	225.0	16 481	36 581	
−1 544c	28 545	71.81	−48.35	−48.47	68.47	0.1898	−0.1053	225.0	16 481	36 581	
−1 550c	30 550	77.1	−57.52	−39.42	69.73	0.1865	−0.0994	214.4	16 483	37 585	
−1 554c	30 555	77.1	−57.52	−39.42	69.73	0.1865	−0.0994	214.4	16 483	37 585	
−1 560c	32 560	81.86	−60.93	−31.23	68.47	0.1862	−0.0945	207.1	17 485	38 590	
380	770	95.41	0.0	0.0	0.0	0.2177	−0.0798	0.0			

Ostwald optimal colours (o) of maximum (m) C_{AB} for P45, Y_w=88,6, Y_m=520_770

i ₁ , λ ₁	i ₂ , λ ₂	L*	a*	b*	C* _{ab}	a'	b'	h _{ab}	i _d , λ _d	i _c , λ _c	Code
1 405	33 566	76.38	−77.41	−31.95	83.74	0.176	−0.0918	202.4	17 487	38 593	Cm
7 435	33 567	76.56	−91.39	−13.8	92.43	0.1684	−0.083	188.5	18 491	−1 491c	
10 450	33 568	76.82	−104.19	8.26	104.51	0.1615	−0.0725	175.4	19 498	−1 498c	
12 460	33 569	77.16	−111.06	27.37	114.38	0.158	−0.0634	166.1	21 507	−1 507c	
13 465	34 570	77.49	−112.77	38.02	119.01	0.1573	−0.0584	161.3	22 512	−1 512c	
13 470	34 571	78.23	−110.32	39.29	117.11	0.1591	−0.0579	160.3	22 514	−1 514c	
15 475	34 574	78.95	−109.28	60.14	124.74	0.1601	−0.0483	151.1	25 528	−1 528c	Gm
15 480	35 578	80.83	−102.15	63.35	120.2	0.165	−0.0474	148.1	26 532	−1 532c	
17 485	37 587	83.28	−87.13	84.91	121.67	0.174	−0.0385	135.7	28 544	−1 544c	
17 490	42 611	89.73	−48.55	95.96	107.54	0.1952	−0.0361	116.8	31 559	−1 559c	max
19 495	−1 495c	93.23	−11.41	116.9	117.46	0.2132	−0.0289	95.5	33 569	12 463	
20 500	−1 500c	92.62	−8.83	122.77	123.09	0.2143	−0.0263	94.1	34 570	13 466	
22 510	−1 510c	90.88	−1.52	132.43	132.43	0.2177	−0.0214	90.6	34 572	14 471	
24 520	−1 520c	88.29	8.59	138.16	138.42	0.2226	−0.0176	86.4	34 574	15 475	Ym
26 530	−1 530c	84.89	20.57	141.12	142.61	0.2288	−0.0144	81.7	35 578	15 479	
27 540	−1 539c	82.9	26.98	139.29	141.88	0.2323	−0.013	79.0	35 579	16 480	
29 545	−1 545c	78.42	40.15	133.34	139.26	0.24	−0.0109	73.2	36 583	16 483	
29 550	−1 549c	78.42	40.15	133.34	139.26	0.24	−0.0109	73.2	36 583	16 483	
30 555	−1 554c	75.93	46.71	129.52	137.69	0.2442	−0.0101	70.1	37 585	16 484	
31 560	−1 559c	73.27	53.12	125.26	136.06	0.2486	−0.0096	67.0	37 588	17 485	
33 566	1 405	75.75	55.93	57.98	80.56	0.2494	−0.0484	46.0	38 593	17 487	Rm
33 567	7 435	75.58	63.01	17.14	65.3	0.2534	−0.0681	15.2	−1 491c	18 491	
33 568	10 450	75.31	69.19	−7.72	69.62	0.2569	−0.0802	353.6	−1 498c	19 498	
33 569	12 460	74.96	72.86	−21.12	75.86	0.2591	−0.0867	343.8	−1 507c	21 507	
34 570	13 465	74.6	74.49	−26.82	79.18	0.2602	−0.0895	340.2	−1 512c	22 512	
34 571	13 470	73.8	75.7	−28.2	80.78	0.2612	−0.0903	339.5	−1 514c	22 514	
34 574	15 475	72.99	77.45	−36.84	85.77	0.2626	−0.0948	334.5	−1 528c	25 528	Mm
35 578	15 480	70.77	80.19	−40.67	89.92	0.2653	−0.0972	333.1	−1 532c	26 532	
37 587	17 485	67.51	80.45	−50.52	95.0	0.2673	−0.1032	327.8	−1 544c	28 544	
42 611	17 490	56.37	74.01	−69.7	101.67	0.2703	−0.1191	316.7	−1 559c	31 559	min
−1 495c	19 495	47.65	29.5	−87.18	92.04	0.242	−0.1372	288.6	12 463	33 569	
−1 500c	20 500	49.37	22.15	−85.04	87.87	0.2357	−0.1341	284.6	13 466	34 570	
−1 510c	22 510	53.79	3.51	−78.5	78.58	0.221	−0.1263	272.5	14 471	34 572	
−1 520c	24 520	59.28	−17.77	−69.61	71.84	0.2065	−0.1174	255.6	15 475	34 574	Bm
−1 530c	26 530	65.14	−37.15	−59.81	70.41	0.1952	−0.1091	238.1	15 479	35 578	
−1 539c	27 540	68.04	−45.2	−54.9	71.11	0.1912	−0.1054	230.5	16 480	35 579	
−1 545c	29 545	73.6	−57.19	−45.41	73.03	0.1861	−0.0989	218.4	16 483	36 583	
−1 549c	29 550	73.6	−57.19	−45.41	73.03	0.1861	−0.0989	218.4	16 483	36 583	
−1 554c	30 555	76.21	−60.99	−40.93	73.45	0.1849	−0.0961	213.8	16 484	37 585	
−1 559c	31 560	78.71	−63.34	−36.64	73.17	0.1846	−0.0936	210.0	17 485	37 588	
380	770	95.41	0.0	0.0	0.0	0.2185	−0.0764	0.0			

Ostwald optimal colours (o) of maximum (m) C_{AB} for P40, Y_w=88,6, Y_m=520_770

i ₁ , λ ₁	i ₂ , λ ₂	L*	a*	b*	C* _{ab}	a'	b'	h _{ab}	i _d , λ _d	i _c , λ _c	Code
0 405	33 568	76.15	−81.16	−32.77	87.53	0.1748	−0.0873	201.9	17 488	38 594	Cm
7 435	33 568	76.3	−92.76	−15.35	94.02	0.1685	−0.0794	189.3	18 493	54 674	
10 450	33 569	76.52	−103.39	5.92	103.56	0.1627	−0.0697	176.7	19 499	−1 499c	
12 460	34 570	76.8	−109.0	24.57	111.74	0.1598	−0.0613	167.2	21 507	−1 507c	
13 465	34 571	77.08	−110.23	34.97	115.65	0.1593	−0.0566	162.3	22 512	−1 512c	
14 470	34 572	77.53	−109.88	45.65	118.98	0.1598	−0.0519	157.4	23 519	−1 519c	
14 475	34 574	78.55	−106.82	47.39	116.86	0.1621	−0.0513	156.0	24 522	−1 522c	Gm
15 480	35 578	79.92	−101.53	59.31	117.59	0.1657	−0.0464	149.7	26 531	−1 531c	
17 485	37 585	81.98	−89.65	80.19	120.28	0.1731	−0.038	138.1	28 543	−1 543c	
17 490	40 600	87.01	−63.2	88.78	108.98	0.1884	−0.0362	125.4	30 554	−1 554c	max
19 495	−1 495c	93.47	−8.67	114.91	115.24	0.2157	−0.0283	94.3	34 571	12 464	
20 500	−1 500c	92.92	−6.3	120.95	121.11	0.2168	−0.0257	92.9	34 571	13 467	
21 510	−1 509c	92.21	−3.27	126.42	126.46	0.2182	−0.0233	91.4	34 572	13 469	
24 520	−1 520c	88.87	9.99	137.27	137.63	0.2246	−0.0173	85.8	35 575	15 476	Ym
26 530	−1 530c	85.65	21.4	142.49	144.09	0.2305	−0.0142	81.4	35 578	16 480	
27 540	−1 539c	83.75	27.56	140.77	143.44	0.2338	−0.0129	78.9	36 580	16 481	
29 545	−1 545c	79.44	40.32	135.08	140.98	0.2413	−0.0108	73.3	36 584	16 484	
29 550	−1 549c	79.44	40.32	135.08	140.98	0.2413	−0.0108	73.3	36 584	16 484	
31 555	−1 555c	74.45	53.03	127.26	137.87	0.2496	−0.0095	67.3	37 588	17 486	
32 560	−1 560c	71.71	59.09	122.75	136.24	0.2541	−0.0091	64.2	38 591	17 487	
33 568	0 405	75.99	57.26	59.94	82.9	0.2515	−0.045	46.3	38 594	17 488	Rm
33 568	7 435	75.84	62.98	19.31	65.88	0.2547	−0.0636	17.0	54 674	18 493	
33 569	10 450	75.61	68.07	−5.61	68.3	0.2576	−0.075	355.2	−1 499c	19 499	
34 570	12 460	75.33	71.06	−19.23	73.62	0.2594	−0.0812	344.8	−1 507c	21 507	
34 571	13 465	75.04	72.31	−24.98	76.51	0.2602	−0.0839	340.9	−1 512c	22 512	
34 572	14 470	74.56	73.47	−30.05	79.38	0.2611	−0.0863	337.7	−1 519c	23 519	
34 574	14 475	73.45	75.18	−31.96	81.7	0.2626	−0.0874	336.9	−1 522c	24 522	Mm
35 578	15 480	71.87	77.0	−38.02	85.87	0.2644	−0.0906	333.7	−1 531c	26 531	
37 585	17 485	69.29	77.5	−46.95	90.61	0.2661	−0.0955	328.7	−1 543c	28 543	
40 600	17 490	61.64	77.04	−60.11	97.72	0.2703	−0.1049	322.0	−1 554c	30 554	min
−1 495c	19 495	46.91	23.65	−88.12	91.24	0.2389	−0.1313	285.0	12 464	34 571	
−1 500c	20 500	48.54	16.7	−86.21	87.81	0.2329	−0.1285	280.9	13 467	34 571	
−1 509c	21 510	50.5	8.36	−83.52	83.94	0.2261	−0.1252	275.7	13 469	34 572	
−1 520c	24 520	58.14	−21.9	−71.49	74.77	0.2047	−0.1129	252.9	15 476	35 575	Bm
−1 530c	26 530	63.94	−41.02	−61.83	74.2	0.1936	−0.1049	236.4	16 480	35 578	
−1 539c	27 540	66.84	−49.01	−56.93	75.12	0.1896	−0.1013	229.2	16 481	36 580	
−1 545c	29 545	72.44	−60.94	−47.39	77.2	0.1846	−0.0949	217.8	16 484	36 584	
−1 549c	29 550	72.44	−60.94	−47.39	77.2	0.1846	−0.0949	217.8	16 484	36 584	
−1 555c	31 555	77.64	−67.03	−38.48	77.29	0.1832	−0.0897	209.8	17 486	37 588	
−1 560c	32 560	80.05	−67.9	−34.32	76.08	0.1837	−0.0874	206.8	17 487	38 591	
380	770	95.41	0.0	0.0	0.0	0.2197	−0.0724	0.0			

Ostwald optimal colours (o) of maximum (m) C_{AB} for P35, Y_w=88,6, Y_m=520_770

i ₁ , λ ₁	i ₂ , λ ₂	L*	a*	b*	C* _{ab}	a'	b'	h _{ab}	i _d , λ _d	i _c , λ _c	Code
1 405	34 570	75.81	−85.53	−33.11	91.71	0.1738	−0.0816	201.1	18 490	39 596	Cm
7 435	34 570	75.93	−93.94	−17.34	95.53	0.1691	−0.0749	190.4	18 494	48 640	
9 450	34 571	76.17	−99.01	−4.47	99.12	0.1664	−0.0694	182.5	19 498	−1 498c	
12 460	34 572	76.33	−106.29	20.96	108.34	0.1625	−0.0586	168.8	21 507	−1 507c	
12 465	34 572	76.68	−105.32	21.56	107.51	0.1632	−0.0584	168.4	21 508	−1 508c	
14 470	34 573	76.93	−107.15	41.48	114.9	0.1624	−0.05	158.8	23 519	−1 519c	
14 475	35 575	77.76	−104.58	42.9	113.04	0.1643	−0.0496	157.6	24 520	−1 520c	Gm
15 480	35 578	78.87	−100.49	54.29	114.22	0.1672	−0.0451	151.6	25 529	−1 529c	
17 485	36 583	80.49	−91.25	74.38	117.72	0.173	−0.0373	140.8	28 542	−1 542c	
18 490	38 593	84.02	−72.16	88.2	113.96	0.1846	−0.0329	129.2	30 552	−1 552c	max
19 495	52 661	93.39	−8.62	111.6	111.93	0.2176	−0.0275	94.4	34 572	12 460	
20 500	−1 500c	93.26	−3.81	118.46	118.52	0.2199	−0.025	91.8	34 573	13 468	
22 510	−1 510c	91.8	2.32	129.06	129.08	0.2228	−0.0206	88.9	34 574	14 473	
23 520	−1 519c	90.78	6.4	132.93	133.09	0.2248	−0.0187	87.2	35 576	15 475	Ym
26 530	−1 530c	86.56	21.77	144.18	145.81	0.2326	−0.014	81.4	35 579	16 481	
27 540	−1 539c	84.78	27.61	142.58	145.23	0.2358	−0.0127	79.0	36 581	16 483	
29 545	−1 545c	80.69	39.84	137.23	142.89	0.2429	−0.0107	73.8	37 585	17 486	
29 550	−1 549c	80.69	39.84	137.23	142.89	0.2429	−0.0107	73.8	37 585	17 486	
31 555	−1 555c	75.91	52.2	129.74	139.85	0.2509	−0.0095	68.0	37 589	17 488	
32 560	−1 560c	73.26	58.15	125.4	138.23	0.2552	−0.0091	65.1	38 591	17 489	
34 570	1 405	76.33	58.57	59.6	83.56	0.2543	−0.0422	45.4	39 596	18 490	Rm
34 570	7 435	76.21	62.61	22.13	66.41	0.2566	−0.0581	19.4	48 640	18 494	
34 571	9 450	75.97	65.34	4.75	65.52	0.2583	−0.0655	4.1	−1 498c	19 498	
34 572	12 460	75.81	68.72	−16.7	70.72	0.2602	−0.0746	346.3	−1 507c	21 507	
34 572	12 465	75.45	69.26	−17.31	71.39	0.2607	−0.0749	345.9	−1 508c	21 508	
34 573	14 470	75.2	70.68	−27.71	75.92	0.2616	−0.0794	338.5	−1 519c	23 519	
35 575	14 475	74.32	71.93	−29.22	77.64	0.2627	−0.0802	337.8	−1 520c	24 520	Mm
35 578	15 480	73.09	73.35	−34.87	81.22	0.2641	−0.0828	334.5	−1 529c	25 529	
36 583	17 485	71.18	73.66	−42.98	85.28	0.2652	−0.0868	329.7	−1 542c	28 542	
38 593	18 490	66.44	73.29	−52.75	90.3	0.2674	−0.0926	324.2	−1 552c	30 552	min
52 661	19 495	47.16	23.35	−87.22	90.3	0.2407	−0.1216	284.9	12 460	34 572	
−1 500c	20 500	47.55	10.76	−87.54	88.2	0.2304	−0.1215	277.0	13 468	34 573	
−1 510c	22 510	51.55	−6.06	−81.99	82.22	0.2171	−0.1151	265.7	14 473	34 574	
−1 519c	23 520	54.02	−15.93	−78.15	79.76	0.21	−0.1112	258.4	15 475	35 576	Bm
−1 530c	26 530	62.41	−44.79	−64.39	78.44	0.1923	−0.0997	235.1	16 481	35 579	
−1 539c	27 540	65.3	−52.73	−59.53	79.53	0.1883	−0.0962	228.4	16 483	36 581	
−1 545c	29 545	70.93	−64.68	−49.95	81.72	0.1834	−0.09	217.6	17 486	37 585	
−1 549c	29 550	70.93	−64.68	−49.95	81.72	0.1834	−0.09	217.6	17 486	37 585	
−1 555c	31 555	76.24	−70.82	−40.87	81.77	0.1822	−0.0849	209.9	17 488	37 589	
−1 560c	32 560	78.72	−71.69	−36.61	80.5	0.1827	−0.0826	207.0	17 489	38 591	
380	770	95.41	0.0	0.0	0.0	0.2217	−0.0675	0.0			

Ostwald optimal colours (o) of maximum (m) C_{AB} for P30, Y_w=88,6, Y_m=520_770

i ₁ , λ ₁	i ₂ , λ ₂	L*	a*	b*	C* _{ab}	a'	b'	h _{ab}	i _d , λ _d	i _c , λ _c	Code
0 405	34 573	75.3	−88.63	−34.33	95.05	0.1741	−0.0748	201.1	18 493	39 598	Cm
6 435	34 573	75.41	−92.58	−24.51	95.77	0.1719	−0.071	194.8	19 495	42 612	
10 450	34 573	75.53	−100.05	−1.02	100.06	0.1677	−0.0618	180.5	20 502	−1 502c	
12 460	34 574	75.7	−103.23	16.22	104.5	0.166	−0.0551	171.0	21 508	−1 508c	
13 465	34 574	75.87	−104.06	25.98	107.26	0.1657	−0.0513	165.9	22 512	−1 512c	
14 470	35 575	76.15	−103.73	35.99	109.79	0.166	−0.0475	160.8	23 518	−1 518c	
15 475	35 576	76.62	−102.03	46.13	111.98	0.1673	−0.0437	155.6	25 525	−1 525c	Gm
16 480	35 579	77.43	−98.65	56.41	113.64	0.1697	−0.0399	150.2	26 533	−1 533c	
17 485	36 582	78.81	−92.06	67.11	113.93	0.1741	−0.0362	143.9	28 540	−1 540c	
18 490	37 589	81.34	−79.7	79.23	112.39	0.1821	−0.0324	135.1	29 549	−1 549c	max
19 495	41 606	86.62	−50.1	95.65	107.98	0.1993	−0.0282	117.6	32 561	−1 561c	
20 500	−1 500c	93.65	−1.55	114.91	114.92	0.224	−0.024	90.7	35 575	13 469	
21 510	−1 509c	93.1	0.8	120.92	120.92	0.2252	−0.0219	89.6	35 576	14 472	
24 520	−1 520c	90.4	11.6	133.8	134.3	0.2305	−0.0166	85.0	35 578	15 479	Ym
25 530	−1 529c	89.13	16.27	136.55	137.52	0.2328	−0.0151	83.2	36 580	16 481	
28 540	−1 540c	84.24	32.43	142.68	146.32	0.2416	−0.0114	77.1	36 584	17 486	
29 545	−1 545c	82.25	38.27	139.91	145.05	0.2451	−0.0105	74.7	37 586	17 488	
30 550	−1 550c	80.09	44.2	136.62	143.59	0.2488	−0.0099	72.0	37 588	17 489	
31 555	−1 555c	77.75	50.13	132.88	142.03	0.2527	−0.0094	69.3	38 590	18 490	
32 560	−1 560c	75.23	55.93	128.76	140.38	0.2568	−0.009	66.5	38 592	18 491	
34 573	0 405	76.83	58.81	61.75	85.28	0.2578	−0.0377	46.3	39 598	18 493	Rm
34 573	6 435	76.72	60.79	34.72	70.0	0.259	−0.0481	29.7	42 612	19 495	
34 573	10 450	76.6	64.19	1.01	64.2	0.2609	−0.061	0.9	−1 502c	20 502	
34 574	12 460	76.43	65.88	−13.25	67.2	0.262	−0.0665	348.6	−1 508c	21 508	
34 574	13 465	76.27	66.65	−19.32	69.39	0.2625	−0.0689	343.8	−1 512c	22 512	
35 575	14 470	75.99	67.23	−24.55	71.57	0.2629	−0.071	339.9	−1 518c	23 518	
35 576	15 475	75.52	67.76	−29.18	73.78	0.2634	−0.0728	336.6	−1 525c	25 525	Mm
35 579	16 480	74.67	68.48	−33.62	76.29	0.2642	−0.0747	333.8	−1 533c	26 533	
36 582	17 485	73.15	69.21	−38.53	79.22	0.2653	−0.0768	330.8	−1 540c	28 540	
37 589	18 490	70.11	69.78	−45.55	83.33	0.267	−0.0803	326.8	−1 549c	29 549	min
41 606	19 495	62.3	63.84	−60.41	87.89	0.2673	−0.089	316.5	−1 561c	32 561	
−1 500c	20 500	46.37	4.7	−89.01	89.13	0.2287	−0.1123	273.0	13 469	35 575	
−1 509c	21 510	48.03	−2.36	−87.04	87.07	0.2228	−0.1099	268.4	14 472	35 576	
−1 520c	24 520	54.9	−29.55	−76.73	82.23	0.203	−0.1	248.9	15 479	35 578	Bm
−1 529c	25 530	57.62	−38.98	−72.33	82.16	0.1971	−0.0965	241.6	16 481	36 580	
−1 540c	28 540	66.12	−62.39	−58.13	85.28	0.1851	−0.0867	222.9	17 486	36 584	
−1 545c	29 545	68.92	−67.77	−53.37	86.26	0.1831	−0.0838	218.2	17 488	37 586	
−1 550c	30 550	71.67	−71.73	−48.69	86.69	0.1821	−0.0812	214.1	17 489	37 588	
−1 555c	31 555	74.33	−74.21	−44.12	86.34	0.1819	−0.0789	210.7	18 490	38 590	
−1 560c	32 560	76.9	−75.22	−39.72	85.06	0.1825	−0.0767	207.8	18 491	38 592	
380	770	95.41	0.0	0.0	0.0	0.2248	−0.0614	0.0			

Ostwald optimal colours (o) of maximum (m) C_{AB} for P25, Y_w=88,6, Y_m=520_770

i ₁ , λ ₁	i ₂ , λ ₂	L*	a*	b*	C* _{ab}	a'	b'	h _{ab}	i _d , λ _d	i _c , λ _c	Code
1 405	35 576	74.51	−90.61	−35.56	97.34	0.1763	−0.0661	201.4	19 497	40 601	Cm
6 435	35 576	74.58	−92.64	−27.54	96.65	0.1751	−0.0633	196.5	19 499	42 611	
10 450	35 577	74.67	−96.95	−6.44	97.16	0.1726	−0.056	183.8	20 504	−1 504c	
11 460	35 577	74.83	−97.65	1.33	97.66	0.1723	−0.0534	179.2	21 506	−1 506c	
13 465	35 577	74.9	−99.23	18.89	101.01	0.1714	−0.0473	169.2	22 513	−1 513c	
14 470	35 578	75.09	−99.07	28.41	103.06	0.1717	−0.0441	163.9	23 518	−1 518c	
15 475	35 579	75.41	−98.1	38.05	105.22	0.1724	−0.0408	158.8	24 524	−1 524c	Gm
16 480	36 580	75.95	−95.84	47.71	107.06	0.1741	−0.0376	153.5	26 531	−1 531c	
17 485	36 582	76.88	−91.49	57.54	108.09	0.1771	−0.0345	147.8	27 539	−1 539c	
18 490	37 586	78.52	−83.99	68.16	108.17	0.1823	−0.0313	140.9	29 546	−1 546c	max
18 495	38 594	81.92	−70.75	73.92	102.32	0.1911	−0.0302	133.7	30 553	−1 553c	
20 500	44 620	89.03	−29.14	100.82	104.95	0.2148	−0.0238	106.1	34 570	−1 570c	
21 510	−1 509c	93.64	2.1	115.89	115.91	0.2306	−0.0208	88.9	35 578	14 474	
24 520	−1 520c	91.4	11.13	130.21	130.68	0.2351	−0.0159	85.1	36 581	16 481	Ym
25 530	−1 529c	90.31	15.17	133.53	134.39	0.2372	−0.0145	83.5	36 582	16 484	
28 540	−1 540c	86.02	29.57	145.79	148.76	0.2451	−0.0111	78.5	37 586	17 489	
28 545	−1 544c	86.02	29.57	145.79	148.76	0.2451	−0.0111	78.5	37 586	17 489	
29 550	−1 549c	84.24	34.93	143.32	147.52	0.2482	−0.0103	76.3	37 588	18 491	
30 555	−1 554c	82.27	40.45	140.36	146.07	0.2516	−0.0097	73.9	37 589	18 492	
32 560	−1 560c	77.79	51.6	133.13	142.78	0.2589	−0.0089	68.8	38 594	18 494	
35 576	1 405	77.58	57.89	62.5	85.19	0.2626	−0.0329	47.1	40 601	19 497	Rm
35 576	6 435	77.51	58.91	39.61	70.99	0.2632	−0.0406	33.9	42 611	19 499	
35 577	10 450	77.43	60.86	6.58	61.22	0.2643	−0.0516	6.1	−1 504c	20 504	
35 577	11 460	77.27	61.53	−1.24	61.54	0.2648	−0.0542	358.8	−1 506c	21 506	
35 577	13 465	77.21	62.31	−14.53	63.98	0.2652	−0.0587	346.8	−1 513c	22 513	
35 578	14 470	77.04	62.7	−20.0	65.81	0.2655	−0.0605	342.3	−1 518c	23 518	
35 579	15 475	76.73	63.08	−24.74	67.76	0.2659	−0.0622	338.5	−1 524c	24 524	Mm
36 580	16 480	76.19	63.47	−29.0	69.78	0.2663	−0.0636	335.4	−1 531c	26 531	
36 582	17 485	75.25	63.85	−33.24	71.98	0.2669	−0.0652	332.4	−1 539c	27 539	
37 586	18 490	73.48	64.38	−38.35	74.94	0.268	−0.0672	329.2	−1 546c	29 546	min
38 594	18 495	69.37	65.85	−45.42	80.0	0.2707	−0.0704	325.4	−1 553c	30 553	
44 620	20 500	57.83	47.73	−68.3	83.33	0.2641	−0.0827	304.9	−1 570c	34 570	
−1 509c	21 510	46.39	−6.69	−89.11	89.37	0.2239	−0.0985	265.7	14 474	35 578	
−1 520c	24 520	52.55	−31.16	−80.41	86.24	0.2054	−0.0905	248.8	16 481	36 581	Bm
−1 529c	25 530	55.09	−40.06	−76.39	86.26	0.1996	−0.0874	242.3	16 484	36 582	
−1 540c	28 540	63.32	−63.25	−62.82	89.15	0.1871	−0.0786	224.8	17 489	37 586	
−1 544c	28 545	63.32	−63.25	−62.82	89.15	0.1871	−0.0786	224.8	17 489	37 586	
−1 549c	29 550	66.12	−68.89	−58.09	90.12	0.1849	−0.0759	220.1	18 491	37 588	
−1 554c	30 555	68.9	−73.2	−53.37	90.59	0.1837	−0.0735	216.0	18 492	37 589	
−1 560c	32 560	74.29	−77.49	−44.16	89.19	0.1839	−0.0691	209.6	18 494	38 594	
380	770	95.41	0.0	0.0	0.0	0.2296	−0.0538	0.0			