

















TUB registration: 20170801-BE43/BE43L0NA.TXT/.PS

application for measurement of display output

TUB material: code=rha4ta

<http://farbe.li.tu-berlin.de/BE43/BE43L0NA.TXT/.PS>; start output
N: no 3D-linearization (OL) in file (F) or PS-startup (S), page 1/8

see similar files: <http://farbe.li.tu-berlin.de/BE43/BE43.HTM>
technical information: <http://farbe.li.tu-berlin.de> or <http://130.149.60.45/~farbm>



TUB-test chart BE43; HPE-CIE_1964_10-degree colorimetry
Cone sensitivity and excitation, and spectral tristimulus values for CIE illuminant P60, linear data

input: w/rgb/cmyk → rgb
Cone sensitivity and excitation, and spectral tristimulus values for CIE illuminant P60, linear data

















TUB registration: 20170801-BE43/BE43L0NA.TXT/.PS

application for measurement of display output

TUB material: code=rha4ta

<http://farbe.li.tu-berlin.de/BE43/BE43L0NA.TXT/.PS>; start output
N: no 3D-linearization (OL) in file (F) or PS-startup (S), page 2/8

see similar files: <http://farbe.li.tu-berlin.de/BE43/BE43.HTM>
technical information: <http://farbe.li.tu-berlin.de> or <http://130.149.60.45/~farbm>



















TUB-test chart BE43; HPE-CIE_1964_10-degree colorimetry
Cone sensivity and excitation, and spectral tristimulus values for CIE illuminant P55, linear data
input: w/rgb/cmyk → rgb

TUB registration: 20170801-BE43/BE43L0NA.TXT/.PS application for measurement of display output



TUB material: code=rha4ta

<http://farbe.li.tu-berlin.de/BE43/BE43L0NA.TXT/.PS>; start output
N: no 3D-linearization (OL) in file (F) or PS-startup (S), page 3/8

see similar files: <http://farbe.li.tu-berlin.de/BE43/BE43.HTM>
technical information: <http://farbe.li.tu-berlin.de> or <http://130.149.60.45/~farbm>



TUB-test chart BE43; HPE-CIE_1964_10-degree colorimetry
Cone sensitivity and excitation, and spectral tristimulus values for CIE illuminant P50, linear data
input: w/rgb/cmyk → rgb



TUB registration: 20170801-BE43/BE43L0NA.TXT/.PS application for measurement of display output

TUB material: code=rha4ta

<http://farbe.li.tu-berlin.de/BE43/BE43L0NA.TXT/.PS>; start output
N: no 3D-linearization (OL) in file (F) or PS-startup (S), page 4/8

C

M

Y

O

L

V

V

C

M

Y

O

L

V

V

C

M

Y

O

L

V

V

C

M

Y

O

L

V

V

C

M

Y

O

L

V

V

C

M

Y

O

L

V

V

C

M

Y

O

L

V

V

C

M

Y

O

L

V

V

C

M

Y

O

L

V

V

C

M

Y

O

L

V

V

C

M

Y

O

L

V

V

C

M

Y

O

L

V

V

C

M

Y

O

L

V

V

C

M

Y

O

L

V

V

C

M

Y

O

L

V

V

C

M

Y

O

L

V

V

C

M

Y

O

L

V

V

C

M

Y

O

L

V

V

C

M

Y

O

L

V

V

C

M

Y

O

L

V

V

C

M

Y

O

L

V

V

C

M

Y

O

L

V

V

C

M

Y

O

L

V

V

C

M

Y

O

L

V

V

C

M

Y

O

L

V

V

C

M

Y

O

L

V

V

C

M

Y

O

L

V

V

C

M

Y

O

L

V

V

C

M

Y

O

L

V

V

C

M

Y

O

L

V

V

C

M

Y

O

L

V

V

C

M

Y

O

L

V

V

C

M

Y

O

L

V

V

C

M

Y

O

L

V

V

C

M

Y

O

L

V

V

C

M

Y

O

L

V

V

C

M

Y

O

L

V

V

C

M

Y

O

L

V

V

C

M

Y

O

L

V

V

C

M

Y

O

L

V

V

C

M

Y

O

L

V

V

C

M

Y

O

L

V

V

C

M

Y

O

L

V

V

C

M

Y

O

L

V

V

C

M

Y

O

L

V

V

C

M

Y

O

L

V

V

C

M

Y

O

L

V

V

C

M

Y

O

L

V

V

C

M

Y

O

L

V

V

C

M

Y

O

L

















V

TUB registration: 20170801-BE43/BE43L0NA.TXT/.PS application for measurement of display output

TUB material: code=rha4ta

see similar files: <http://farbe.li.tu-berlin.de/BE43/BE43L0NA.TXT/.PS>
technical information: <http://farbe.li.tu-berlin.de/BE43/BE43.HTM>

<http://farbe.li.tu-berlin.de/BE43/BE43L0NA.TXT/.PS>; start output
N: no 3D-linearization (OL) in file (F) or PS-startup (S), page 5/8



TUB-test chart BE43; HPE-CIE_1964_10-degree colorimetry
Cone sensivity and excitation, and spectral tristimulus values for CIE illuminant P40, linear data

















input: w/rgb/cmyk → rgb
Cone sensivity and excitation, and spectral tristimulus values for CIE illuminant P40, linear data

TUB registration: 20170801-BE43/BE43L0NA.TXT/.PS application for measurement of display output

TUB material: code=rha4ta

<http://farbe.li.tu-berlin.de/BE43/BE43L0NA.TXT/.PS>; start output
N: no 3D-linearization (OL) in file (F) or PS-startup (S), page 6/8

see similar files: <http://farbe.li.tu-berlin.de/BE43/BE43.HTM>
technical information: <http://farbe.li.tu-berlin.de> or <http://130.149.60.45/~farbm>



TUB-test chart BE43; HPE-CIE_1964_10-degree colorimetry
Cone sensitivity and excitation, and spectral tristimulus values for CIE illuminant P35, linear data

















input: w/rgb/cmyk → rgb
Cone sensitivity and excitation, and spectral tristimulus values for CIE illuminant P35, linear data

TUB registration: 20170801-BE43/BE43L0NA.TXT/.PS application for measurement of display output

TUB material: code=rha4ta

<http://farbe.li.tu-berlin.de/BE43/BE43L0NA.TXT/.PS>; start output
N: no 3D-linearization (OL) in file (F) or PS-startup (S), page 7/8

see similar files: <http://farbe.li.tu-berlin.de/BE43/BE43.HTM>
technical information: <http://farbe.li.tu-berlin.de> or <http://130.149.60.45/~farbm>



TUB-test chart BE43; HPE-CIE_1964_10-degree colorimetry
Cone sensitivity and excitation, and spectral tristimulus values for CIE illuminant P30, linear data
input: w/rgb/cmyk → rgb

















TUB registration: 20170801-BE43/BE43L0NA.TXT/.PS

application for measurement of display output

TUB material: code=rha4ta

<http://farbe.li.tu-berlin.de/BE43/BE43L0NA.TXT/.PS>; start output
N: no 3D-linearization (OL) in file (F) or PS-startup (S), page 8/8

see similar files: <http://farbe.li.tu-berlin.de/BE43/BE43.HTM>
technical information: <http://farbe.li.tu-berlin.de> or <http://130.149.60.45/~farbm>



TUB-test chart BE43; HPE-CIE_1964_10-degree colorimetry
Cone sensitivity and excitation, and spectral tristimulus values for CIE illuminant P25, linear data

input: w/rgb/cmyk → rgb
Cone sensitivity and excitation, and spectral tristimulus values for CIE illuminant P25, linear data