

HPE\_CIEF02\_X cone sensitivity  $\bar{y}_{\max}(\lambda)=1$

$$\bar{s}_{F02\_X,1}(\lambda) = B_{31}\bar{x}_{F02\_X,1}(\lambda) + B_{32}\bar{y}_{F02\_X,1}(\lambda)$$


$$+ B_{33}\bar{z}_{F02\_X,1}(\lambda)$$

$$B_{3j} \quad 0,000 \quad 0,000 \quad 0,5168 \quad \lambda=440$$

$$D65: \sum \bar{s}_{F02\_X,1}(\lambda) = 12,19$$

$$x_{F02\_X,1}=0,3133$$

$$y_{F02\_X,1}=0,3305$$



HPE\_CIEF02\_X cone sensitivity  $\bar{y}_{\max}(\lambda)=1$

$$\bar{s}_{F02\_X,1}(\lambda) = B_{31}\bar{x}_{F02\_X,1}(\lambda) + B_{32}\bar{y}_{F02\_X,1}(\lambda)$$

$$+ B_{33}\bar{z}_{F02\_X,1}(\lambda)$$

2,0

$B_{3j}$

0,000

0,000

0,5168

$\lambda=440$

$$D50: \sum \bar{s}_{F02\_X,1}(\lambda) = 9,11$$

$$x_{F02\_X,1} = 0,3483$$

$$y_{F02\_X,1} = 0,3607$$

1,0

0,0

400

500

600

700

wavelength  $\lambda/\text{nm}$

HPE\_CIEF02\_X cone sensitivity  $\bar{y}_{\max}(\lambda)=1$

$$\bar{s}_{F02\_X,1}(\lambda) = B_{31}\bar{x}_{F02\_X,1}(\lambda) + B_{32}\bar{y}_{F02\_X,1}(\lambda)$$


$$+ B_{33}\bar{z}_{F02\_X,1}(\lambda)$$

$$B_{3j} \quad 0,000 \quad 0,000 \quad 0,5168 \quad \lambda=440$$

$$P40: \sum \bar{s}_{F02\_X,1}(\lambda) = 7,35$$

$$x_{F02\_X,1}=0,3831$$

$$y_{F02\_X,1}=0,3775$$



HPE\_CIEF02\_X cone sensitivity  $\bar{y}_{\max}(\lambda)=1$

$$\bar{s}_{F02\_X,1}(\lambda) = B_{31}\bar{x}_{F02\_X,1}(\lambda) + B_{32}\bar{y}_{F02\_X,1}(\lambda)$$


$$+ B_{33}\bar{z}_{F02\_X,1}(\lambda)$$

$$B_{3j} \quad 0,000 \quad 0,000 \quad 0,5168 \quad \lambda=440$$

$$A00: \sum \bar{s}_{F02\_X,1}(\lambda) = 4,12$$

$$x_{F02\_X,1}=0,4526$$

$$y_{F02\_X,1}=0,4086$$



wavelength  $\lambda$ /nm

HPE\_CIEF02\_X cone sensitivity  $\bar{y}_{\max}(\lambda)=1$

$$\bar{s}_{F02\_X,1}(\lambda) = B_{31}\bar{x}_{F02\_X,1}(\lambda) + B_{32}\bar{y}_{F02\_X,1}(\lambda)$$

$$+ B_{33}\bar{z}_{F02\_X,1}(\lambda)$$

2,0

$B_{3j}$

0,000

0,000

0,5168

$\lambda=440$

$$E00: \sum \bar{s}_{F02\_X,1}(\lambda) = 11,71$$

$$x_{F02\_X,1} = 0,3331$$

$$y_{F02\_X,1} = 0,3330$$

1,0

0,0

400

500

600

700

wavelength  $\lambda/\text{nm}$

HPE\_CIEF02\_X cone sensitivity  $\bar{y}_{\max}(\lambda)=1$

$$\bar{s}_{F02\_X,1}(\lambda) = B_{31}\bar{x}_{F02\_X,1}(\lambda) + B_{32}\bar{y}_{F02\_X,1}(\lambda)$$

$$+ B_{33}\bar{z}_{F02\_X,1}(\lambda)$$

2,0

$B_{3j}$

0,000

0,000

0,5168

$\lambda=440$

$$C00: \sum \bar{s}_{F02\_X,1}(\lambda) = 12,86$$

$$x_{F02\_X,1} = 0,3101$$

$$y_{F02\_X,1} = 0,3185$$

1,0

0,0

400

500

600

700

wavelength  $\lambda/\text{nm}$

HPE\_CIEF02\_X cone sensitivity  $\bar{y}_{\max}(\lambda)=1$

$$\bar{s}_{F02\_X,1}(\lambda) = B_{31}\bar{x}_{F02\_X,1}(\lambda) + B_{32}\bar{y}_{F02\_X,1}(\lambda)$$


$$+ B_{33}\bar{z}_{F02\_X,1}(\lambda)$$

$$B_{3j} \quad 0,000 \quad 0,000 \quad 0,5168 \quad \lambda=440$$

$$P00: \sum \bar{s}_{F02\_X,1}(\lambda) = 9,49$$

$$x_{F02\_X,1} = 0,3616$$

$$y_{F02\_X,1} = 0,3533$$



HPE\_CIEF02\_X cone sensitivity  $\bar{y}_{\max}(\lambda)=1$

$$\bar{s}_{F02\_X,1}(\lambda) = B_{31}\bar{x}_{F02\_X,1}(\lambda) + B_{32}\bar{y}_{F02\_X,1}(\lambda)$$

$$+ B_{33}\bar{z}_{F02\_X,1}(\lambda)$$

$$B_{3j} \quad 0,000 \quad 0,000 \quad 0,5168 \quad \lambda=440$$

$$Q00: \sum \bar{s}_{F02\_X,1}(\lambda) = 14,49$$

$$x_{F02\_X,1}=0,3054$$

$$y_{F02\_X,1}=0,3099$$

