



HPE_CIEF cone excitation

$$\log [\bar{s}_{F02_X,s}(\lambda) / \{0,5\bar{l}_{F02_X,s}(\lambda) + 0,5\bar{m}_{F02_X,s}(\lambda)\}]$$



HPE_CIEF cone excitation

$$\log [\bar{s}_{F02_X,s}(\lambda) / \{0,5\bar{l}_{F02_X,s}(\lambda) + 0,5\bar{m}_{F02_X,s}(\lambda)\}]$$




$$P55: \Sigma \bar{s}_{F02_X,s}(\lambda) = 94,02$$

$$x_{F02_X,s} = 0,2303$$

$$y_{F02_X,s} = 0,2772$$


HPE_CIEF cone excitation

$$\log [\bar{s}_{F02_X,s}(\lambda) / \{0,5\bar{l}_{F02_X,s}(\lambda) + 0,5\bar{m}_{F02_X,s}(\lambda)\}]$$




HPE_CIEF cone excitation

$$\log [\bar{s}_{F02_X,s}(\lambda) / \{0,5\bar{l}_{F02_X,s}(\lambda) + 0,5\bar{m}_{F02_X,s}(\lambda)\}]$$




HPE_CIEF cone excitation

$$\log [\bar{s}_{F02_X,s}(\lambda) / \{0,5\bar{l}_{F02_X,s}(\lambda) + 0,5\bar{m}_{F02_X,s}(\lambda)\}]$$




HPE_CIEF cone excitation

$$\log [\bar{s}_{F02_X,s}(\lambda) / \{0,5\bar{l}_{F02_X,s}(\lambda) + 0,5\bar{m}_{F02_X,s}(\lambda)\}]$$



HPE_CIEF cone excitation

$$\log [\bar{s}_{F02_X,s}(\lambda) / \{0,5\bar{l}_{F02_X,s}(\lambda) + 0,5\bar{m}_{F02_X,s}(\lambda)\}]$$



HPE_CIEF cone excitation

$$\log [\bar{s}_{F02_X,s}(\lambda) / \{0,5\bar{l}_{F02_X,s}(\lambda) + 0,5\bar{m}_{F02_X,s}(\lambda)\}]$$

