



LMS_F02_L cone excitation

$$\log \sqrt{\bar{F}_{F02_L,s}(\lambda) / \{0,5\bar{l}_{F02_L,s}(\lambda) + 0,5\bar{m}_{F02_L,s}(\lambda)\}}$$




LMS_F02_L cone excitation

$$\log \sqrt{\bar{F}_{F02_L,s}(\lambda) / \{0,5\bar{l}_{F02_L,s}(\lambda) + 0,5\bar{m}_{F02_L,s}(\lambda)\}}$$




LMS_F02_L cone excitation

$$\log \frac{\bar{F}_{F02_L,s}(\lambda)}{\{0,5\bar{l}_{F02_L,s}(\lambda)+0,5\bar{m}_{F02_L,s}(\lambda)\}}$$




LMS_F02_L cone excitation

$$\log \sqrt{\bar{F}_{F02_L,s}(\lambda) / \{0,5\bar{l}_{F02_L,s}(\lambda) + 0,5\bar{m}_{F02_L,s}(\lambda)\}}$$




LMS_F02_L cone excitation

$$\log \frac{\bar{F}_{F02_L,s}(\lambda)}{\{0,5\bar{l}_{F02_L,s}(\lambda)+0,5\bar{m}_{F02_L,s}(\lambda)\}}$$




LMS_F02_L cone excitation

$$\log \frac{\bar{F}_{F02_L,s}(\lambda)}{\{0,5\bar{l}_{F02_L,s}(\lambda)+0,5\bar{m}_{F02_L,s}(\lambda)\}}$$



LMS_F02_L cone excitation

$$\log \frac{\bar{F}_{F02_L,s}(\lambda)}{\{0,5\bar{l}_{F02_L,s}(\lambda)+0,5\bar{m}_{F02_L,s}(\lambda)\}}$$



LMS_F02_L cone excitation

$$\log \sqrt{\bar{F}_{F02_L,s}(\lambda) / \{0,5\bar{l}_{F02_L,s}(\lambda) + 0,5\bar{m}_{F02_L,s}(\lambda)\}}$$

2,0

1,0

0,0

400

500

600

700

wavelength λ /nm

$$Q00: \Sigma \bar{F}_{F02_L,s}(\lambda) = 123,57$$

$$x_{F02_L,s} = 0,2072$$

$$y_{F02_L,s} = 0,2408$$