



LMS_R17M3 cone sensitivity $\bar{y}_{\max}(\lambda)=1$

$$\bar{m}_{R17M3,1}(\lambda) = B_{21}\bar{x}_{R17M3,1}(\lambda) + B_{22}\bar{y}_{R17M3,1}(\lambda) + B_{23}\bar{z}_{R17M3,1}(\lambda)$$




LMS_R17M3 cone sensitivity $\bar{y}_{\max}(\lambda)=1$

$$\bar{m}_{R17M3,1}(\lambda) = B_{21}\bar{x}_{R17M3,1}(\lambda) + B_{22}\bar{y}_{R17M3,1}(\lambda) + B_{23}\bar{z}_{R17M3,1}(\lambda)$$




LMS_R17M3 cone sensitivity $\bar{y}_{\max}(\lambda)=1$

$$\bar{m}_{R17M3,1}(\lambda) = B_{21}\bar{x}_{R17M3,1}(\lambda) + B_{22}\bar{y}_{R17M3,1}(\lambda) + B_{23}\bar{z}_{R17M3,1}(\lambda)$$




LMS_R17M3 cone sensitivity $\bar{y}_{\max}(\lambda)=1$

$$\bar{m}_{R17M3,1}(\lambda) = B_{21}\bar{x}_{R17M3,1}(\lambda) + B_{22}\bar{y}_{R17M3,1}(\lambda) + B_{23}\bar{z}_{R17M3,1}(\lambda)$$




LMS_R17M3 cone sensitivity $\bar{y}_{\max}(\lambda)=1$

$$\bar{m}_{R17M3,1}(\lambda) = B_{21}\bar{x}_{R17M3,1}(\lambda) + B_{22}\bar{y}_{R17M3,1}(\lambda) + B_{23}\bar{z}_{R17M3,1}(\lambda)$$




LMS_R17M3 cone sensitivity $\bar{y}_{\max}(\lambda)=1$

$$\bar{m}_{R17M3,1}(\lambda) = B_{21}\bar{x}_{R17M3,1}(\lambda) + B_{22}\bar{y}_{R17M3,1}(\lambda) + B_{23}\bar{z}_{R17M3,1}(\lambda)$$



LMS_R17M3 cone sensitivity $\bar{y}_{\max}(\lambda)=1$

$$\bar{m}_{R17M3,1}(\lambda) = B_{21}\bar{x}_{R17M3,1}(\lambda) + B_{22}\bar{y}_{R17M3,1}(\lambda) + B_{23}\bar{z}_{R17M3,1}(\lambda)$$



LMS_R17M3 cone sensitivity $\bar{y}_{\max}(\lambda)=1$

$$\bar{m}_{R17M3,1}(\lambda) = B_{21}\bar{x}_{R17M3,1}(\lambda) + B_{22}\bar{y}_{R17M3,1}(\lambda) + B_{23}\bar{z}_{R17M3,1}(\lambda)$$

