

Optimal colours (o) <i>RYGCBM</i> of maximum (m) C_{AB} ; D65, $Y_m=510_770$, CIELAB_76												
<i>Code</i>		L^*	a^*	b^*	C^*_{ab}	a'	b'	h_{ab}	i_d	λ^*_d	i_c	λ^*_c
R _{me}	570_770	64.27	64.9	104.07	122.65	0.2559	-0.0197	58.0	39	596	15	476
Y _{me}	510_770	91.38	-12.68	128.41	129.04	0.2095	-0.0263	95.6	33	567	14	471
G _{me}	470_570	79.32	-117.82	43.56	125.61	0.1536	-0.0633	159.7	22	514	-1	514c
C _m	380_570	80.3	-63.21	-27.03	68.75	0.1826	-0.1002	203.1	16	482	-1	482c
B _{me}	380_510	39.64	39.25	-95.78	103.51	0.2507	-0.1722	292.2	13	467	31	555
M _m	570_470	65.64	92.5	-35.38	99.04	0.2721	-0.1078	339.0	-1	514c	22	514
R _o	570_440	64.45	77.09	15.22	78.58	0.2633	-0.0767	11.1	-1	485c	17	485
G _o	520_570	73.89	-106.04	98.57	144.78	0.1564	-0.0313	137.0	27	535	9	446
W ₁	380_770	96.0	0.0	0.0	0.0	0.2154	-0.0861	329.4	-1	524c	24	524

Optimal colours (o) RYGCBM of maximum (m) C_{AB} ; D50, $Y_m=510_770$, CIELAB_76

<i>Code</i>		L^*	a^*	b^*	C^*_{ab}	a'	b'	h_{ab}	i_d	λ^*_d	i_c	λ^*_c
R _{me}	570_770	66.52	67.22	109.39	128.4	0.2562	-0.0194	58.4	38	594	15	476
Y _{me}	510_770	92.1	-6.52	126.14	126.31	0.2124	-0.0278	92.9	33	569	14	471
G _{me}	470_570	77.9	-115.8	36.85	121.52	0.1538	-0.0665	162.3	22	514	-1	514c
C _m	380_570	78.67	-73.91	-29.83	79.7	0.1764	-0.1019	201.9	16	483	-1	483c
B _{me}	380_510	36.78	24.36	-100.38	103.3	0.2385	-0.1813	283.6	13	469	32	563
M _m	570_470	67.51	86.22	-30.07	91.32	0.2671	-0.1041	340.7	-1	516c	23	516
R _o	570_440	66.63	74.94	23.61	78.58	0.2608	-0.0719	17.4	-1	484c	16	484
G _o	520_570	73.09	-104.67	93.73	140.51	0.1567	-0.0335	138.1	27	537	8	440
W ₁	380_770	96.0	0.0	0.0	0.0	0.2154	-0.0861	343.4	-1	513c	22	513

Optimal colours (o) <i>RYGCBM</i> of maximum (m) C_{AB} ; P45, $Y_m=510_770$, CIELAB_76												
<i>Code</i>		L^*	a^*	b^*	C^*_{ab}	a'	b'	h_{ab}	i_d	λ^*_d	i_c	λ^*_c
R _{me}	570_770	68.1	64.93	112.44	129.85	0.254	-0.0191	59.9	38	593	15	476
Y _{me}	510_770	92.43	-5.55	126.12	126.24	0.2129	-0.028	92.5	34	571	14	471
G _{me}	470_570	76.73	-115.81	135.62	121.17	0.153	-0.0669	162.9	23	515	-1	515c
C _m	380_570	77.43	-76.06	-31.97	82.5	0.1747	-0.1033	202.8	16	483	-1	483c
B _{me}	380_510	35.35	22.21	-102.78	105.16	0.2371	-0.1863	282.1	13	469	33	565
M _m	570_470	68.95	82.1	-27.99	86.74	0.2637	-0.1026	341.1	-1	517c	23	517
R _o	570_440	68.22	72.72	20.79	75.64	0.2586	-0.0738	15.9	-1	485c	17	485
G _o	520_570	72.18	-104.8	91.63	139.21	0.156	-0.0342	138.8	27	538	7	436
W ₁	380_770	96.0	0.0	0.0	0.0	0.2154	-0.0861	219.6	16	480	-1	480c

Optimal colours (o) RYGCBM of maximum (m) C_{AB} ; A00, $Y_m=510_770$, CIELAB_76

<i>Code</i>	<i>L*</i>	<i>a*</i>	<i>b*</i>	<i>C*_{ab}</i>	<i>a'</i>	<i>b'</i>	<i>h_{ab}</i>	<i>i_d</i>	<i>λ*_d</i>	<i>i_c</i>	<i>λ*_c</i>
R _{me} 570_770	73.87	60.4	124.56	138.43	0.249	-0.019	64.1	37	589	15	476
Y _{me} 510_770	93.84	1.28	118.42	118.42	0.216	-0.0322	89.3	35	576	14	471
G _{me} 470_570	71.77	-112.96	16.47	114.15	0.1511	-0.0768	171.7	22	514	-1	514c
C _m 380_570	72.13	-94.76	-41.04	103.27	0.1617	-0.1094	203.4	17	485	-1	485c
B _{me} 380_510	28.02	-8.34	-114.22	114.53	0.2059	-0.216	265.8	14	472	35	578
M _m 570_470	74.21	66.27	-12.85	67.5	0.2522	-0.0933	349.0	-1	518c	23	518
R _o 570_440	73.9	62.7	41.03	74.93	0.2503	-0.0633	33.2	-1	482c	16	482
G _o 520_570	68.57	-104.07	75.63	128.65	0.1539	-0.0414	143.9	29	545	-1	545c
W ₁ 380_770	96.0	0.0	0.0	0.0	0.2154	-0.0861	272.4	14	471	35	576

Optimal colours (o) RYGCBM of maximum (m) C_{AB} ; E00, $Y_m=510_770$, CIELAB_76

<i>Code</i>		L^*	a^*	b^*	C^*_{ab}	a'	b'	h_{ab}	i_d	λ^*_d	i_c	λ^*_c
R _{me}	570_770	66.77	62.24	108.83	125.38	0.253	-0.0192	60.2	39	595	15	476
Y _{me}	510_770	91.88	-10.75	128.99	129.44	0.2104	-0.0263	94.7	33	569	14	471
G _{me}	470_570	77.58	-119.02	42.24	126.29	0.1518	-0.0636	160.4	22	514	-1	514c
C _m	380_570	78.48	-67.0	-30.17	73.48	0.18	-0.1021	204.2	16	482	-1	482c
B _{me}	380_510	37.69	36.44	-99.12	105.6	0.2494	-0.1785	290.1	13	467	31	559
M _m	570_470	67.91	86.39	-32.25	92.21	0.2669	-0.1054	339.5	-1	515c	23	515
R _o	570_440	66.94	74.12	13.38	75.32	0.2601	-0.0781	10.2	-1	486c	17	486
G _o	520_570	72.54	-107.42	96.0	144.07	0.1548	-0.0319	138.2	27	536	8	441
W ₁	380_770	96.0	0.0	0.0	0.0	0.2154	-0.0861	157.5	23	516	-1	516c

Optimal colours (o) RYGCBM of maximum (m) C_{AB} ; C00, $Y_m=510_770$, CIELAB_76

<i>Code</i>		L^*	a^*	b^*	C^*_{ab}	a'	b'	h_{ab}	i_d	λ^*_d	i_c	λ^*_c
R _{me}	570_770	64.81	60.97	104.46	120.95	0.2532	-0.0195	59.7	39	597	15	476
Y _{me}	510_770	91.21	-14.11	130.45	131.21	0.2088	-0.0253	96.1	33	568	14	471
G _{me}	470_570	78.86	-117.37	44.03	125.36	0.1536	-0.0629	159.4	22	513	-1	513c
C _m	380_570	79.92	-59.4	-27.68	65.53	0.1845	-0.1006	204.9	16	481	-1	481c
B _{me}	380_510	40.27	42.04	-94.89	103.78	0.2528	-0.1705	293.8	13	467	30	554
M _m	570_470	66.26	90.51	-34.91	97.01	0.2704	-0.1074	338.9	-1	514c	22	514
R _o	570_440	65.01	74.64	13.64	75.88	0.2615	-0.0777	10.3	-1	485c	17	485
G _o	520_570	73.21	-105.21	99.74	144.97	0.1565	-0.0302	136.5	27	535	9	448
W ₁	380_770	96.0	0.0	0.0	0.0	0.2154	-0.0861	274.7	14	472	34	572

Optimal colours (o) RYGCBM of maximum (m) C_{AB} ; P00, $Y_m=510_770$, CIELAB_76

<i>Code</i>	<i>L*</i>	<i>a*</i>	<i>b*</i>	<i>C*_{ab}</i>	<i>a'</i>	<i>b'</i>	<i>h_{ab}</i>	<i>i_d</i>	<i>λ*_d</i>	<i>i_c</i>	<i>λ*_c</i>
R _{me} 570_770	68.7	62.77	113.19	129.43	0.2525	-0.0189	60.9	38	593	15	476
Y _{me} 510_770	92.42	-6.58	127.55	127.72	0.2124	-0.0273	92.9	34	572	14	471
G _{me} 470_570	76.18	-117.48	37.07	123.19	0.1517	-0.066	162.4	23	515	-1	515c
C _m 380_570	76.93	-74.66	-32.82	81.56	0.1753	-0.1038	203.7	16	482	-1	482c
B _{me} 380_510	35.41	25.81	-102.84	106.03	0.2406	-0.1862	284.0	13	468	33	565
M _m 570_470	69.58	80.92	-28.07	85.66	0.2627	-0.1025	340.8	-1	517c	23	517
R _o 570_440	68.83	71.36	19.09	73.87	0.2575	-0.0749	14.9	-1	485c	17	485
G _o 520_570	71.61	-106.46	92.09	140.77	0.1547	-0.0336	139.1	27	538	7	435
W ₁ 380_770	96.0	0.0	0.0	0.0	0.2154	-0.0861	85.2	34	573	14	471

Optimal colours (o) RYGCBM of maximum (m) C_{AB} ; Q00, $Y_m=510_770$, CIELAB_76

<i>Code</i>		L^*	a^*	b^*	C^*_{ab}	a'	b'	h_{ab}	i_d	λ^*_d	i_c	λ^*_c
R _{me}	570_770	64.74	61.34	104.3	121.0	0.2534	-0.0195	59.5	39	597	15	476
Y _{me}	510_770	91.34	-15.38	129.79	130.7	0.2083	-0.0257	96.7	33	567	14	471
G _{me}	470_570	78.94	-120.35	46.53	129.03	0.152	-0.0616	158.8	22	514	-1	514c
C _m	380_570	79.97	-59.7	-27.6	65.77	0.1843	-0.1005	204.8	16	481	-1	481c
B _{me}	380_510	39.8	45.82	-95.63	106.04	0.2565	-0.1719	295.5	13	466	30	553
M _m	570_470	66.16	92.07	-36.14	98.91	0.2715	-0.1081	338.5	-1	514c	22	514
R _o	570_440	64.97	76.9	8.34	77.35	0.2629	-0.081	6.1	-1	487c	17	487
G _o	520_570	73.46	-108.23	99.26	146.86	0.1549	-0.0306	137.4	26	534	9	446
W ₁	380_770	96.0	0.0	0.0	0.0	0.2154	-0.0861	21.1	-1	482c	16	482