

Optimal colours (o) <i>RYGCBM</i> of maximum (m) C_{AB} ; D65, $Y_m=510_770$, CIEXYZ												
<i>Code</i>		<i>X</i>	<i>Y</i>	<i>Z</i>	<i>x</i>	<i>y</i>	<i>z</i>	<i>h_{xy}</i>	<i>i_d</i>	λ_d	<i>i_c</i>	λ_c
R _{me}	570_770	52.74	33.13	0.43	0.6111	0.3838	0.005	237.6	38	592	16	484
Y _{me}	510_770	69.35	79.32	2.47	0.4588	0.5247	0.0163	218.8	33	568	13	467
G _{me}	470_570	19.12	55.48	23.97	0.194	0.5627	0.2432	210.3	22	512	−1	512c
C _m	380_570	33.12	57.21	97.96	0.1759	0.3038	0.5202	214.6	16	484	38	592
B _{me}	380_510	16.52	11.02	95.91	0.1338	0.0893	0.7768	228.5	13	467	33	568
M _m	570_470	66.73	34.85	74.39	0.3792	0.198	0.4227	246.5	−1	512c	22	512
R _o	570_440	57.9	33.35	25.61	0.4954	0.2853	0.2192	240.8	−1	489c	17	489
G _o	520_570	16.94	46.53	2.43	0.257	0.706	0.0369	214.3	27	538	−1	538c
W ₁	380_770	85.53	90.0	98.0	0.3127	0.329	0.3582	226.4	−1	538c	27	538

Optimal colours (o) <i>RYGCBM</i> of maximum (m) C_{AB} ; D50, $Y_m=510_770$, CIEXYZ												
<i>Code</i>		<i>X</i>	<i>Y</i>	<i>Z</i>	<i>x</i>	<i>y</i>	<i>z</i>	<i>h_{xy}</i>	<i>i_d</i>	λ_d	<i>i_c</i>	λ_c
R _{me}	570_770	58.34	35.99	0.34	0.6162	0.3801	0.0035	239.2	38	593	17	486
Y _{me}	510_770	74.81	80.93	2.24	0.4734	0.5122	0.0142	221.4	34	570	13	468
G _{me}	470_570	18.6	53.04	20.15	0.2026	0.5777	0.2195	211.1	22	510	−1	510c
C _m	380_570	28.77	54.35	74.2	0.1828	0.3454	0.4716	214.0	17	486	38	593
B _{me}	380_510	12.31	9.41	72.29	0.131	0.1001	0.7688	227.1	13	468	34	570
M _m	570_470	68.51	37.3	54.36	0.4277	0.2328	0.3394	246.0	−1	510c	22	510
R _o	570_440	61.81	36.14	17.31	0.5362	0.3135	0.1501	241.5	54	670	18	490
G _o	520_570	16.8	45.29	2.2	0.2613	0.7043	0.0342	214.4	27	538	−1	538c
W ₁	380_770	86.78	89.99	74.24	0.3457	0.3585	0.2957	226.0	−1	513c	22	513

Optimal colours (o) <i>RYGCBM</i> of maximum (m) C_{AB} ; P45, $Y_m=510_770$, CIEXYZ												
<i>Code</i>		<i>X</i>	<i>Y</i>	<i>Z</i>	<i>x</i>	<i>y</i>	<i>z</i>	<i>h_{xy}</i>	<i>i_d</i>	λ_d	<i>i_c</i>	λ_c
R _{me}	570_770	61.97	38.1	0.31	0.6173	0.3795	0.0031	238.9	38	593	17	487
Y _{me}	510_770	78.18	81.68	2.13	0.4826	0.5042	0.0131	221.0	34	571	13	468
G _{me}	470_570	18.14	51.07	18.23	0.2075	0.584	0.2084	211.1	22	510	−1	510c
C _m	380_570	27.65	52.24	68.41	0.1864	0.3522	0.4613	213.7	17	487	38	593
B _{me}	380_510	11.46	8.66	66.6	0.1321	0.0999	0.7679	226.1	13	468	34	571
M _m	570_470	71.47	39.26	50.48	0.4433	0.2435	0.3131	245.4	−1	510c	22	510
R _o	570_440	65.65	38.26	18.3	0.5371	0.313	0.1497	241.4	−1	491c	18	491
G _o	520_570	16.54	43.92	2.08	0.2645	0.702	0.0333	214.1	27	538	−1	538c
W ₁	380_770	89.28	90.0	68.46	0.3603	0.3632	0.2763	225.2	17	488	39	597

Optimal colours (o) <i>RYGCBM</i> of maximum (m) C_{AB} ; A00, $Y_m=510_770$, CIEXYZ												
<i>Code</i>		<i>X</i>	<i>Y</i>	<i>Z</i>	<i>x</i>	<i>y</i>	<i>z</i>	<i>h_{xy}</i>	<i>i_d</i>	λ_d	<i>i_c</i>	λ_c
R _{me}	570_770	78.88	46.49	0.17	0.6282	0.3702	0.0014	239.9	39	595	18	493
Y _{me}	510_770	94.02	84.89	1.58	0.5208	0.4703	0.0087	223.6	35	576	14	472
G _{me}	470_570	16.41	43.31	10.9	0.2323	0.6132	0.1544	211.2	21	509	−1	509c
C _m	380_570	20.36	43.85	31.97	0.2116	0.4559	0.3324	212.1	18	493	39	595
B _{me}	380_510	5.23	5.45	30.56	0.1268	0.1322	0.7408	222.1	14	472	35	576
M _m	570_470	82.82	47.02	21.23	0.5482	0.3112	0.1405	242.9	−1	509c	21	509
R _o	570_440	80.19	46.55	6.58	0.6014	0.3491	0.0493	240.9	42	610	19	496
G _o	520_570	15.52	38.75	1.53	0.2781	0.6943	0.0274	212.9	27	538	−1	538c
W ₁	380_770	98.86	89.99	32.02	0.4475	0.4074	0.1449	222.3	13	467	38	594

Optimal colours (o) <i>RYGCBM</i> of maximum (m) C_{AB} ; E00, $Y_m=510_770$, CIEXYZ												
<i>Code</i>		<i>X</i>	<i>Y</i>	<i>Z</i>	<i>x</i>	<i>y</i>	<i>z</i>	<i>h_{xy}</i>	<i>i_d</i>	<i>λ_d</i>	<i>i_c</i>	<i>λ_c</i>
R _{me}	570_770	58.84	36.31	0.4	0.6157	0.38	0.0042	237.1	38	593	16	484
Y _{me}	510_770	74.99	80.44	2.3	0.4754	0.5099	0.0146	218.0	34	570	13	466
G _{me}	470_570	18.38	52.5	21.11	0.1998	0.5706	0.2295	210.1	22	512	−1	512c
C _m	380_570	31.5	54.02	89.95	0.1795	0.3078	0.5126	213.8	16	484	38	593
B _{me}	380_510	15.37	9.9	88.05	0.1356	0.0874	0.7769	226.7	13	466	34	570
M _m	570_470	71.95	37.84	69.22	0.4019	0.2113	0.3866	245.7	−1	512c	22	512
R _o	570_440	64.33	36.55	27.21	0.5021	0.2853	0.2124	240.6	−1	490c	18	490
G _o	520_570	16.49	44.46	2.26	0.2608	0.7033	0.0358	213.6	27	538	−1	538c
W ₁	380_770	90.0	90.0	90.0	0.3333	0.3333	0.3333	225.0	22	512	−1	512c

Optimal colours (o) <i>RYGCBM</i> of maximum (m) C_{AB} ; C00, $Y_m=510_770$, CIEXYZ												
<i>Code</i>		<i>X</i>	<i>Y</i>	<i>Z</i>	<i>x</i>	<i>y</i>	<i>z</i>	<i>h_{xy}</i>	<i>i_d</i>	λ_d	<i>i_c</i>	λ_c
R _{me}	570_770	53.78	33.79	0.46	0.6108	0.3838	0.0053	236.2	38	592	16	483
Y _{me}	510_770	70.53	78.94	2.36	0.4645	0.5198	0.0155	217.4	33	568	13	466
G _{me}	470_570	19.43	54.68	25.22	0.1955	0.5505	0.2538	209.9	22	513	−1	513c
C _m	380_570	34.81	56.54	106.36	0.176	0.2859	0.5379	214.4	16	483	38	592
B _{me}	380_510	18.07	11.4	104.45	0.1349	0.0851	0.7798	227.9	13	466	33	568
M _m	570_470	69.16	35.65	81.57	0.371	0.1912	0.4376	245.8	−1	513c	22	513
R _o	570_440	59.73	34.06	29.58	0.4841	0.276	0.2397	239.8	−1	488c	17	488
G _o	520_570	17.09	45.48	2.32	0.2633	0.7008	0.0358	213.9	27	539	−1	539c
W ₁	380_770	88.26	90.0	106.4	0.31	0.3161	0.3737	225.5	−1	573c	34	573

Optimal colours (o) <i>RYGCBM</i> of maximum (m) C_{AB} ; P00, $Y_m=510_770$, CIEXYZ												
<i>Code</i>		<i>X</i>	<i>Y</i>	<i>Z</i>	<i>x</i>	<i>y</i>	<i>z</i>	h_{xy}	i_d	λ_d	i_c	λ_c
R _{me}	570_770	63.95	38.92	0.33	0.6196	0.3771	0.0032	238.0	38	593	17	486
Y _{me}	510_770	79.87	81.65	2.11	0.488	0.4989	0.0129	219.5	34	572	13	468
G _{me}	470_570	17.89	50.18	18.33	0.207	0.5807	0.2121	210.6	22	511	−1	511c
C _m	380_570	28.26	51.41	72.9	0.1852	0.3369	0.4778	213.3	17	486	38	593
B _{me}	380_510	12.35	8.69	71.12	0.134	0.0943	0.7716	225.5	13	467	34	572
M _m	570_470	74.32	40.15	54.89	0.4387	0.237	0.3241	245.1	−1	511c	22	511
R _o	570_440	68.14	39.1	20.83	0.532	0.3053	0.1626	240.8	−1	491c	18	491
G _o	520_570	16.27	43.07	2.06	0.2649	0.7013	0.0336	213.5	27	538	−1	538c
W ₁	380_770	91.86	90.0	72.95	0.3604	0.3531	0.2863	224.4	37	589	17	489

Optimal colours (o) <i>RYGCBM</i> of maximum (m) C_{AB} ; Q00, $Y_m=510_770$, CIEXYZ												
<i>Code</i>		<i>X</i>	<i>Y</i>	<i>Z</i>	<i>x</i>	<i>y</i>	<i>z</i>	<i>h_{xy}</i>	<i>i_d</i>	λ_d	<i>i_c</i>	λ_c
R _{me}	570_770	53.73	33.71	0.46	0.6112	0.3834	0.0053	236.3	38	592	16	483
Y _{me}	510_770	70.1	79.22	2.49	0.4617	0.5218	0.0164	216.7	33	568	13	465
G _{me}	470_570	18.87	54.82	23.9	0.1934	0.5616	0.2448	209.7	22	513	−1	513c
C _m	380_570	34.74	56.63	107.01	0.1751	0.2854	0.5394	214.4	16	483	38	592
B _{me}	380_510	18.38	11.12	104.98	0.1367	0.0827	0.7805	228.1	13	465	33	568
M _m	570_470	69.59	35.52	83.56	0.3688	0.1882	0.4428	246.2	−1	513c	22	513
R _o	570_440	60.52	34.0	33.61	0.4723	0.2653	0.2623	240.4	−1	489c	17	489
G _o	520_570	16.7	45.86	2.45	0.2569	0.7052	0.0378	213.6	27	538	−1	538c
W ₁	380_770	88.13	90.0	107.05	0.309	0.3155	0.3753	225.5	−1	489c	17	489