

Optimal colours (o) <i>RYGCBM</i> of maximum (m) C_{AB} ; D65, $Y_m=510_770$, Y_{AB_77}												
<i>Code</i>		<i>Y</i>	<i>A</i>	<i>B</i>	C_{AB}	<i>a</i>	<i>b</i>	h_{AB}	i_d	λ_d	i_c	λ_c
R _{me}	570_770	33.13	21.25	14.25	25.59	1.592	−0.0052	33.8	38	592	16	484
Y _{me}	510_770	79.32	−6.03	33.56	34.09	0.8743	−0.0124	100.1	33	568	14	471
G _{me}	470_570	55.48	−33.6	14.57	36.63	0.3447	−0.1728	156.5	23	515	−1	515c
C _m	380_570	57.21	−21.25	−14.26	25.59	0.5789	−0.6848	213.8	16	484	38	592
B _{me}	380_510	11.02	6.04	−33.56	34.1	1.498	−3.4785	280.2	13	466	33	565
M _m	570_470	34.85	33.6	−14.57	36.62	1.9144	−0.8536	336.5	−1	504c	20	504
R _o	570_440	33.35	26.19	4.28	26.54	1.7358	−0.3072	9.2	−1	488c	17	488
G _o	520_570	46.53	−27.28	19.29	33.42	0.364	−0.0209	144.7	27	538	−1	538c
W ₁	380_770	90.0	0.0	0.0	0.01	0.9504	−0.4355	353.4	38	591	16	484

Optimal colours (o) <i>RYGCBM</i> of maximum (m) C_{AB} ; D50, $Y_m=510_770$, Y_{AB_77}												
<i>Code</i>		<i>Y</i>	<i>A</i>	<i>B</i>	C_{AB}	<i>a</i>	<i>b</i>	h_{AB}	i_d	λ_d	i_c	λ_c
R _{me}	570_770	35.99	23.63	11.74	26.39	1.621	−0.0037	26.4	38	593	17	489
Y _{me}	510_770	80.93	−3.23	25.81	26.01	0.9242	−0.0111	97.1	34	570	14	472
G _{me}	470_570	53.04	−32.54	9.44	33.88	0.3506	−0.152	163.8	21	507	−1	507c
C _m	380_570	54.35	−23.63	−11.74	26.39	0.5293	−0.546	206.4	17	485	36	582
B _{me}	380_510	9.41	3.24	−25.81	26.01	1.3086	−3.0724	277.1	13	468	33	568
M _m	570_470	37.3	32.54	−9.43	33.88	1.8366	−0.583	343.8	−1	529c	25	529
R _o	570_440	36.14	26.96	5.0	27.42	1.7101	−0.1915	10.5	−1	494c	18	494
G _o	520_570	45.29	−26.86	14.06	30.32	0.3709	−0.0194	152.3	27	537	−1	537c
W ₁	380_770	89.99	0.0	0.0	0.01	0.9642	−0.3299	354.2	1	409	32	564

Optimal colours (o) <i>RYGCBM</i> of maximum (m) C_{AB} ; P45, $Y_m=510_770$, Y_{AB_77}												
<i>Code</i>		<i>Y</i>	<i>A</i>	<i>B</i>	C_{AB}	<i>a</i>	<i>b</i>	h_{AB}	i_d	λ_d	i_c	λ_c
R _{me}	570_770	38.1	24.17	11.46	26.75	1.6265	−0.0033	25.3	38	593	18	490
Y _{me}	510_770	81.68	−2.85	24.0	24.17	0.9571	−0.0104	96.7	34	571	13	468
G _{me}	470_570	51.07	−32.52	8.24	33.55	0.3553	−0.1428	165.7	21	506	−1	506c
C _m	380_570	52.24	−24.17	−11.47	26.75	0.5293	−0.5238	205.3	17	486	36	582
B _{me}	380_510	8.66	2.86	−24.0	24.17	1.322	−3.073	276.7	13	468	34	571
M _m	570_470	39.26	32.52	−8.24	33.55	1.8203	−0.5143	345.7	−1	544c	28	544
R _o	570_440	38.26	27.69	4.32	28.03	1.7159	−0.1913	8.8	−1	498c	19	498
G _o	520_570	43.92	−27.02	12.53	29.78	0.3767	−0.019	155.1	27	537	−1	537c
W ₁	380_770	90.0	0.0	0.0	0.01	0.992	−0.3042	355.4	13	469	34	571

Optimal colours (o) <i>RYGCBM</i> of maximum (m) C_{AB} ; A00, $Y_m=510_770$, Y_{AB_77}												
<i>Code</i>		<i>Y</i>	<i>A</i>	<i>B</i>	C_{AB}	<i>a</i>	<i>b</i>	h_{AB}	i_d	λ_d	i_c	λ_c
R _{me}	570_770	46.49	27.81	6.54	28.57	1.6967	−0.0015	13.2	−1	595c	39	595
Y _{me}	510_770	84.89	0.76	11.44	11.47	1.1074	−0.0074	86.1	16	482	35	577
G _{me}	470_570	43.31	−31.17	1.8	31.22	0.3789	−0.1007	176.6	20	500	32	563
C _m	380_570	43.85	−27.8	−6.54	28.57	0.4643	−0.2916	193.2	18	490	34	572
B _{me}	380_510	5.45	−0.75	−11.44	11.47	0.9596	−2.2411	266.2	14	472	35	579
M _m	570_470	47.02	31.17	−1.8	31.22	1.7614	−0.1806	356.6	−1	586c	37	586
R _o	570_440	46.55	29.05	3.99	29.33	1.7227	−0.0565	7.8	−1	590c	38	590
G _o	520_570	38.75	−27.04	4.9	27.48	0.4005	−0.0158	169.7	21	509	29	547
W ₁	380_770	89.99	0.0	0.0	0.01	1.0984	−0.1423	0.0	15	477	35	578

Optimal colours (o) <i>RYGCBM</i> of maximum (m) C_{AB} ; E00, $Y_m=510_770$, Y_{AB_77}												
<i>Code</i>		<i>Y</i>	<i>A</i>	<i>B</i>	C_{AB}	<i>a</i>	<i>b</i>	h_{AB}	i_d	λ_d	i_c	λ_c
R _{me}	570_770	36.31	22.52	14.36	26.71	1.6202	−0.0044	32.5	38	593	16	484
Y _{me}	510_770	80.44	−5.45	31.25	31.72	0.9322	−0.0114	99.8	34	570	13	466
G _{me}	470_570	52.5	−34.11	12.55	36.35	0.3501	−0.1608	159.7	22	512	−1	512c
C _m	380_570	54.02	−22.52	−14.37	26.71	0.583	−0.666	212.5	16	484	38	593
B _{me}	380_510	9.9	5.46	−31.25	31.73	1.5511	−3.5544	279.9	13	466	34	570
M _m	570_470	37.84	34.11	−12.55	36.35	1.9016	−0.7317	339.7	−1	512c	22	512
R _o	570_440	36.55	27.78	3.73	28.03	1.76	−0.2978	7.6	−1	490c	18	490
G _o	520_570	44.46	−27.97	16.88	32.67	0.3708	−0.0203	148.8	27	538	−1	538c
W ₁	380_770	90.0	0.0	0.0	0.01	1.0	−0.4	7.7	29	548	−1	548c

Optimal colours (o) <i>RYGCBM</i> of maximum (m) C_{AB} ; C00, $Y_m=510_770$, Y_{AB_77}												
<i>Code</i>		<i>Y</i>	<i>A</i>	<i>B</i>	C_{AB}	<i>a</i>	<i>b</i>	h_{AB}	i_d	λ_d	i_c	λ_c
R _{me}	570_770	33.79	20.63	15.79	25.98	1.5913	−0.0055	37.4	38	592	16	482
Y _{me}	510_770	78.94	−6.88	36.38	37.03	0.8935	−0.0119	100.7	33	568	13	469
G _{me}	470_570	54.68	−34.2	15.77	37.66	0.3552	−0.1844	155.2	23	516	−1	516c
C _m	380_570	56.54	−20.63	−15.8	25.99	0.6157	−0.7523	217.4	16	483	40	600
B _{me}	380_510	11.4	6.88	−36.38	37.03	1.5846	−3.6623	280.7	13	466	33	567
M _m	570_470	35.65	34.2	−15.77	37.66	1.94	−0.9152	335.2	−1	501c	20	501
R _o	570_440	34.06	26.33	4.27	26.67	1.7538	−0.3473	9.2	−1	486c	17	486
G _o	520_570	45.48	−27.51	20.58	34.36	0.3757	−0.0204	143.2	27	539	−1	539c
W ₁	380_770	90.0	0.0	0.0	0.01	0.9807	−0.4729	358.3	35	576	15	476

Optimal colours (o) <i>RYGCBM</i> of maximum (m) C_{AB} ; P00, $Y_m=510_770$, Y_{AB_77}												
<i>Code</i>		<i>Y</i>	<i>A</i>	<i>B</i>	C_{AB}	<i>a</i>	<i>b</i>	h_{AB}	i_d	λ_d	i_c	λ_c
R _{me}	570_770	38.92	24.22	12.48	27.25	1.6429	−0.0034	27.2	38	593	17	488
Y _{me}	510_770	81.65	−3.47	25.63	25.86	0.9781	−0.0103	97.7	34	572	12	461
G _{me}	470_570	50.18	−33.33	8.93	34.5	0.3565	−0.1461	164.9	21	507	−1	507c
C _m	380_570	51.41	−24.21	−12.49	27.25	0.5496	−0.5671	207.2	17	485	37	587
B _{me}	380_510	8.69	3.48	−25.63	25.86	1.4209	−3.2718	277.7	13	468	34	573
M _m	570_470	40.15	33.33	−8.93	34.5	1.8507	−0.5468	344.9	−1	541c	28	541
R _o	570_440	39.1	28.23	4.34	28.56	1.7426	−0.213	8.7	−1	496c	19	496
G _o	520_570	43.07	−27.69	13.13	30.65	0.3777	−0.0192	154.6	27	537	−1	537c
W ₁	380_770	90.0	0.0	0.0	0.01	1.0206	−0.3242	4.6	15	476	35	576

Optimal colours (o) <i>RYGCBM</i> of maximum (m) C_{AB} ; Q00, $Y_m=510_770$, Y_{AB_77}												
<i>Code</i>		<i>Y</i>	<i>A</i>	<i>B</i>	C_{AB}	<i>a</i>	<i>b</i>	h_{AB}	i_d	λ_d	i_c	λ_c
R _{me}	570_770	33.71	20.72	15.85	26.09	1.5939	−0.0055	37.4	38	592	16	482
Y _{me}	510_770	79.22	−7.48	36.69	37.45	0.8848	−0.0126	101.5	33	568	13	468
G _{me}	470_570	54.82	−34.8	16.52	38.53	0.3443	−0.1743	154.6	23	517	−1	517c
C _m	380_570	56.63	−20.71	−15.86	26.09	0.6134	−0.7558	217.4	16	483	40	601
B _{me}	380_510	11.12	7.49	−36.7	37.45	1.6529	−3.7754	281.5	13	465	33	566
M _m	570_470	35.52	34.8	−16.52	38.53	1.9592	−0.9409	334.6	−1	501c	20	501
R _o	570_440	34.0	27.22	2.73	27.36	1.78	−0.3954	5.7	−1	487c	17	487
G _o	520_570	45.86	−28.2	20.83	35.06	0.3643	−0.0214	143.5	27	538	−1	538c
W ₁	380_770	90.0	0.0	0.0	0.01	0.9793	−0.4758	4.1	35	576	15	476