

Optimal colours (o) RYGCBM of maximum (m) C_{AB} ; P60, $Y_m=510_770$, CIELAB_76

<i>Code</i>	L^*	a^*	b^*	C^*_{ab}	a'	b'	h_{ab}	i_d	λ^*_d	i_c	λ^*_c
R _{me} 570_770	65.43	63.48	106.29	123.81	0.2544	-0.0194	59.1	39	596	15	476
Y _{me} 510_770	91.63	-11.95	128.6	129.16	0.2099	-0.0264	95.3	33	568	14	471
G _{me} 470_570	78.55	-118.43	43.39	126.13	0.1528	-0.0632	159.8	22	514	-1	514c
C _m 380_570	79.47	-64.65	-28.45	70.63	0.1816	-0.101	203.7	16	482	-1	482c
B _{me} 380_510	38.67	38.56	-97.43	104.78	0.2507	-0.1753	291.5	13	467	31	557
M _m 570_470	66.67	89.76	-34.15	96.04	0.2697	-0.1068	339.1	-1	515c	23	515
R _o 570_440	65.62	76.26	11.98	77.19	0.2621	-0.0788	8.9	-1	486c	17	486
G _o 520_570	73.32	-106.57	97.35	144.34	0.1558	-0.0316	137.5	27	535	8	444
W ₁ 380_770	96.0	0.0	0.0	0.0	0.2154	-0.0861	140.8	26	532	5	429

Optimal colours (o) <i>RYGCBM</i> of maximum (m) C_{AB} ; P55, $Y_m=510_770$, CIELAB_76												
<i>Code</i>		L^*	a^*	b^*	C^*_{ab}	a'	b'	h_{ab}	i_d	λ^*_d	i_c	λ^*_c
R _{me}	570_770	66.16	64.14	108.02	125.63	0.2545	-0.0193	59.2	39	595	15	476
Y _{me}	510_770	91.86	-9.94	127.98	128.37	0.2108	-0.0268	94.4	33	569	14	471
G _{me}	470_570	78.08	-117.58	41.32	124.63	0.1529	-0.0642	160.6	22	514	-1	514c
C _m	380_570	78.93	-67.91	-29.38	73.99	0.1797	-0.1016	203.3	16	482	-1	482c
B _{me}	380_510	37.76	34.0	-98.9	104.58	0.2471	-0.1781	288.9	13	468	31	559
M _m	570_470	67.28	87.62	-32.51	93.46	0.268	-0.1057	339.6	-1	515c	23	515
R _o	570_440	66.33	75.34	14.37	76.7	0.2612	-0.0774	10.8	-1	486c	17	486
G _o	520_570	73.03	-105.95	95.87	142.89	0.1559	-0.0323	137.8	27	536	8	443
W ₁	380_770	96.0	0.0	0.0	0.0	0.2154	-0.0861	271.6	14	472	34	572

Optimal colours (o) RYGCBM of maximum (m) C_{AB} ; P50, $Y_m=510_770$, CIELAB_76												
<i>Code</i>		L^*	a^*	b^*	C^*_{ab}	a'	b'	h_{ab}	i_d	λ^*_d	i_c	λ^*_c
R _{me}	570_770	67.04	64.67	110.05	127.64	0.2544	-0.0192	59.5	38	594	15	476
Y _{me}	510_770	92.13	-7.79	127.18	127.42	0.2118	-0.0273	93.5	34	570	14	471
G _{me}	470_570	77.48	-116.7	38.78	122.98	0.153	-0.0654	161.6	23	515	-1	515c
C _m	380_570	78.27	-71.69	-30.53	77.92	0.1774	-0.1023	203.0	16	483	-1	483c
B _{me}	380_510	36.68	28.61	-100.66	104.65	0.2426	-0.1817	285.8	13	468	32	562
M _m	570_470	68.02	85.1	-30.5	90.4	0.2661	-0.1043	340.2	-1	516c	23	516
R _o	570_440	67.18	74.19	17.25	76.18	0.26	-0.0758	13.0	-1	486c	17	486
G _o	520_570	72.67	-105.34	94.02	141.2	0.156	-0.0331	138.2	27	537	8	440
W ₁	380_770	96.0	0.0	0.0	0.0	0.2154	-0.0861	180.0	18	494	-1	494c

Optimal colours (o) <i>RYGCBM</i> of maximum (m) C_{AB} ; P45, $Y_m=510_770$, CIELAB_76												
<i>Code</i>		L^*	a^*	b^*	C^*_{ab}	a'	b'	h_{ab}	i_d	λ^*_d	i_c	λ^*_c
R _{me}	570_770	68.1	64.93	112.44	129.85	0.254	-0.0191	59.9	38	593	15	476
Y _{me}	510_770	92.43	-5.55	126.12	126.24	0.2129	-0.028	92.5	34	571	14	471
G _{me}	470_570	76.73	-115.81	135.62	121.17	0.153	-0.0669	162.9	23	515	-1	515c
C _m	380_570	77.43	-76.06	-31.97	82.5	0.1747	-0.1033	202.8	16	483	-1	483c
B _{me}	380_510	35.35	22.21	-102.78	105.16	0.2371	-0.1863	282.1	13	469	33	565
M _m	570_470	68.95	82.1	-27.99	86.74	0.2637	-0.1026	341.1	-1	517c	23	517
R _o	570_440	68.22	72.72	20.79	75.64	0.2586	-0.0738	15.9	-1	485c	17	485
G _o	520_570	72.18	-104.8	91.63	139.21	0.156	-0.0342	138.8	27	538	7	436
W ₁	380_770	96.0	0.0	0.0	0.0	0.2154	-0.0861	219.6	16	480	-1	480c

Optimal colours (o) <i>RYGCBM</i> of maximum (m) C_{AB} ; P40, $Y_m=510_770$, CIELAB_76												
<i>Code</i>		L^*	a^*	b^*	C^*_{ab}	a'	b'	h_{ab}	i_d	λ^*_d	i_c	λ^*_c
R _{me}	570_770	69.4	64.74	115.3	132.24	0.2533	-0.019	60.6	38	591	15	476
Y _{me}	510_770	92.79	-3.27	124.68	124.72	0.2139	-0.0288	91.5	34	572	14	471
G _{me}	470_570	75.73	-114.93	31.6	119.2	0.1528	-0.0689	164.6	23	515	-1	515c
C _m	380_570	76.34	-81.07	-33.83	87.85	0.1715	-0.1045	202.6	16	484	-1	484c
B _{me}	380_510	33.72	14.59	-105.39	106.39	0.2301	-0.1922	277.8	14	470	33	569
M _m	570_470	70.1	78.47	-24.8	82.29	0.261	-0.1005	342.4	-1	517c	23	517
R _o	570_440	69.49	70.77	25.21	75.13	0.2568	-0.0714	19.6	-1	485c	17	485
G _o	520_570	71.51	-104.37	88.48	136.82	0.1558	-0.0356	139.7	28	540	6	430
W ₁	380_770	96.0	0.0	0.0	0.0	0.2154	-0.0861	180.0	19	497	-1	497c

Optimal colours (o) RYGCBM of maximum (m) C_{AB} ; P35, $Y_m=510_770$, CIELAB_76

<i>Code</i>	<i>L*</i>	<i>a*</i>	<i>b*</i>	<i>C*_{ab}</i>	<i>a'</i>	<i>b'</i>	<i>h_{ab}</i>	<i>i_d</i>	<i>λ*_d</i>	<i>i_c</i>	<i>λ*_c</i>
R _{me} 570_770	71.03	63.77	118.77	134.81	0.2521	-0.019	61.7	38	590	15	476
Y _{me} 510_770	93.2	-1.08	122.64	122.64	0.2149	-0.03	90.5	34	574	14	471
G _{me} 470_570	74.39	-114.09	26.33	117.08	0.1523	-0.0716	167.0	23	515	-1	515c
C _m 380_570	74.9	-86.73	-36.31	94.02	0.1677	-0.1061	202.7	16	484	-1	484c
B _{me} 380_510	31.65	5.57	-108.63	108.78	0.2213	-0.2002	272.9	14	471	34	572
M _m 570_470	71.57	73.99	-20.62	76.81	0.2577	-0.0979	344.4	-1	518c	23	518
R _o 570_440	71.1	68.07	30.86	74.74	0.2545	-0.0684	24.3	-1	484c	16	484
G _o 520_570	70.56	-104.1	84.17	133.88	0.1553	-0.0375	141.0	28	542	3	418
W ₁ 380_770	96.0	0.0	0.0	0.0	0.2154	-0.0861	121.1	31	556	12	461

Optimal colours (o) <i>RYGCBM</i> of maximum (m) C_{AB} ; P30, $Y_m=510_770$, CIELAB_76												
<i>Code</i>		L^*	a^*	b^*	C^*_{ab}	a'	b'	h_{ab}	i_d	λ^*_d	i_c	λ^*_c
R _{me}	570_770	73.11	61.47	123.05	137.55	0.2499	−0.019	63.4	37	589	15	476
Y _{me}	510_770	93.68	0.81	119.62	119.63	0.2158	−0.0316	89.6	35	576	14	471
G _{me}	470_570	72.5	−113.24	19.17	114.85	0.1514	−0.0753	170.3	23	515	−1	515c
C _m	380_570	72.9	−92.87	−39.73	101.01	0.1632	−0.1085	203.1	17	485	−1	485c
B _{me}	380_510	28.99	−4.9	−112.75	112.86	0.21	−0.2115	267.5	14	471	35	577
M _m	570_470	73.5	68.31	−14.98	69.93	0.2536	−0.0945	347.6	−1	518c	23	518
R _o	570_440	73.16	64.21	38.29	74.76	0.2514	−0.0647	30.8	−1	482c	16	482
G _o	520_570	69.14	−104.05	78.04	130.06	0.1543	−0.0403	143.1	28	544	−1	544c
W ₁	380_770	96.0	0.0	0.0	0.0	0.2154	−0.0861	0.0	−1	482c	−1	544c

Optimal colours (o) RYGCBM of maximum (m) C_{AB} ; P25, $Y_m=510_770$, CIELAB_76

<i>Code</i>	<i>L</i> [*]	<i>a</i> [*]	<i>b</i> [*]	<i>C</i> [*] _{ab}	<i>a</i> [']	<i>b</i> [']	<i>h</i> _{ab}	<i>i</i> _d	<i>λ</i> [*] _d	<i>i</i> _c	<i>λ</i> [*] _c
R _{me} 570_770	75.85	57.0	128.44	140.53	0.2465	−0.0193	66.0	37	588	15	475
Y _{me} 510_770	94.23	2.11	114.89	114.91	0.2164	−0.034	88.9	35	578	14	471
G _{me} 470_570	69.7	−112.198.99		112.55	0.15	−0.0809	175.4	22	513	−1	513c
C _m 380_570	69.97	−98.91	−44.72	108.55	0.1579	−0.1121	204.3	17	485	−1	485c
B _{me} 380_510	25.43	−16.42	−118.05	119.19	0.1956	−0.2287	262.0	14	472	36	581
M _m 570_470	76.09	60.85	−7.0	61.25	0.2485	−0.0899	353.4	−1	515c	23	515
R _o 570_440	75.87	58.43	48.41	75.88	0.2472	−0.0598	39.6	42	614	16	481
G _o 520_570	66.91	−104.1268.76		124.78	0.1526	−0.0447	146.5	29	548	−1	548c
W ₁ 380_770	96.0	0.0	0.0	0.0	0.2154	−0.0861	0.0	−1	506c	21	506