

Optimal colours (o) <i>RYGCBM</i> of maximum (m) C_{AB} ; D65, $Y_m=510_770$, CIEXYZ												
<i>Code</i>		<i>X</i>	<i>Y</i>	<i>Z</i>	<i>x</i>	<i>y</i>	<i>z</i>	<i>h_{xy}</i>	<i>i_d</i>	λ_d	<i>i_c</i>	λ_c
R _{me}	570_770	58.46	36.56	0.04	0.6149	0.3845	0.0004	240.0	38	592	16	484
Y _{me}	510_770	76.99	88.09	2.32	0.4599	0.5262	0.0138	213.4	33	568	13	467
G _{me}	470_570	20.96	61.5	26.32	0.1927	0.5653	0.2419	207.4	22	512	−1	512c
C _m	380_570	36.57	63.43	108.84	0.1751	0.3037	0.5211	212.0	16	484	38	592
B _{me}	380_510	18.05	11.9	106.56	0.1322	0.0872	0.7805	228.8	13	467	33	568
M _m	570_470	74.07	38.49	82.56	0.3796	0.1972	0.4231	251.1	−1	512c	22	512
R _o	570_440	64.22	36.81	28.16	0.497	0.2849	0.2179	243.9	−1	489c	17	489
G _o	520_570	18.52	51.52	2.27	0.2561	0.7123	0.0315	212.3	27	538	−1	538c
W ₁	380_770	95.04	100.0	108.89	0.3127	0.329	0.3582	0.0	−1	489c	−1	538c

Optimal colours (o) <i>RYGCBM</i> of maximum (m) C_{AB} ; D50, $Y_m=510_770$, CIEXYZ												
<i>Code</i>		<i>X</i>	<i>Y</i>	<i>Z</i>	<i>x</i>	<i>y</i>	<i>z</i>	<i>h_{xy}</i>	<i>i_d</i>	λ_d	<i>i_c</i>	λ_c
R _{me}	570_770	64.7	39.75	0.04	0.6191	0.3804	0.0004	242.2	38	593	17	486
Y _{me}	510_770	83.06	89.89	2.17	0.4742	0.5132	0.0124	217.1	34	570	13	468
G _{me}	470_570	20.37	58.77	22.16	0.201	0.5801	0.2187	208.4	22	510	−1	510c
C _m	380_570	31.71	60.24	82.44	0.1818	0.3454	0.4727	211.5	17	486	38	593
B _{me}	380_510	13.35	10.1	80.31	0.1286	0.0973	0.7739	227.2	13	468	34	570
M _m	570_470	76.05	41.22	60.33	0.4282	0.232	0.3396	250.8	−1	510c	22	510
R _o	570_440	68.57	39.92	18.99	0.5378	0.3131	0.1489	245.1	54	671	18	490
G _o	520_570	18.36	50.14	2.12	0.26	0.7098	0.0301	212.5	27	538	−1	538c
W ₁	380_770	96.42	100.0	82.49	0.3457	0.3585	0.2957	0.0	−1	490c	−1	538c

Optimal colours (o) <i>RYGCBM</i> of maximum (m) C_{AB} ; P45, $Y_m=510_770$, CIEXYZ												
<i>Code</i>		<i>X</i>	<i>Y</i>	<i>Z</i>	<i>x</i>	<i>y</i>	<i>z</i>	<i>h_{xy}</i>	<i>i_d</i>	λ_d	<i>i_c</i>	λ_c
R _{me}	570_770	68.74	42.11	0.05	0.6198	0.3797	0.0004	242.2	38	593	17	487
Y _{me}	510_770	86.81	90.72	2.07	0.4833	0.505	0.0115	216.8	34	571	13	468
G _{me}	470_570	19.85	56.58	20.04	0.2057	0.5864	0.2077	208.6	22	510	-1	510c
C _m	380_570	30.45	57.88	76.02	0.1853	0.3521	0.4625	211.4	17	487	38	593
B _{me}	380_510	12.38	9.27	73.99	0.1294	0.0969	0.7735	226.2	13	468	34	571
M _m	570_470	79.34	43.41	56.02	0.4438	0.2428	0.3133	250.6	-1	510c	22	510
R _o	570_440	72.85	42.29	20.12	0.5385	0.3126	0.1487	245.4	-1	491c	18	491
G _o	520_570	18.07	48.61	2.02	0.263	0.7075	0.0294	212.3	27	538	-1	538c
W ₁	380_770	99.2	100.0	76.07	0.3603	0.3632	0.2763	0.0	-1	491c	-1	538c

Optimal colours (o) <i>RYGCBM</i> of maximum (m) C_{AB} ; A00, $Y_m=510_770$, CIEXYZ												
<i>Code</i>		<i>X</i>	<i>Y</i>	<i>Z</i>	<i>x</i>	<i>y</i>	<i>z</i>	<i>h_{xy}</i>	<i>i_d</i>	λ_d	<i>i_c</i>	λ_c
R _{me}	570_770	87.56	51.47	0.05	0.6295	0.37	0.0004	245.3	39	595	18	493
Y _{me}	510_770	104.45	94.31	1.62	0.5212	0.4706	0.0081	226.4	35	576	14	472
G _{me}	470_570	17.87	47.93	12.03	0.2296	0.6157	0.1545	209.5	21	509	−1	509c
C _m	380_570	22.27	48.52	35.52	0.2095	0.4563	0.334	210.4	18	493	39	595
B _{me}	380_510	5.39	5.68	33.95	0.1198	0.1262	0.7538	222.0	14	472	35	576
M _m	570_470	91.96	52.06	23.55	0.5487	0.3106	0.1405	249.5	−1	509c	21	509
R _o	570_440	89.02	51.53	7.2	0.6024	0.3487	0.0487	246.7	42	610	19	496
G _o	520_570	16.88	42.83	1.56	0.2754	0.6989	0.0256	211.5	27	538	−1	538c
W ₁	380_770	109.84	99.99	35.58	0.4475	0.4074	0.1449	0.0	−1	496c	−1	538c

Optimal colours (o) <i>RYGCBM</i> of maximum (m) C_{AB} ; E00, $Y_m=510_770$, CIEXYZ												
<i>Code</i>		<i>X</i>	<i>Y</i>	<i>Z</i>	<i>x</i>	<i>y</i>	<i>z</i>	<i>h_{xy}</i>	<i>i_d</i>	<i>λ_d</i>	<i>i_c</i>	<i>λ_c</i>
R _{me}	570_770	65.25	40.12	0.04	0.6189	0.3805	0.0004	239.8	38	593	16	484
Y _{me}	510_770	83.25	89.34	2.17	0.4763	0.5111	0.0124	212.4	34	570	13	466
G _{me}	470_570	20.11	58.17	23.16	0.1982	0.5733	0.2283	207.6	22	512	−1	512c
C _m	380_570	34.74	59.87	99.95	0.1785	0.3077	0.5136	211.5	16	484	38	593
B _{me}	380_510	16.74	10.65	97.82	0.1337	0.0851	0.7811	227.0	13	466	34	570
M _m	570_470	79.88	41.82	76.83	0.4023	0.2106	0.387	250.9	−1	512c	22	512
R _o	570_440	71.38	40.38	29.98	0.5035	0.2849	0.2115	244.3	−1	490c	18	490
G _o	520_570	18.0	49.21	2.12	0.2596	0.7097	0.0306	211.7	27	538	−1	538c
W ₁	380_770	100.0	100.0	100.0	0.3333	0.3333	0.3333	0.0	−1	490c	−1	538c

Optimal colours (o) <i>RYGCBM</i> of maximum (m) C_{AB} ; C00, $Y_m=510_770$, CIEXYZ												
<i>Code</i>		<i>X</i>	<i>Y</i>	<i>Z</i>	<i>x</i>	<i>y</i>	<i>z</i>	h_{xy}	i_d	λ_d	i_c	λ_c
R _{me}	570_770	59.61	37.31	0.04	0.6147	0.3847	0.0004	238.4	38	592	16	483
Y _{me}	510_770	78.29	87.66	2.16	0.4656	0.5214	0.0128	211.9	33	568	13	466
G _{me}	470_570	21.29	60.61	27.67	0.1942	0.5531	0.2525	207.1	22	513	−1	513c
C _m	380_570	38.45	62.68	118.17	0.1753	0.2858	0.5388	212.0	16	483	38	592
B _{me}	380_510	19.77	12.33	116.05	0.1334	0.0832	0.7833	228.2	13	466	33	568
M _m	570_470	76.77	39.38	90.54	0.3714	0.1905	0.438	250.6	−1	513c	22	513
R _o	570_440	66.25	37.6	32.54	0.4857	0.2756	0.2385	242.9	−1	488c	17	488
G _o	520_570	18.68	50.35	2.12	0.2625	0.7076	0.0298	212.0	27	539	−1	539c
W ₁	380_770	98.07	100.0	118.22	0.31	0.3161	0.3737	0.0	−1	488c	−1	539c

Optimal colours (o) <i>RYGCBM</i> of maximum (m) C_{AB} ; P00, $Y_m=510_770$, CIEXYZ												
<i>Code</i>		<i>X</i>	<i>Y</i>	<i>Z</i>	<i>x</i>	<i>y</i>	<i>z</i>	<i>h_{xy}</i>	<i>i_d</i>	<i>λ_d</i>	<i>i_c</i>	<i>λ_c</i>
R _{me}	570_770	70.94	43.03	0.05	0.6221	0.3773	0.0004	241.3	38	593	17	486
Y _{me}	510_770	88.69	90.69	2.03	0.4888	0.4999	0.0112	214.8	34	572	13	468
G _{me}	470_570	19.55	55.59	20.13	0.2052	0.5834	0.2113	208.2	22	511	−1	511c
C _m	380_570	31.12	56.96	81.01	0.184	0.3368	0.479	211.2	17	486	38	593
B _{me}	380_510	13.37	9.3	79.02	0.1315	0.0914	0.777	225.6	13	468	34	572
M _m	570_470	82.5	44.4	60.92	0.4392	0.2364	0.3243	250.6	−1	511c	22	511
R _o	570_440	75.62	43.23	22.92	0.5333	0.3049	0.1616	245.0	−1	491c	18	491
G _o	520_570	17.75	47.66	1.98	0.2633	0.7072	0.0294	211.8	27	538	−1	538c
W ₁	380_770	102.06	100.0	81.06	0.3604	0.3531	0.2863	0.0	−1	491c	−1	538c

Optimal colours (o) <i>RYGCBM</i> of maximum (m) C_{AB} ; Q00, $Y_m=510_770$, CIEXYZ												
<i>Code</i>		<i>X</i>	<i>Y</i>	<i>Z</i>	<i>x</i>	<i>y</i>	<i>z</i>	<i>h_{xy}</i>	<i>i_d</i>	λ_d	<i>i_c</i>	λ_c
R _{me}	570_770	59.56	37.21	0.04	0.6151	0.3843	0.0004	238.5	38	592	16	483
Y _{me}	510_770	77.81	87.98	2.31	0.4628	0.5233	0.0137	210.8	33	568	13	465
G _{me}	470_570	20.67	60.76	26.2	0.192	0.5645	0.2434	206.9	22	513	−1	513c
C _m	380_570	38.37	62.78	118.9	0.1743	0.2852	0.5403	211.9	16	483	38	592
B _{me}	380_510	20.11	12.01	116.64	0.1352	0.0807	0.784	228.5	13	465	33	568
M _m	570_470	77.25	39.23	92.75	0.3692	0.1875	0.4432	251.2	−1	513c	22	513
R _o	570_440	67.13	37.53	37.04	0.4737	0.2648	0.2613	243.7	−1	489c	17	489
G _o	520_570	18.25	50.77	2.26	0.256	0.7121	0.0317	211.7	27	538	−1	538c
W ₁	380_770	97.93	100.0	118.95	0.309	0.3155	0.3753	0.0	−1	489c	−1	538c