

Optimal colours (o) <i>RYGCBM</i> of maximum (m) C_{AB} ; D65, $Y_m=510_770$, CIELAB_76												
<i>Code</i>		L^*	a^*	b^*	C^*_{ab}	a'	b'	h_{ab}	i_d	λ^*_d	i_c	λ^*_c
R _{me}	570_770	66.95	67.68	114.73	133.21	0.2562	-0.009	59.4	39	595	15	476
Y _{me}	510_770	95.2	-13.2	136.16	136.8	0.2095	-0.0249	95.5	33	567	14	471
G _{me}	470_570	82.65	-123.07	45.48	131.21	0.153	-0.0631	159.7	22	514	-1	514c
C _m	380_570	83.67	-65.91	-28.12	71.66	0.1824	-0.1002	203.1	16	482	-1	482c
B _{me}	380_510	41.08	41.4	-100.15	108.37	0.2517	-0.1739	292.4	13	467	31	555
M _m	570_470	68.39	96.4	-36.87	103.21	0.2725	-0.108	339.0	-1	514c	22	514
R _o	570_440	67.14	80.38	15.91	81.94	0.2638	-0.0766	11.2	-1	485c	17	485
G _o	520_570	77.0	-110.92	105.14	152.83	0.1558	-0.0296	136.5	27	535	9	448
W ₁	380_770	100.0	0.0	0.0	0.0	0.2154	-0.0861	0.0	-1	448c	-1	535c

Optimal colours (o) <i>RYGCBM</i> of maximum (m) C_{AB} ; D50, $Y_m=510_770$, CIELAB_76												
<i>Code</i>		L^*	a^*	b^*	C^*_{ab}	a'	b'	h_{ab}	i_d	λ^*_d	i_c	λ^*_c
R _{me}	570_770	69.3	70.07	118.74	137.87	0.2565	-0.0097	59.4	38	593	15	476
Y _{me}	510_770	95.95	-6.79	133.4	133.58	0.2124	-0.0265	92.9	33	569	14	471
G _{me}	470_570	81.17	-121.01	138.47	126.98	0.1532	-0.0663	162.3	22	514	-1	514c
C _m	380_570	81.97	-77.11	-31.04	83.12	0.1761	-0.102	201.9	16	483	-1	483c
B _{me}	380_510	38.04	25.8	-105.05	108.17	0.2393	-0.1834	283.7	13	469	32	563
M _m	570_470	70.33	89.84	-31.34	95.15	0.2675	-0.1043	340.7	-1	516c	23	516
R _o	570_440	69.42	78.11	24.68	81.92	0.2612	-0.0717	17.5	-1	484c	16	484
G _o	520_570	76.16	-109.51	199.71	148.11	0.156	-0.032	137.6	27	538	8	442
W ₁	380_770	100.0	0.0	0.0	0.0	0.2154	-0.0861	0.0	-1	442c	-1	538c

Optimal colours (o) RYGCBM of maximum (m) C_{AB} ; P45, $Y_m=510_770$, CIELAB_76

<i>Code</i>	L^*	a^*	b^*	C^*_{ab}	a'	b'	h_{ab}	i_d	λ^*_d	i_c	λ^*_c
R _{me} 570_770	70.95	67.67	121.54	139.11	0.2543	-0.01	60.8	38	592	15	476
Y _{me} 510_770	96.3	-5.78	133.33	133.45	0.2129	-0.0268	92.4	34	571	14	471
G _{me} 470_570	79.95	-121.0637.19	126.65	0.1523	-0.0668	162.9	23	515	-1	515c	
C _m 380_570	80.68	-79.38	-33.27	86.07	0.1744	-0.1033	202.7	16	483	-1	483c
B _{me} 380_510	36.52	23.57	-107.6	110.16	0.2379	-0.1886	282.3	13	469	33	565
M _m 570_470	71.84	85.52	-29.17	90.36	0.2641	-0.1027	341.1	-1	517c	23	517
R _o 570_440	71.07	75.78	21.72	78.83	0.2589	-0.0737	15.9	-1	485c	17	485
G _o 520_570	75.21	-109.6897.46	146.73	0.1553	-0.0327	138.3	27	539	7	438	
W ₁ 380_770	100.0	0.0	0.0	0.0	0.2154	-0.0861	0.0	-1	438c	-1	539c

Optimal colours (o) RYGCBM of maximum (m) C_{AB} ; A00, $Y_m=510_770$, CIELAB_76

<i>Code</i>	<i>L*</i>	<i>a*</i>	<i>b*</i>	<i>C*_{ab}</i>	<i>a'</i>	<i>b'</i>	<i>h_{ab}</i>	<i>i_d</i>	<i>λ*_d</i>	<i>i_c</i>	<i>λ*_c</i>
R _{me} 570_770	76.97	62.89	131.8	146.04	0.2493	-0.0126	64.4	37	588	15	476
Y _{me} 510_770	97.76	1.33	124.56	124.57	0.216	-0.0314	89.3	35	576	14	471
G _{me} 470_570	74.78	-118.28	17.19	119.52	0.1503	-0.0767	171.7	22	514	-1	514c
C _m 380_570	75.16	-99.12	-42.72	107.93	0.1611	-0.1096	203.3	17	485	-1	485c
B _{me} 380_510	28.63	-9.11	-119.95	120.29	0.2052	-0.2206	265.6	14	472	35	578
M _m 570_470	77.32	69.0	-13.4	70.29	0.2524	-0.0933	349.0	-1	518c	23	518
R _o 570_440	77.0	65.29	42.89	78.12	0.2505	-0.0631	33.3	-1	482c	16	482
G _o 520_570	71.45	-109.07	80.06	135.3	0.1531	-0.0403	143.7	29	546	-1	546c
W ₁ 380_770	100.0	0.0	0.0	0.0	0.2154	-0.0861	0.0	-1	482c	-1	546c

Optimal colours (o) <i>RYGCBM</i> of maximum (m) C_{AB} ; E00, $Y_m=510_770$, CIELAB_76												
<i>Code</i>		L^*	a^*	b^*	C^*_{ab}	a'	b'	h_{ab}	i_d	λ^*_d	i_c	λ^*_c
R _{me}	570_770	69.56	64.88	119.18	135.7	0.2533	-0.0091	61.4	38	594	15	476
Y _{me}	510_770	95.72	-11.19	136.73	137.18	0.2104	-0.0249	94.6	33	569	14	471
G _{me}	470_570	80.84	-124.4	44.12	131.99	0.1512	-0.0634	160.4	22	514	-1	514c
C _m	380_570	81.77	-69.89	-31.39	76.62	0.1797	-0.1022	204.1	16	482	-1	482c
B _{me}	380_510	39.01	38.51	-103.69	110.61	0.2505	-0.1804	290.3	13	467	31	559
M _m	570_470	70.75	90.0	-33.61	96.07	0.2673	-0.1055	339.5	-1	515c	23	515
R _o	570_440	69.75	77.25	13.97	78.51	0.2605	-0.078	10.2	-1	486c	17	486
G _o	520_570	75.59	-112.42	102.43	152.09	0.154	-0.0302	137.6	27	536	8	443
W ₁	380_770	100.0	0.0	0.0	0.0	0.2154	-0.0861	0.0	-1	443c	-1	536c

Optimal colours (o) <i>RYGCBM</i> of maximum (m) C_{AB} ; C00, $Y_m=510_770$, CIELAB_76												
<i>Code</i>		L^*	a^*	b^*	C^*_{ab}	a'	b'	h_{ab}	i_d	λ^*_d	i_c	λ^*_c
R _{me}	570_770	67.51	63.58	115.68	132.0	0.2535	−0.0087	61.2	39	595	15	475
Y _{me}	510_770	95.02	−14.69	138.59	139.36	0.2088	−0.0237	96.0	33	568	14	471
G _{me}	470_570	82.17	−122.62	45.99	130.96	0.153	−0.0627	159.4	22	513	−1	513c
C _m	380_570	83.28	−61.94	−28.8	68.31	0.1842	−0.1006	204.9	16	481	−1	481c
B _{me}	380_510	41.75	44.31	−99.2	108.65	0.2538	−0.1721	294.0	13	467	30	554
M _m	570_470	69.03	94.31	−36.38	101.09	0.2709	−0.1075	338.9	−1	514c	22	514
R _o	570_440	67.73	77.82	14.25	79.11	0.2619	−0.0776	10.3	−1	485c	17	485
G _o	520_570	76.29	−110.07	106.67	153.28	0.1558	−0.0283	135.8	27	536	9	449
W ₁	380_770	100.0	0.0	0.0	0.0	0.2154	−0.0861	0.0	−1	449c	−1	536c

Optimal colours (o) <i>RYGCBM</i> of maximum (m) C_{AB} ; P00, $Y_m=510_770$, CIELAB_76												
<i>Code</i>		L^*	a^*	b^*	C^*_{ab}	a'	b'	h_{ab}	i_d	λ^*_d	i_c	λ^*_c
R _{me}	570_770	71.58	65.41	122.62	138.98	0.2528	-0.0097	61.9	38	593	15	476
Y _{me}	510_770	96.28	-6.85	134.96	135.13	0.2124	-0.026	92.9	34	572	14	471
G _{me}	470_570	79.38	-122.84	38.72	128.8	0.151	-0.0658	162.5	23	515	-1	515c
C _m	380_570	80.16	-77.93	-34.15	85.08	0.1749	-0.1039	203.6	16	482	-1	482c
B _{me}	380_510	36.58	27.38	-107.66	111.09	0.2415	-0.1886	284.2	13	468	33	565
M _m	570_470	72.5	84.29	-29.25	89.23	0.263	-0.1027	340.8	-1	517c	23	517
R _o	570_440	71.71	74.35	19.94	76.98	0.2578	-0.0748	15.0	-1	485c	17	485
G _o	520_570	74.61	-111.45	98.09	148.47	0.1539	-0.032	138.6	27	539	7	437
W ₁	380_770	100.0	0.0	0.0	0.0	0.2154	-0.0861	0.0	-1	437c	-1	539c

Optimal colours (o) <i>RYGCBM</i> of maximum (m) C_{AB} ; Q00, $Y_m=510_770$, CIELAB_76												
<i>Code</i>		L^*	a^*	b^*	C^*_{ab}	a'	b'	h_{ab}	i_d	λ^*_d	i_c	λ^*_c
R _{me}	570_770	67.44	63.96	115.56	132.08	0.2538	-0.0087	61.0	39	595	15	475
Y _{me}	510_770	95.16	-16.01	137.78	138.71	0.2082	-0.0241	96.6	33	567	14	471
G _{me}	470_570	82.25	-125.74	48.6	134.81	0.1514	-0.0614	158.8	22	514	-1	514c
C _m	380_570	83.33	-62.25	-28.71	68.56	0.1841	-0.1006	204.7	16	481	-1	481c
B _{me}	380_510	41.25	48.29	-99.99	111.04	0.2576	-0.1735	295.7	13	466	30	553
M _m	570_470	68.92	95.94	-37.66	103.07	0.2719	-0.1083	338.5	-1	514c	22	514
R _o	570_440	67.68	80.17	8.71	80.65	0.2633	-0.0809	6.2	-1	487c	17	487
G _o	520_570	76.54	-113.24	106.05	155.14	0.1542	-0.0288	136.8	27	535	9	447
W ₁	380_770	100.0	0.0	0.0	0.0	0.2154	-0.0861	0.0	-1	447c	-1	535c