

Optimal colours (o) <i>RYGCBM</i> of maximum (m) C_{AB} ; P60, $Y_m=510_770$, CIEXYZ												
<i>Code</i>		<i>X</i>	<i>Y</i>	<i>Z</i>	<i>x</i>	<i>y</i>	<i>z</i>	<i>h_{xy}</i>	<i>i_d</i>	λ_d	<i>i_c</i>	λ_c
R _{me}	570_770	61.29	38.19	0.04	0.6158	0.3837	0.0004	239.9	38	592	16	484
Y _{me}	510_770	79.6	88.72	2.26	0.4666	0.52	0.0132	212.8	33	569	13	466
G _{me}	470_570	20.55	60.02	24.55	0.1954	0.5709	0.2335	207.5	22	512	−1	512c
C _m	380_570	35.77	61.8	104.52	0.1769	0.3058	0.5171	211.9	16	484	38	592
B _{me}	380_510	17.46	11.27	102.3	0.1332	0.086	0.7806	228.1	13	466	33	569
M _m	570_470	76.51	39.97	80.02	0.3893	0.2034	0.4071	251.0	−1	512c	22	512
R _o	570_440	67.57	38.46	30.7	0.4941	0.2812	0.2245	244.3	−1	490c	18	490
G _o	520_570	18.3	50.53	2.22	0.2576	0.7111	0.0312	212.1	27	538	−1	538c
W ₁	380_770	97.06	99.99	104.57	0.3218	0.3315	0.3466	0.0	−1	490c	−1	538c

Optimal colours (o) <i>RYGCBM</i> of maximum (m) C_{AB} ; P55, $Y_m=510_770$, CIEXYZ												
<i>Code</i>		<i>X</i>	<i>Y</i>	<i>Z</i>	<i>x</i>	<i>y</i>	<i>z</i>	h_{xy}	i_d	λ_d	i_c	λ_c
R _{me}	570_770	63.27	39.24	0.04	0.6168	0.3826	0.0004	240.6	38	592	17	485
Y _{me}	510_770	81.53	89.29	2.21	0.4711	0.516	0.0128	213.9	33	569	13	467
G _{me}	470_570	20.37	59.11	23.26	0.1982	0.5753	0.2264	207.9	22	512	−1	512c
C _m	380_570	34.18	60.75	95.93	0.179	0.3182	0.5026	211.8	17	485	38	592
B _{me}	380_510	15.92	10.7	93.76	0.1322	0.0888	0.7788	227.6	13	467	33	569
M _m	570_470	77.08	40.88	72.72	0.4042	0.2143	0.3813	250.9	−1	512c	22	512
R _o	570_440	68.87	39.48	27.41	0.5072	0.2908	0.2019	244.7	−1	490c	18	490
G _o	520_570	18.25	50.05	2.16	0.259	0.7101	0.0307	212.2	27	538	−1	538c
W ₁	380_770	97.45	100.0	95.98	0.3321	0.3407	0.327	0.0	−1	490c	−1	538c

Optimal colours (o) <i>RYGCBM</i> of maximum (m) C_{AB} ; P50, $Y_m=510_770$, CIEXYZ												
<i>Code</i>		<i>X</i>	<i>Y</i>	<i>Z</i>	<i>x</i>	<i>y</i>	<i>z</i>	h_{xy}	i_d	λ_d	i_c	λ_c
R _{me}	570_770	65.7	40.52	0.04	0.6182	0.3813	0.0004	241.4	38	593	17	486
Y _{me}	510_770	83.88	89.95	2.15	0.4766	0.5111	0.0122	215.2	34	570	13	468
G _{me}	470_570	20.14	57.99	21.77	0.2016	0.5804	0.2179	208.3	22	511	−1	511c
C _m	380_570	32.42	59.47	86.45	0.1817	0.3334	0.4847	211.6	17	486	38	593
B _{me}	380_510	14.23	10.04	84.34	0.131	0.0924	0.7765	226.9	13	468	34	570
M _m	570_470	77.97	42.0	64.72	0.4221	0.2274	0.3504	250.8	−1	511c	22	511
R _o	570_440	70.57	40.73	23.88	0.522	0.3013	0.1766	245.0	−1	491c	18	491
G _o	520_570	18.18	49.43	2.1	0.2608	0.7089	0.0301	212.3	27	538	−1	538c
W ₁	380_770	98.12	100.0	86.5	0.3447	0.3513	0.3039	0.0	−1	491c	−1	538c

Optimal colours (o) <i>RYGCBM</i> of maximum (m) C_{AB} ; P45, $Y_m=510_770$, CIEXYZ												
<i>Code</i>		<i>X</i>	<i>Y</i>	<i>Z</i>	<i>x</i>	<i>y</i>	<i>z</i>	<i>h_{xy}</i>	<i>i_d</i>	λ_d	<i>i_c</i>	λ_c
R _{me}	570_770	68.74	42.11	0.05	0.6198	0.3797	0.0004	242.2	38	593	17	487
Y _{me}	510_770	86.81	90.72	2.07	0.4833	0.505	0.0115	216.8	34	571	13	468
G _{me}	470_570	19.85	56.58	20.04	0.2057	0.5864	0.2077	208.6	22	510	−1	510c
C _m	380_570	30.45	57.88	76.02	0.1853	0.3521	0.4625	211.4	17	487	38	593
B _{me}	380_510	12.38	9.27	73.99	0.1294	0.0969	0.7735	226.2	13	468	34	571
M _m	570_470	79.34	43.41	56.02	0.4438	0.2428	0.3133	250.6	−1	510c	22	510
R _o	570_440	72.85	42.29	20.12	0.5385	0.3126	0.1487	245.4	−1	491c	18	491
G _o	520_570	18.07	48.61	2.02	0.263	0.7075	0.0294	212.3	27	538	−1	538c
W ₁	380_770	99.2	100.0	76.07	0.3603	0.3632	0.2763	0.0	−1	491c	−1	538c

Optimal colours (o) <i>RYGCBM</i> of maximum (m) C_{AB} ; P40, $Y_m=510_770$, CIEXYZ												
<i>Code</i>		<i>X</i>	<i>Y</i>	<i>Z</i>	<i>x</i>	<i>y</i>	<i>z</i>	<i>h_{xy}</i>	<i>i_d</i>	λ_d	<i>i_c</i>	λ_c
R _{me}	570_770	72.65	44.12	0.05	0.6218	0.3776	0.0004	243.1	38	593	17	488
Y _{me}	510_770	90.54	91.62	1.97	0.4916	0.4975	0.0107	218.8	34	572	13	469
G _{me}	470_570	19.46	54.77	18.03	0.2109	0.5936	0.1954	209.0	22	510	−1	510c
C _m	380_570	28.27	55.87	64.63	0.19	0.3755	0.4344	211.2	17	488	38	593
B _{me}	380_510	10.38	8.37	62.71	0.1275	0.1028	0.7696	225.3	13	469	34	572
M _m	570_470	81.46	45.22	46.65	0.4699	0.2608	0.2691	250.4	−1	510c	22	510
R _o	570_440	75.95	44.26	16.2	0.5567	0.3244	0.1187	245.8	48	643	18	492
G _o	520_570	17.88	47.5	1.92	0.2657	0.7056	0.0286	212.2	27	538	−1	538c
W ₁	380_770	100.93	100.0	64.68	0.3799	0.3764	0.2435	0.0	−1	492c	−1	538c

Optimal colours (o) <i>RYGCBM</i> of maximum (m) C_{AB} ; P35, $Y_m=510_770$, CIEXYZ												
<i>Code</i>		<i>X</i>	<i>Y</i>	<i>Z</i>	<i>x</i>	<i>y</i>	<i>z</i>	<i>h_{xy}</i>	<i>i_d</i>	λ_d	<i>i_c</i>	λ_c
R _{me}	570_770	77.81	46.71	0.05	0.6245	0.3749	0.0004	244.1	38	594	18	490
Y _{me}	510_770	95.4	92.67	1.85	0.5023	0.4879	0.0097	221.5	34	574	14	470
G _{me}	470_570	18.93	52.39	15.67	0.2176	0.6021	0.1802	209.3	21	509	−1	509c
C _m	380_570	25.85	53.28	52.37	0.1965	0.4051	0.3982	210.9	18	490	38	594
B _{me}	380_510	8.26	7.32	50.58	0.1248	0.1107	0.7643	224.1	14	470	34	574
M _m	570_470	84.72	47.6	36.75	0.501	0.2815	0.2173	250.1	−1	509c	21	509
R _o	570_440	80.3	46.82	12.2	0.5763	0.336	0.0876	246.2	44	622	18	494
G _o	520_570	17.58	45.95	1.79	0.2691	0.7032	0.0275	212.1	27	538	−1	538c
W ₁	380_770	103.66	99.99	52.43	0.4047	0.3904	0.2047	0.0	−1	494c	−1	538c

Optimal colours (o) <i>RYGCBM</i> of maximum (m) C_{AB} ; P30, $Y_m=510_770$, CIEXYZ												
<i>Code</i>		<i>X</i>	<i>Y</i>	<i>Z</i>	<i>x</i>	<i>y</i>	<i>z</i>	<i>h_{xy}</i>	<i>i_d</i>	λ_d	<i>i_c</i>	λ_c
R _{me}	570_770	84.88	50.18	0.05	0.6281	0.3713	0.0004	245.0	39	595	18	492
Y _{me}	510_770	101.97	93.9	1.68	0.5161	0.4752	0.0085	225.1	35	576	14	472
G _{me}	470_570	18.17	49.15	12.94	0.2264	0.6123	0.1612	209.5	21	509	−1	509c
C _m	380_570	23.15	49.81	39.49	0.2059	0.4429	0.3511	210.5	18	492	39	595
B _{me}	380_510	6.06	6.09	37.86	0.1212	0.1219	0.7568	222.6	14	472	35	576
M _m	570_470	89.86	50.84	26.6	0.537	0.3038	0.159	249.7	−1	509c	21	509
R _o	570_440	86.57	50.25	8.32	0.5964	0.3462	0.0573	246.6	42	612	19	495
G _o	520_570	17.09	43.71	1.63	0.2737	0.7001	0.0261	211.7	27	538	−1	538c
W ₁	380_770	108.04	100.0	39.55	0.4363	0.4038	0.1597	0.0	−1	495c	−1	538c

Optimal colours (o) <i>RYGCBM</i> of maximum (m) C_{AB} ; P25, $Y_m=510_770$, CIEXYZ												
<i>Code</i>		<i>X</i>	<i>Y</i>	<i>Z</i>	<i>x</i>	<i>y</i>	<i>z</i>	h_{xy}	i_d	λ_d	i_c	λ_c
R _{me}	570_770	95.03	54.97	0.05	0.6332	0.3663	0.0003	245.8	39	596	19	495
Y _{me}	510_770	111.27	95.32	1.46	0.5348	0.4581	0.007	230.0	35	578	14	474
G _{me}	470_570	17.02	44.58	9.8	0.2384	0.6243	0.1372	209.4	21	509	−1	509c
C _m	380_570	20.14	45.02	26.53	0.2196	0.4909	0.2893	210.0	19	495	39	596
B _{me}	380_510	3.91	4.67	25.12	0.1159	0.1386	0.7453	220.5	14	474	35	578
M _m	570_470	98.15	55.41	16.79	0.5761	0.3252	0.0985	249.0	−1	509c	21	509
R _o	570_440	96.01	55.02	4.82	0.616	0.353	0.0309	246.9	41	606	19	498
G _o	520_570	16.23	40.34	1.4	0.2799	0.6957	0.0242	211.0	27	538	−1	538c
W ₁	380_770	115.18	100.0	26.59	0.4764	0.4136	0.1099	0.0	−1	498c	−1	538c