

Optimal colours (o) <i>RYGCBM</i> of maximum (m) C_{AB} ; P60, $Y_m=510_770$, Y_{AB_77}												
<i>Code</i>		<i>Y</i>	<i>A</i>	<i>B</i>	C_{AB}	<i>a</i>	<i>b</i>	h_{AB}	i_d	λ_d	i_c	λ_c
R _{me}	570_770	38.19	24.22	15.95	29.0	1.6049	−0.0004	33.3	38	592	16	484
Y _{me}	510_770	88.72	−6.52	36.2	36.78	0.8971	−0.0102	100.2	33	569	13	469
G _{me}	470_570	60.02	−37.71	15.28	40.69	0.3423	−0.1636	157.9	22	514	−1	514c
C _m	380_570	61.8	−24.22	−15.95	29.0	0.5787	−0.6764	213.3	16	484	38	592
B _{me}	380_510	11.27	6.52	−36.2	36.78	1.5492	−3.6297	280.2	13	466	33	567
M _m	570_470	39.97	37.71	−15.28	40.69	1.914	−0.8006	337.9	−1	507c	21	507
R _o	570_440	38.46	30.23	3.8	30.47	1.7568	−0.3193	7.1	−1	489c	17	489
G _o	520_570	50.53	−30.74	20.24	36.81	0.3622	−0.0175	146.6	27	538	−1	538c
W ₁	380_770	99.99	0.0	0.0	0.01	0.9706	−0.4182	0.0	38	593	16	484

Optimal colours (o) <i>RYGCBM</i> of maximum (m) C_{AB} ; P55, $Y_m=510_770$, Y_{AB_77}												
<i>Code</i>		<i>Y</i>	<i>A</i>	<i>B</i>	C_{AB}	<i>a</i>	<i>b</i>	h_{AB}	i_d	λ_d	i_c	λ_c
R _{me}	570_770	39.24	25.02	15.04	29.2	1.6122	−0.0004	31.0	38	592	17	485
Y _{me}	510_770	89.29	−5.49	33.39	33.84	0.913	−0.0099	99.3	33	569	13	469
G _{me}	470_570	59.11	−37.24	13.39	39.57	0.3446	−0.1574	160.2	22	512	−1	512c
C _m	380_570	60.75	−25.02	−15.04	29.2	0.5626	−0.6316	211.0	16	484	37	588
B _{me}	380_510	10.7	5.49	−33.39	33.84	1.488	−3.5045	279.3	13	467	33	568
M _m	570_470	40.88	37.24	−13.39	39.57	1.8854	−0.7114	340.2	−1	513c	22	513
R _o	570_440	39.48	30.39	4.19	30.67	1.7442	−0.2777	7.8	−1	491c	18	491
G _o	520_570	50.05	−30.52	18.34	35.61	0.3648	−0.0173	148.9	27	538	−1	538c
W ₁	380_770	100.0	0.0	0.0	0.01	0.9745	−0.3839	0.0	−1	540c	28	540

Optimal colours (o) <i>RYGCBM</i> of maximum (m) C_{AB} ; P50, $Y_m=510_770$, Y_{AB_77}												
<i>Code</i>		<i>Y</i>	<i>A</i>	<i>B</i>	C_{AB}	<i>a</i>	<i>b</i>	h_{AB}	i_d	λ_d	i_c	λ_c
R _{me}	570_770	40.52	25.93	14.0	29.47	1.6211	−0.0004	28.3	38	593	17	487
Y _{me}	510_770	89.95	−4.38	30.26	30.58	0.9325	−0.0095	98.2	34	570	13	469
G _{me}	470_570	57.99	−36.76	11.35	38.47	0.3473	−0.1501	162.8	21	509	−1	509c
C _m	380_570	59.47	−25.93	−14.0	29.47	0.5451	−0.5814	208.3	17	485	37	585
B _{me}	380_510	10.04	4.38	−30.26	30.57	1.4175	−3.3598	278.2	13	468	33	569
M _m	570_470	42.0	36.76	−11.35	38.47	1.8564	−0.6163	342.8	−1	526c	25	526
R _o	570_440	40.73	30.6	4.54	30.94	1.7325	−0.2344	8.4	−1	494c	18	494
G _o	520_570	49.43	−30.31	16.26	34.4	0.3679	−0.017	151.7	27	538	−1	538c
W ₁	380_770	100.0	0.0	0.0	0.01	0.9812	−0.346	0.0	11	456	33	567

Optimal colours (o) <i>RYGCBM</i> of maximum (m) C_{AB} ; P45, $Y_m=510_770$, Y_{AB_77}												
<i>Code</i>		<i>Y</i>	<i>A</i>	<i>B</i>	C_{AB}	<i>a</i>	<i>b</i>	h_{AB}	i_d	λ_d	i_c	λ_c
R _{me}	570_770	42.11	26.96	12.79	29.84	1.6324	−0.0004	25.3	38	593	18	490
Y _{me}	510_770	90.72	−3.18	26.77	26.96	0.9569	−0.0091	96.7	34	571	13	468
G _{me}	470_570	56.58	−36.28	9.2	37.43	0.3508	−0.1417	165.7	21	506	−1	506c
C _m	380_570	57.88	−26.96	−12.79	29.84	0.5261	−0.5253	205.3	17	486	36	582
B _{me}	380_510	9.27	3.18	−26.77	26.96	1.3357	−3.1915	276.7	13	468	34	571
M _m	570_470	43.41	36.28	−9.2	37.43	1.8278	−0.5162	345.7	−1	544c	28	544
R _o	570_440	42.29	30.89	4.81	31.27	1.7226	−0.1903	8.8	−1	498c	19	498
G _o	520_570	48.61	−30.15	13.98	33.23	0.3717	−0.0166	155.1	27	537	−1	537c
W ₁	380_770	100.0	0.0	0.0	0.01	0.992	−0.3042	0.0	13	469	34	571

Optimal colours (o) <i>RYGCBM</i> of maximum (m) C_{AB} ; P40, $Y_m=510_770$, Y_{AB_77}												
<i>Code</i>		<i>Y</i>	<i>A</i>	<i>B</i>	C_{AB}	<i>a</i>	<i>b</i>	h_{AB}	i_d	λ_d	i_c	λ_c
R _{me}	570_770	44.12	28.12	11.39	30.34	1.6467	−0.0004	22.0	38	593	19	496
Y _{me}	510_770	91.62	−1.93	22.91	22.99	0.9882	−0.0086	94.8	34	572	12	460
G _{me}	470_570	54.77	−35.81	6.96	36.48	0.3554	−0.1316	169.0	20	504	−1	504c
C _m	380_570	55.87	−28.12	−11.39	30.34	0.506	−0.4626	202.0	17	487	35	579
B _{me}	380_510	8.37	1.93	−22.91	22.99	1.2401	−2.9941	274.8	13	469	34	573
M _m	570_470	45.22	35.81	−6.96	36.48	1.8013	−0.4126	349.0	−1	560c	32	560
R _o	570_440	44.26	31.28	4.97	31.67	1.716	−0.1464	9.0	−1	509c	21	509
G _o	520_570	47.5	−30.05	11.52	32.19	0.3765	−0.0162	159.0	27	536	−1	536c
W ₁	380_770	100.0	0.0	0.0	0.01	1.0093	−0.2587	0.0	14	473	34	574

Optimal colours (o) <i>RYGCBM</i> of maximum (m) C_{AB} ; P35, $Y_m=510_770$, Y_{AB_77}												
<i>Code</i>		<i>Y</i>	<i>A</i>	<i>B</i>	C_{AB}	<i>a</i>	<i>b</i>	h_{AB}	i_d	λ_d	i_c	λ_c
R _{me}	570_770	46.71	29.38	9.77	30.96	1.6656	−0.0004	18.4	38	594	22	513
Y _{me}	510_770	92.67	−0.66	18.69	18.7	1.0294	−0.0079	92.0	34	573	−1	573c
G _{me}	470_570	52.39	−35.37	4.71	35.68	0.3614	−0.1197	172.4	20	502	36	580
C _m	380_570	53.28	−29.38	−9.77	30.96	0.4851	−0.3932	198.4	17	488	35	576
B _{me}	380_510	7.32	0.66	−18.69	18.7	1.1276	−2.7609	272.0	14	470	35	575
M _m	570_470	47.6	35.37	−4.71	35.68	1.7797	−0.3088	352.4	−1	574c	34	574
R _o	570_440	46.82	31.75	4.93	32.13	1.7148	−0.1042	8.8	−1	570c	34	570
G _o	520_570	45.95	−30.05	8.91	31.34	0.3827	−0.0156	163.4	25	528	−1	528c
W ₁	380_770	99.99	0.0	0.0	0.01	1.0366	−0.2097	0.0	15	475	35	575

Optimal colours (o) <i>RYGCBM</i> of maximum (m) C_{AB} ; P30, $Y_m=510_770$, Y_{AB_77}												
<i>Code</i>		<i>Y</i>	<i>A</i>	<i>B</i>	C_{AB}	<i>a</i>	<i>b</i>	h_{AB}	i_d	λ_d	i_c	λ_c
R _{me}	570_770	50.18	30.66	7.91	31.66	1.6914	−0.0004	14.4	−1	595c	39	595
Y _{me}	510_770	93.9	0.52	14.18	14.18	1.0859	−0.0071	87.8	16	483	35	576
G _{me}	470_570	49.15	−34.92	2.59	35.02	0.3698	−0.1053	175.7	20	500	33	565
C _m	380_570	49.81	−30.66	−7.91	31.66	0.4648	−0.3171	194.4	17	489	34	573
B _{me}	380_510	6.09	−0.52	−14.17	14.18	0.9945	−2.483	267.8	14	472	35	578
M _m	570_470	50.84	34.92	−2.59	35.02	1.7673	−0.2093	355.7	−1	584c	36	584
R _o	570_440	50.25	32.27	4.62	32.6	1.7225	−0.0662	8.1	−1	588c	37	588
G _o	520_570	43.71	−30.14	6.26	30.78	0.3909	−0.0149	168.2	22	512	29	548
W ₁	380_770	100.0	0.0	0.0	0.01	1.0804	−0.1582	0.0	15	477	35	577

Optimal colours (o) <i>RYGCBM</i> of maximum (m) C_{AB} ; P25, $Y_m=510_770$, Y_{AB_77}												
<i>Code</i>		<i>Y</i>	<i>A</i>	<i>B</i>	C_{AB}	<i>a</i>	<i>b</i>	h_{AB}	i_d	λ_d	i_c	λ_c
R _{me}	570_770	54.97	31.71	5.82	32.24	1.7286	−0.0004	10.4	−1	596c	39	596
Y _{me}	510_770	95.32	1.47	9.55	9.66	1.1673	−0.0061	81.2	16	481	35	579
G _{me}	470_570	44.58	−34.33	0.82	34.34	0.3818	−0.0879	178.6	20	500	31	558
C _m	380_570	45.02	−31.71	−5.82	32.24	0.4474	−0.2357	190.4	18	492	34	570
B _{me}	380_510	4.67	−1.47	−9.55	9.66	0.8363	−2.1498	261.2	14	474	36	582
M _m	570_470	55.41	34.33	−0.82	34.33	1.7713	−0.1212	358.6	−1	592c	38	592
R _o	570_440	55.02	32.63	3.92	32.86	1.7449	−0.035	6.8	−1	594c	38	594
G _o	520_570	40.34	−30.23	3.72	30.46	0.4024	−0.0139	172.9	21	507	29	546
W ₁	380_770	100.0	0.0	0.0	0.01	1.1518	−0.1063	0.0	15	479	36	580