

Optimal colours (o) <i>RYGCBM</i> of maximum (m) C_{AB} ; P60, $Y_m=510_770$, CIELAB_76												
<i>Code</i>		L^*	a^*	b^*	C^*_{ab}	a'	b'	h_{ab}	i_d	λ^*_d	i_c	λ^*_c
R _{me}	570_770	68.17	66.18	116.8	134.25	0.2547	-0.0091	60.4	38	594	15	476
Y _{me}	510_770	95.46	-12.44	136.33	136.89	0.2098	-0.025	95.2	33	568	14	471
G _{me}	470_570	81.85	-123.74	45.31	131.78	0.1522	-0.063	159.8	22	514	-1	514c
C _m	380_570	82.81	-67.42	-29.6	73.63	0.1813	-0.1011	203.7	16	482	-1	482c
B _{me}	380_510	40.05	40.71	-101.9	109.73	0.2518	-0.1771	291.7	13	467	31	556
M _m	570_470	69.46	93.53	-35.59	100.08	0.2702	-0.107	339.1	-1	515c	23	515
R _o	570_440	68.36	79.5	12.51	80.48	0.2625	-0.0787	8.9	-1	486c	17	486
G _o	520_570	76.4	-111.5	103.84	152.36	0.1551	-0.0299	137.0	27	536	9	446
W ₁	380_770	100.0	0.0	0.0	0.0	0.2154	-0.0861	0.0	-1	446c	-1	536c

Optimal colours (o) *RYGCBM* of maximum (m) C_{AB} ; P55, $Y_m=510_770$, CIELAB_76

<i>Code</i>		L^*	a^*	b^*	C^*_{ab}	a'	b'	h_{ab}	i_d	λ^*_d	i_c	λ^*_c
R _{me}	570_770	68.93	66.86	118.1	135.72	0.2548	-0.0093	60.4	38	593	15	476
Y _{me}	510_770	95.7	-10.35	135.56	135.96	0.2108	-0.0254	94.3	33	569	14	471
G _{me}	470_570	81.36	-122.87	43.15	130.22	0.1523	-0.064	160.6	22	514	-1	514c
C _m	380_570	82.25	-70.84	-30.57	77.15	0.1794	-0.1017	203.3	16	482	-1	482c
B _{me}	380_510	39.09	35.94	-103.46	109.53	0.2481	-0.1801	289.1	13	468	31	559
M _m	570_470	70.1	91.29	-33.88	97.38	0.2684	-0.1058	339.6	-1	515c	23	515
R _o	570_440	69.1	78.53	15.01	79.95	0.2616	-0.0773	10.8	-1	486c	17	486
G _o	520_570	76.1	-110.85	102.18	150.76	0.1552	-0.0306	137.3	27	537	8	444
W ₁	380_770	100.0	0.0	0.0	0.0	0.2154	-0.0861	0.0	-1	444c	-1	537c

Optimal colours (o) <i>RYGCBM</i> of maximum (m) C_{AB} ; P50, $Y_m=510_770$, CIELAB_76												
<i>Code</i>		L^*	a^*	b^*	C^*_{ab}	a'	b'	h_{ab}	i_d	λ^*_d	i_c	λ^*_c
R _{me}	570_770	69.84	67.4	119.66	137.34	0.2547	-0.0096	60.6	38	593	15	476
Y _{me}	510_770	95.98	-8.12	134.59	134.83	0.2118	-0.026	93.4	34	570	14	471
G _{me}	470_570	80.74	-121.97	40.49	128.51	0.1524	-0.0652	161.6	23	515	-1	515c
C _m	380_570	81.55	-74.8	-31.76	81.26	0.1771	-0.1024	203.0	16	483	-1	483c
B _{me}	380_510	37.93	30.3	-105.34	109.61	0.2435	-0.1838	286.0	13	468	32	562
M _m	570_470	70.87	88.66	-31.78	94.18	0.2665	-0.1044	340.2	-1	516c	23	516
R _o	570_440	69.99	77.33	18.02	79.4	0.2604	-0.0757	13.1	-1	486c	17	486
G _o	520_570	75.72	-110.23	100.11	148.91	0.1553	-0.0315	137.7	27	538	8	442
W ₁	380_770	100.0	0.0	0.0	0.0	0.2154	-0.0861	0.0	-1	442c	-1	538c

Optimal colours (o) RYGCBM of maximum (m) C_{AB} ; P45, $Y_m=510_770$, CIELAB_76

<i>Code</i>		L^*	a^*	b^*	C^*_{ab}	a'	b'	h_{ab}	i_d	λ^*_d	i_c	λ^*_c
R _{me}	570_770	70.95	67.67	121.54	139.11	0.2543	-0.01	60.8	38	592	15	476
Y _{me}	510_770	96.3	-5.78	133.33	133.45	0.2129	-0.0268	92.4	34	571	14	471
G _{me}	470_570	79.95	-121.0637.19		126.65	0.1523	-0.0668	162.9	23	515	-1	515c
C _m	380_570	80.68	-79.38	-33.27	86.07	0.1744	-0.1033	202.7	16	483	-1	483c
B _{me}	380_510	36.52	23.57	-107.6	110.16	0.2379	-0.1886	282.3	13	469	33	565
M _m	570_470	71.84	85.52	-29.17	90.36	0.2641	-0.1027	341.1	-1	517c	23	517
R _o	570_440	71.07	75.78	21.72	78.83	0.2589	-0.0737	15.9	-1	485c	17	485
G _o	520_570	75.21	-109.6897.46		146.73	0.1553	-0.0327	138.3	27	539	7	438
W ₁	380_770	100.0	0.0	0.0	0.0	0.2154	-0.0861	0.0	-1	438c	-1	539c

Optimal colours (o) RYGCBM of maximum (m) C_{AB} ; P40, $Y_m=510_770$, CIELAB_76

<i>Code</i>		L^*	a^*	b^*	C^*_{ab}	a'	b'	h_{ab}	i_d	λ^*_d	i_c	λ^*_c
R _{me}	570_770	72.31	67.45	123.86	141.04	0.2536	-0.0105	61.4	38	591	15	476
Y _{me}	510_770	96.66	-3.4	131.64	131.68	0.2139	-0.0277	91.4	34	572	14	471
G _{me}	470_570	78.91	-120.18	32.99	124.62	0.1521	-0.0688	164.6	23	515	-1	515c
C _m	380_570	79.55	-84.65	-35.2	91.68	0.1711	-0.1046	202.5	16	484	-1	484c
B _{me}	380_510	34.77	15.53	-110.39	111.48	0.2307	-0.1949	278.0	14	470	33	568
M _m	570_470	73.04	81.73	-25.84	85.72	0.2613	-0.1007	342.4	-1	517c	23	517
R _o	570_440	72.41	73.73	26.35	78.3	0.2571	-0.0712	19.6	-1	485c	17	485
G _o	520_570	74.51	-109.25	94.0	144.12	0.1551	-0.0342	139.2	28	540	6	432
W ₁	380_770	100.0	0.0	0.0	0.0	0.2154	-0.0861	0.0	-1	432c	-1	540c

Optimal colours (o) <i>RYGCBM</i> of maximum (m) C_{AB} ; P35, $Y_m=510_770$, CIELAB_76												
<i>Code</i>		L^*	a^*	b^*	C^*_{ab}	a'	b'	h_{ab}	i_d	λ^*_d	i_c	λ^*_c
R _{me}	570_770	74.01	66.42	126.76	143.11	0.2523	-0.0112	62.3	38	590	15	476
Y _{me}	510_770	97.09	-1.13	129.3	129.3	0.2149	-0.029	90.5	34	574	14	471
G _{me}	470_570	77.52	-119.34	27.48	122.47	0.1516	-0.0714	167.0	23	515	-1	515c
C _m	380_570	78.04	-90.61	-37.78	98.17	0.1672	-0.1062	202.6	16	484	-1	484c
B _{me}	380_510	32.56	5.94	-113.89	114.04	0.2216	-0.2035	272.9	14	471	34	572
M _m	570_470	74.58	77.05	-21.49	80.0	0.258	-0.098	344.4	-1	518c	23	518
R _o	570_440	74.08	70.91	32.25	77.9	0.2548	-0.0682	24.4	-1	484c	16	484
G _o	520_570	73.52	-109.01	189.3	140.92	0.1545	-0.0362	140.6	28	542	4	421
W ₁	380_770	100.0	0.0	0.0	0.0	0.2154	-0.0861	0.0	-1	421c	-1	542c

Optimal colours (o) <i>RYGCBM</i> of maximum (m) C_{AB} ; P30, $Y_m=510_770$, CIELAB_76												
<i>Code</i>		L^*	a^*	b^*	C^*_{ab}	a'	b'	h_{ab}	i_d	λ^*_d	i_c	λ^*_c
R _{me}	570_770	76.18	64.02	130.47	145.33	0.2502	-0.0122	63.8	37	589	15	476
Y _{me}	510_770	97.59	0.84	125.91	125.91	0.2158	-0.0307	89.6	35	576	14	471
G _{me}	470_570	75.55	-118.54	20.01	120.21	0.1507	-0.0752	170.4	23	515	-1	515c
C _m	380_570	75.96	-97.11	-41.35	105.54	0.1626	-0.1086	203.0	17	485	-1	485c
B _{me}	380_510	29.68	-5.35	-118.35	118.47	0.2096	-0.2157	267.4	14	471	35	577
M _m	570_470	76.59	71.13	-15.61	72.82	0.2538	-0.0946	347.6	-1	518c	23	518
R _o	570_440	76.23	66.86	40.03	77.93	0.2517	-0.0644	30.9	-1	482c	16	482
G _o	520_570	72.04	-109.02	82.65	136.81	0.1535	-0.0392	142.8	29	545	-1	545c
W ₁	380_770	100.0	0.0	0.0	0.0	0.2154	-0.0861	0.0	-1	482c	-1	545c

Optimal colours (o) RYGCBM of maximum (m) C _{AB} ; P25, Y _m =510_770, CIELAB_76												
Code		L*	a*	b*	C* _{ab}	a'	b'	h _{ab}	i _d	λ* _d	i _c	λ* _c
R _{me}	570_770	79.03	59.34	135.33	147.77	0.2467	−0.0137	66.3	37	588	15	475
Y _{me}	510_770	98.16	2.19	120.67	120.69	0.2164	−0.0333	88.9	35	578	14	471
G _{me}	470_570	72.62	−117.57	9.38	117.95	0.1491	−0.0808	175.4	22	513	−1	513c
C _m	380_570	72.91	−103.56	−46.55	113.55	0.1572	−0.1123	204.2	17	485	−1	485c
B _{me}	380_510	25.81	−18.19	−124.16	125.48	0.1936	−0.2347	261.6	14	472	36	581
M _m	570_470	79.28	63.34	−7.3	63.76	0.2487	−0.09	353.4	−1	515c	23	515
R _o	570_440	79.05	60.83	50.63	79.14	0.2474	−0.0595	39.7	42	614	16	481
G _o	520_570	69.72	−109.21	72.68	131.19	0.1517	−0.0437	146.3	29	548	−1	548c
W ₁	380_770	100.0	0.0	0.0	0.0	0.2154	−0.0861	0.0	−1	481c	−1	548c