

Optimal colours (o) *RYGCBM* of maximum (m) C_{AB} ; P60, $Y_m=510_770$, LABHNU1_79

<i>CodeD65</i>	L^*	A^*	B^*	C^*_{ab}	a'	b'	h_{ab}	i_d	λ^*_d	i_c	λ^*_c
R _{me} 570_770	68.17	71.18	72.19	101.39	0.1736	-0.0459	45.4	38	592	15	479
Y _{me} 510_770	95.46	-10.92	90.88	91.54	0.1264	-0.048	96.8	33	568	14	471
G _{me} 470_570	81.85	-81.99	38.23	90.46	0.0894	-0.0693	154.9	21	508	9	448
C _m 380_570	82.81	-51.64	-26.85	58.2	0.1052	-0.1024	207.4	16	483	42	613
B _{me} 380_510	40.05	43.23	-96.41	105.66	0.1699	-0.1748	294.1	13	467	31	559
M _m 570_470	69.46	107.5	-32.47	112.3	0.1942	-0.1078	343.1	7	437	20	502
R _o 570_440	68.36	88.44	10.98	89.12	0.1837	-0.0823	7.0	-1	489c	17	489
G _o 520_570	76.4	-74.97	72.59	104.35	0.0908	-0.0495	135.9	27	537	12	461
W ₁ 380_770	100.0	0.0	0.0	0.0	0.1313	-0.0888	0.0	-1	461c	-1	537c

Optimal colours (o) *RYGCBM* of maximum (m) C_{AB} ; P55, $Y_m=510_770$, LABHNU1_79

<i>CodeD65</i>	L^*	A^*	B^*	C^*_{ab}	a'	b'	h_{ab}	i_d	λ^*_d	i_c	λ^*_c
R _{me} 570_770	68.93	72.22	69.2	100.02	0.1741	-0.0459	43.7	38	592	16	480
Y _{me} 510_770	95.7	-9.16	86.41	86.9	0.1275	-0.048	96.0	33	569	14	471
G _{me} 470_570	81.36	-81.79	35.07	88.99	0.0896	-0.0686	156.7	21	508	9	446
C _m 380_570	82.25	-53.96	-26.78	60.25	0.1041	-0.1003	206.3	16	484	42	613
B _{me} 380_510	39.09	37.71	-94.92	102.14	0.1658	-0.1728	291.6	13	468	32	561
M _m 570_470	70.1	104.58	-29.82	108.75	0.1923	-0.104	344.0	7	435	20	503
R _o 570_440	69.1	87.35	12.65	88.26	0.1829	-0.0792	8.2	-1	490c	18	490
G _o 520_570	76.1	-74.89	68.49	101.49	0.0909	-0.0495	137.5	27	537	12	460
W ₁ 380_770	100.0	0.0	0.0	0.0	0.1316	-0.0867	0.0	-1	460c	-1	537c

Optimal colours (o) *RYGCBM* of maximum (m) C_{AB} ; P50, $Y_m=510_770$, LABHNU1_79

<i>CodeD65</i>	L^*	A^*	B^*	C^*_{ab}	a'	b'	h_{ab}	i_d	λ^*_d	i_c	λ^*_c
R _{me} 570_770	69.84	73.26	65.64	98.37	0.1747	-0.0459	41.8	38	593	16	481
Y _{me} 510_770	95.98	-7.27	81.18	81.5	0.1288	-0.0479	95.1	34	570	14	471
G _{me} 470_570	80.74	-81.77	31.45	87.61	0.0898	-0.0679	158.9	21	508	8	443
C _m 380_570	81.55	-56.73	-26.67	62.69	0.103	-0.0978	205.1	17	485	42	613
B _{me} 380_510	37.93	31.37	-93.07	98.22	0.1611	-0.1704	288.6	13	468	32	564
M _m 570_470	70.87	101.39	-26.76	104.86	0.1904	-0.0996	345.2	6	432	20	503
R _o 570_440	69.99	86.15	14.43	87.36	0.1821	-0.0758	9.5	-1	490c	18	490
G _o 520_570	75.72	-75.01	63.71	98.42	0.0911	-0.0494	139.6	27	537	11	459
W ₁ 380_770	100.0	0.0	0.0	0.0	0.132	-0.0842	0.0	-1	459c	-1	537c

Optimal colours (o) <i>RYGCBM</i> of maximum (m) C_{AB} ; P45, $Y_m=510_770$, LABHNU1_79												
<i>CodeD65</i>		L^*	A^*	B^*	C^*_{ab}	a'	b'	h_{ab}	i_d	λ^*_d	i_c	λ^*_c
R _{me}	570_770	70.95	74.25	61.38	96.34	0.1754	−0.0459	39.5	38	593	16	482
Y _{me}	510_770	96.3	−5.26	75.01	75.19	0.1304	−0.0478	94.0	34	571	14	471
G _{me}	470_570	79.95	−82.04	27.27	86.45	0.09	−0.067	161.6	21	508	7	439
C _m	380_570	80.68	−60.06	−26.49	65.64	0.1017	−0.0949	203.8	17	486	42	612
B _{me}	380_510	36.52	24.06	−90.74	93.88	0.1557	−0.1676	284.8	13	469	33	567
M _m	570_470	71.84	97.89	−23.21	100.61	0.1885	−0.0944	346.6	5	429	20	504
R _o	570_440	71.07	84.83	16.29	86.38	0.1815	−0.0719	10.8	−1	490c	18	490
G _o	520_570	75.21	−75.45	58.13	95.25	0.0914	−0.0494	142.3	27	537	11	457
W ₁	380_770	100.0	0.0	0.0	0.0	0.1328	−0.0812	0.0	−1	457c	−1	537c

Optimal colours (o) RYGCBM of maximum (m) C_{AB} ; P40, $Y_m=510_770$, LABHNU1_79

<i>CodeD65</i>	<i>L*</i>	<i>A*</i>	<i>B*</i>	<i>C*_{ab}</i>	<i>a'</i>	<i>b'</i>	<i>h_{ab}</i>	<i>i_d</i>	<i>λ*_d</i>	<i>i_c</i>	<i>λ*_c</i>
R _{me} 570_770	72.31	75.07	56.21	93.78	0.1764	-0.0459	36.8	38	593	16	483
Y _{me} 510_770	96.66	-3.17	67.68	67.75	0.1325	-0.0477	92.6	34	572	14	471
G _{me} 470_570	78.91	-82.76	22.47	85.76	0.0903	-0.0659	164.8	21	508	6	432
C _m 380_570	79.55	-64.13	-26.17	69.26	0.1004	-0.0914	202.2	17	487	42	612
B _{me} 380_510	34.77	15.62	-87.74	89.12	0.1493	-0.1642	280.0	13	469	34	570
M _m 570_470	73.04	94.05	-19.09	95.96	0.1867	-0.0885	348.5	4	423	21	505
R _o 570_440	72.41	83.31	18.11	85.26	0.181	-0.0675	12.2	-1	491c	18	491
G _o 520_570	74.51	-76.37	51.56	92.15	0.0917	-0.0493	145.9	27	537	10	454
W ₁ 380_770	100.0	0.0	0.0	0.0	0.1339	-0.0777	0.0	-1	454c	-1	537c

Optimal colours (o) RYGCBM of maximum (m) C _{AB} ; P35, Y _m =510_770, LABHNU1_79												
CodeD65		L*	A*	B*	C* _{ab}	a'	b'	h _{ab}	i _d	λ* _d	i _c	λ* _c
R _{me}	570_770	74.01	75.49	49.88	90.48	0.1777	−0.0459	33.4	38	594	16	484
Y _{me}	510_770	97.09	−1.08	58.92	58.93	0.1352	−0.0476	91.0	34	574	14	471
G _{me}	470_570	77.52	−84.2	16.96	85.89	0.0907	−0.0646	168.6	21	508	4	422
C _m	380_570	78.04	−69.16	−25.63	73.76	0.099	−0.0873	200.3	17	489	42	611
B _{me}	380_510	32.56	5.89	−83.75	83.96	0.1418	−0.1599	274.0	14	470	34	573
M _m	570_470	74.58	89.75	−14.34	90.89	0.1853	−0.0815	350.9	−1	506c	21	506
R _o	570_440	74.08	81.46	19.64	83.8	0.1809	−0.0627	13.5	−1	492c	18	492
G _o	520_570	73.52	−78.06	43.82	89.52	0.0921	−0.0492	150.6	27	537	10	450
W ₁	380_770	100.0	0.0	0.0	0.0	0.1357	−0.0736	0.0	−1	450c	−1	537c

Optimal colours (o) <i>RYGCBM</i> of maximum (m) C_{AB} ; P30, $Y_m=510_770$, LABHNU1_79												
<i>CodeD65</i>		L^*	A^*	B^*	C^*_{ab}	a'	b'	h_{ab}	i_d	λ^*_d	i_c	λ^*_c
R _{me}	570_770	76.18	75.11	42.06	86.09	0.1794	−0.0459	29.2	39	595	17	486
Y _{me}	510_770	97.59	0.84	48.45	48.45	0.139	−0.0474	89.0	35	576	14	471
G _{me}	470_570	75.55	−86.75	10.76	87.42	0.0913	−0.0628	172.9	21	508	−1	508c
C _m	380_570	75.96	−75.48	−24.67	79.41	0.0976	−0.0821	198.1	18	491	42	610
B _{me}	380_510	29.68	−5.23	−78.3	78.48	0.1329	−0.1545	266.1	14	472	35	576
M _m	570_470	76.59	84.81	−8.99	85.29	0.1844	−0.0736	353.9	−1	507c	21	507
R _o	570_440	76.23	78.97	20.39	81.56	0.1815	−0.0577	14.4	44	624	18	493
G _o	520_570	72.04	−80.94	34.73	88.08	0.0927	−0.049	156.7	27	537	8	444
W ₁	380_770	100.0	0.0	0.0	0.0	0.1386	−0.0687	0.0	−1	444c	−1	537c

Optimal colours (o) RYGCBM of maximum (m) C_{AB} ; P25, $Y_m=510_770$, LABHNU1_79

<i>CodeD65</i>	L^*	A^*	B^*	C^*_{ab}	a'	b'	h_{ab}	i_d	λ^*_d	i_c	λ^*_c
R _{me} 570_770	79.03	73.09	32.43	79.97	0.1819	-0.0459	23.9	39	596	18	490
Y _{me} 510_770	98.16	2.35	36.07	36.14	0.1444	-0.0472	86.2	35	578	14	471
G _{me} 470_570	72.62	-90.99	4.11	91.09	0.0921	-0.0607	177.4	21	509	-1	509c
C _m 380_570	72.91	-83.51	-22.92	86.6	0.0964	-0.0759	195.3	18	494	41	608
B _{me} 380_510	25.81	-17.58	-70.58	72.74	0.1224	-0.1474	256.0	14	473	36	580
M _m 570_470	79.28	78.71	-3.33	78.79	0.1847	-0.0647	357.5	-1	509c	21	509
R _o 570_440	79.05	75.18	19.43	77.65	0.1829	-0.0528	14.4	42	610	19	495
G _o 520_570	69.72	-85.66	24.29	89.04	0.0934	-0.0488	164.1	27	536	6	432
W ₁ 380_770	100.0	0.0	0.0	0.0	0.1434	-0.063	0.0	-1	432c	-1	536c