

Optimal colours (o) <i>RYGCBM</i> of maximum (m) $C_{AB,10}$; P60, $Y_m=510_770$, CIEXYZ												
<i>Code</i>		X_{10}	Y_{10}	Z_{10}	x_{10}	y_{10}	z_{10}	$h_{xy,10}$	i_d	λ_d	i_c	λ_c
R _{me}	570_770	58.34	35.75	0.0	0.62	0.3799	0.0	238.9	38	592	15	478
Y _{me}	510_770	79.36	82.98	1.42	0.4845	0.5066	0.0087	223.8	33	566	12	464
G _{me}	470_570	22.88	60.32	20.38	0.2209	0.5822	0.1967	208.1	23	515	−1	515c
C _m	380_570	38.75	64.24	104.01	0.1872	0.3103	0.5024	211.5	15	478	38	592
B _{me}	380_510	17.73	17.01	102.58	0.1291	0.1239	0.7469	226.2	12	464	33	566
M _m	570_470	74.2	39.67	83.62	0.3757	0.2008	0.4234	249.2	−1	515c	23	515
R _o	570_440	65.46	36.63	34.79	0.4782	0.2676	0.2541	243.4	−1	485c	17	485
G _o	520_570	21.02	47.22	1.42	0.3017	0.6777	0.0205	214.7	27	538	−1	538c
W ₁	380_770	97.09	99.99	104.01	0.3224	0.3321	0.3454	0.0	−1	485c	−1	538c

Optimal colours (o) <i>RYGCBM</i> of maximum (m) $C_{AB,10}$; P55, $Y_m=510_770$, CIEXYZ												
<i>Code</i>		X_{10}	Y_{10}	Z_{10}	x_{10}	y_{10}	z_{10}	$h_{xy,10}$	i_d	λ_d	i_c	λ_c
R _{me}	570_770	60.42	36.89	0.0	0.6208	0.3791	0.0	239.4	38	592	15	478
Y _{me}	510_770	81.46	83.85	1.39	0.4886	0.5029	0.0083	224.9	33	567	13	465
G _{me}	470_570	22.79	59.5	19.37	0.2242	0.5852	0.1905	208.4	22	514	−1	514c
C _m	380_570	37.23	63.1	95.55	0.19	0.3221	0.4877	211.4	15	478	38	592
B _{me}	380_510	16.19	16.14	94.15	0.128	0.1276	0.7443	225.8	13	465	33	567
M _m	570_470	74.85	40.49	76.18	0.3908	0.2114	0.3977	249.0	−1	514c	22	514
R _o	570_440	66.79	37.68	31.14	0.4925	0.2778	0.2296	243.6	−1	486c	17	486
G _o	520_570	21.03	46.95	1.39	0.3031	0.6766	0.0201	214.6	27	538	−1	538c
W ₁	380_770	97.65	100.0	95.55	0.333	0.341	0.3258	0.0	−1	486c	−1	538c

Optimal colours (o) <i>RYGCBM</i> of maximum (m) $C_{AB,10}$; P50, $Y_m=510_770$, CIEXYZ												
<i>Code</i>		X_{10}	Y_{10}	Z_{10}	x_{10}	y_{10}	z_{10}	$h_{xy,10}$	i_d	λ_d	i_c	λ_c
R _{me}	570_770	62.98	38.28	0.0	0.6219	0.378	0.0	240.0	38	592	15	479
Y _{me}	510_770	84.01	84.86	1.36	0.4934	0.4984	0.008	226.2	33	567	13	465
G _{me}	470_570	22.67	58.46	18.18	0.2282	0.5886	0.183	208.7	22	514	−1	514c
C _m	380_570	35.52	61.71	86.17	0.1937	0.3364	0.4698	211.2	15	479	38	592
B _{me}	380_510	14.5	15.13	84.8	0.1267	0.1322	0.741	225.2	13	465	33	567
M _m	570_470	75.84	41.53	67.98	0.4091	0.224	0.3667	248.8	−1	514c	22	514
R _o	570_440	68.54	38.97	27.2	0.5087	0.2892	0.2019	243.8	−1	486c	17	486
G _o	520_570	21.02	46.57	1.36	0.3048	0.6753	0.0197	214.5	27	538	−1	538c
W ₁	380_770	98.51	99.99	86.17	0.346	0.3512	0.3026	0.0	−1	486c	−1	538c

Optimal colours (o) <i>RYGCBM</i> of maximum (m) $C_{AB,10}$; P45, $Y_m=510_770$, CIEXYZ												
<i>Code</i>		X_{10}	Y_{10}	Z_{10}	x_{10}	y_{10}	z_{10}	$h_{xy,10}$	i_d	λ_d	i_c	λ_c
R _{me}	570_770	66.18	40.0	0.0	0.6232	0.3767	0.0	240.7	38	592	16	480
Y _{me}	510_770	87.16	86.03	1.31	0.4994	0.493	0.0075	227.8	33	568	13	466
G _{me}	470_570	22.48	57.13	16.79	0.2331	0.5926	0.1741	209.0	22	512	−1	512c
C _m	380_570	33.61	59.99	75.8	0.1984	0.3541	0.4474	211.1	16	480	38	592
B _{me}	380_510	12.64	13.96	74.49	0.125	0.1381	0.7368	224.6	13	466	33	568
M _m	570_470	77.32	42.86	59.01	0.4314	0.2392	0.3293	248.5	−1	512c	22	512
R _o	570_440	70.88	40.59	22.99	0.5271	0.3018	0.171	244.0	−1	487c	17	487
G _o	520_570	20.97	46.02	1.31	0.307	0.6737	0.0192	214.3	27	538	−1	538c
W ₁	380_770	99.8	100.0	75.8	0.3621	0.3628	0.275	0.0	−1	487c	−1	538c

Optimal colours (o) <i>RYGCBM</i> of maximum (m) $C_{AB,10}$; P40, $Y_m=510_770$, CIEXYZ												
<i>Code</i>		X_{10}	Y_{10}	Z_{10}	x_{10}	y_{10}	z_{10}	$h_{xy,10}$	i_d	λ_d	i_c	λ_c
R _{me}	570_770	70.27	42.18	0.0	0.6249	0.375	0.0	241.4	38	593	16	482
Y _{me}	510_770	91.12	87.4	1.25	0.5068	0.4861	0.0069	229.8	34	570	13	467
G _{me}	470_570	22.19	55.38	15.15	0.2393	0.5972	0.1634	209.2	22	511	−1	511c
C _m	380_570	31.47	57.81	64.44	0.2047	0.376	0.4192	210.9	16	482	38	593
B _{me}	380_510	10.62	12.59	63.18	0.1229	0.1457	0.7313	223.8	13	467	34	570
M _m	570_470	79.55	44.61	49.29	0.4586	0.2571	0.2841	248.1	−1	511c	22	511
R _o	570_440	74.07	42.65	18.57	0.5474	0.3152	0.1372	244.2	−1	487c	17	487
G _o	520_570	20.85	45.22	1.25	0.3096	0.6716	0.0186	214.1	27	538	−1	538c
W ₁	380_770	101.75	100.0	64.44	0.3822	0.3756	0.2421	0.0	−1	487c	−1	538c

Optimal colours (o) <i>RYGCBM</i> of maximum (m) $C_{AB,10}$; P35, $Y_m=510_770$, CIEXYZ												
<i>Code</i>		X_{10}	Y_{10}	Z_{10}	x_{10}	y_{10}	z_{10}	$h_{xy,10}$	i_d	λ_d	i_c	λ_c
R _{me}	570_770	75.65	44.99	0.0	0.627	0.3729	0.0	242.1	38	594	16	484
Y _{me}	510_770	96.25	89.01	1.17	0.5162	0.4774	0.0063	232.3	34	571	13	468
G _{me}	470_570	21.75	53.04	13.21	0.2471	0.6026	0.1501	209.5	22	510	−1	510c
C _m	380_570	29.06	55.0	52.16	0.2133	0.4037	0.3828	210.7	16	484	38	594
B _{me}	380_510	8.46	10.98	50.98	0.1201	0.156	0.7238	222.7	13	468	34	571
M _m	570_470	82.95	46.95	38.94	0.4912	0.278	0.2306	247.6	−1	510c	22	510
R _o	570_440	78.51	45.35	14.03	0.5693	0.3288	0.1017	244.3	−1	488c	17	488
G _o	520_570	20.6	44.01	1.17	0.313	0.669	0.0179	213.6	27	539	−1	539c
W ₁	380_770	104.71	99.99	52.16	0.4076	0.3892	0.203	0.0	−1	488c	−1	539c

Optimal colours (o) <i>RYGCBM</i> of maximum (m) $C_{AB,10}$; P30, $Y_m=510_770$, CIEXYZ												
<i>Code</i>		X_{10}	Y_{10}	Z_{10}	x_{10}	y_{10}	z_{10}	$h_{xy,10}$	i_d	λ_d	i_c	λ_c
R _{me}	570_770	82.95	48.72	0.0	0.6299	0.37	0.0	242.8	38	594	17	486
Y _{me}	510_770	103.07	90.89	1.07	0.5284	0.466	0.0055	235.6	34	573	13	469
G _{me}	470_570	21.06	49.81	10.93	0.2574	0.6088	0.1336	209.6	21	508	−1	508c
C _m	380_570	26.33	51.27	39.19	0.2254	0.4389	0.3355	210.4	17	486	38	594
B _{me}	380_510	6.21	9.1	38.12	0.1163	0.1704	0.7132	221.4	13	469	34	573
M _m	570_470	88.23	50.18	28.26	0.5293	0.301	0.1695	247.0	−1	508c	21	508
R _o	570_440	84.91	48.97	9.58	0.5918	0.3413	0.0667	244.4	46	632	18	490
G _o	520_570	20.11	42.16	1.07	0.3175	0.6655	0.0169	212.9	27	539	−1	539c
W ₁	380_770	109.29	99.99	39.19	0.4398	0.4024	0.1577	0.0	−1	490c	−1	539c

Optimal colours (o) <i>RYGCBM</i> of maximum (m) $C_{AB,10}$; P25, $Y_m=510_770$, CIEXYZ												
<i>Code</i>		X_{10}	Y_{10}	Z_{10}	x_{10}	y_{10}	z_{10}	$h_{xy,10}$	i_d	λ_d	i_c	λ_c
R _{me}	570_770	93.33	53.86	0.0	0.634	0.3659	0.0	243.2	39	595	17	489
Y _{me}	510_770	112.53	93.06	0.92	0.5449	0.4506	0.0044	239.9	35	576	14	471
G _{me}	470_570	19.89	45.17	8.28	0.2712	0.6158	0.1129	209.5	21	507	−1	507c
C _m	380_570	23.2	46.13	26.13	0.243	0.4831	0.2737	209.9	17	489	39	595
B _{me}	380_510	4.0	6.93	25.21	0.1108	0.1918	0.6973	219.5	14	471	35	576
M _m	570_470	96.64	54.82	17.85	0.5707	0.3237	0.1054	246.2	−1	507c	21	507
R _o	570_440	94.46	54.01	5.54	0.6133	0.3506	0.0359	244.3	42	613	18	492
G _o	520_570	19.2	39.19	0.92	0.3236	0.6606	0.0156	211.9	27	539	−1	539c
W ₁	380_770	116.54	99.99	26.13	0.4802	0.412	0.1077	0.0	−1	492c	−1	539c