

Optimal colours (o) <i>RYGCBM</i> of maximum (m) $C_{AB,10}$; D65, $Y_m=510_770$, Y_{AB_77}												
<i>Code</i>		Y_{10}	A_{10}	B_{10}	$C_{AB,10}$	a_{10}	b_{10}	$h_{AB,10}$	i_d	λ_d	i_c	λ_c
R _{me}	570_770	34.09	23.13	14.63	27.37	1.6267	0.0	32.3	38	591	15	478
Y _{me}	510_770	82.07	-1.13	34.65	34.67	0.9342	-0.0071	91.8	33	565	13	468
G _{me}	470_570	61.74	-35.3	17.77	39.52	0.3763	-0.1414	153.2	23	517	-1	517c
C _m	380_570	65.9	-23.13	-14.63	27.37	0.597	-0.6514	212.3	15	478	38	591
B _{me}	380_510	17.92	1.13	-34.65	34.67	1.0116	-2.3628	271.8	13	465	32	562
M _m	570_470	38.25	35.3	-17.77	39.52	1.8708	-0.8938	333.2	-1	503c	20	503
R _o	570_440	34.9	28.88	2.24	28.97	1.7757	-0.365	4.4	-1	483c	16	483
G _o	520_570	47.98	-24.27	20.01	31.46	0.4422	-0.0121	140.4	27	538	-1	538c
W ₁	380_770	100.0	0.0	0.0	0.01	0.9481	-0.4293	0.0	38	594	15	478

Optimal colours (o) <i>RYGCBM</i> of maximum (m) $C_{AB,10}$; D50, $Y_m=510_770$, Y_{AB_77}												
<i>Code</i>		Y_{10}	A_{10}	B_{10}	$C_{AB,10}$	a_{10}	b_{10}	$h_{AB,10}$	i_d	λ_d	i_c	λ_c
R _{me}	570_770	37.57	25.65	12.23	28.42	1.6501	0.0	25.4	38	592	16	483
Y _{me}	510_770	84.82	1.2	27.07	27.09	0.9814	-0.0065	87.4	33	567	13	469
G _{me}	470_570	59.25	-34.37	11.88	36.37	0.3871	-0.1251	160.9	21	508	-1	508c
C _m	380_570	62.42	-25.65	-12.23	28.42	0.5562	-0.5216	205.4	15	479	35	579
B _{me}	380_510	15.17	-1.2	-27.07	27.09	0.8876	-2.1102	267.4	13	466	33	565
M _m	570_470	40.74	34.37	-11.88	36.37	1.811	-0.6173	340.9	-1	531c	26	531
R _o	570_440	38.12	29.54	3.76	29.78	1.742	-0.2269	7.2	-1	490c	18	490
G _o	520_570	47.25	-24.45	14.83	28.6	0.4498	-0.0116	148.7	27	538	-1	538c
W ₁	380_770	99.99	0.0	0.0	0.01	0.9672	-0.3256	0.0	6	430	32	560

Optimal colours (o) <i>RYGCBM</i> of maximum (m) $C_{AB,10}$; P45, $Y_m=510_770$, Y_{AB_77}												
<i>Code</i>		Y_{10}	A_{10}	B_{10}	$C_{AB,10}$	a_{10}	b_{10}	$h_{AB,10}$	i_d	λ_d	i_c	λ_c
R _{me}	570_770	40.0	26.25	12.13	28.92	1.6542	0.0	24.8	38	592	16	484
Y _{me}	510_770	86.03	1.29	25.56	25.59	1.013	-0.0061	87.1	33	568	13	467
G _{me}	470_570	57.13	-34.53	10.6	36.12	0.3935	-0.1175	162.9	21	505	-1	505c
C _m	380_570	59.99	-26.25	-12.13	28.92	0.5603	-0.5054	204.8	15	479	35	579
B _{me}	380_510	13.96	-1.29	-25.56	25.59	0.9053	-2.1336	267.1	13	466	33	568
M _m	570_470	42.86	34.53	-10.6	36.12	1.8037	-0.5506	342.9	-1	543c	28	543
R _o	570_440	40.59	30.37	3.1	30.53	1.7462	-0.2266	5.8	-1	495c	19	495
G _o	520_570	46.02	-24.96	13.42	28.34	0.4557	-0.0114	151.7	27	538	-1	538c
W ₁	380_770	100.0	0.0	0.0	0.01	0.998	-0.3032	0.0	13	465	33	568

Optimal colours (o) *RYGCBM* of maximum (m) $C_{AB,10}$; A00, $Y_m=510_770$, Y_{AB_77}

<i>Code</i>		Y_{10}	A_{10}	B_{10}	$C_{AB,10}$	a_{10}	b_{10}	$h_{AB,10}$	i_d	λ_d	i_c	λ_c
R _{me}	570_770	50.11	30.01	7.05	30.83	1.7104	0.0	13.2	−1	595c	39	595
Y _{me}	510_770	91.52	3.88	12.47	13.06	1.154	−0.0045	72.6	14	473	34	574
G _{me}	470_570	48.57	−33.22	2.77	33.34	0.4275	−0.0837	175.2	18	494	31	557
C _m	380_570	49.88	−30.01	−7.05	30.83	0.5098	−0.2822	193.2	16	484	33	568
B _{me}	380_510	8.47	−3.88	−12.47	13.06	0.6527	−1.6117	252.6	14	470	35	575
M _m	570_470	51.42	33.22	−2.77	33.34	1.7576	−0.1947	355.2	−1	584c	36	584
R _o	570_440	50.32	31.46	3.76	31.69	1.7367	−0.0659	6.8	−1	589c	37	589
G _o	520_570	41.4	−26.12	5.41	26.67	0.4805	−0.0099	168.2	20	503	28	544
W ₁	380_770	99.99	0.0	0.0	0.01	1.1115	−0.1407	0.0	14	471	35	575

Optimal colours (o) <i>RYGCBM</i> of maximum (m) $C_{AB,10}$; E00, $Y_m=510_770$, Y_{AB_77}												
<i>Code</i>		Y_{10}	A_{10}	B_{10}	$C_{AB,10}$	a_{10}	b_{10}	$h_{AB,10}$	i_d	λ_d	i_c	λ_c
R _{me}	570_770	37.7	24.47	15.08	28.75	1.6491	0.0	31.6	38	592	15	478
Y _{me}	510_770	83.84	-0.94	32.99	33.0	0.9886	-0.0065	91.6	33	567	12	464
G _{me}	470_570	58.54	-36.05	15.7	39.32	0.3839	-0.1318	156.4	22	514	-1	514c
C _m	380_570	62.29	-24.47	-15.08	28.75	0.607	-0.6421	211.6	15	478	38	592
B _{me}	380_510	16.15	0.94	-32.99	33.0	1.0581	-2.4418	271.6	12	464	33	567
M _m	570_470	41.45	36.05	-15.7	39.32	1.8697	-0.7787	336.4	-1	514c	22	514
R _o	570_440	38.56	30.6	1.76	30.66	1.7936	-0.3541	3.3	-1	485c	17	485
G _o	520_570	46.14	-25.41	17.91	31.09	0.449	-0.0118	144.8	27	538	-1	538c
W ₁	380_770	99.99	0.0	0.0	0.01	0.9999	-0.4	0.0	40	604	15	479

Optimal colours (o) *RYGCBM* of maximum (m) $C_{AB,10}$; C00, $Y_m=510_770$, Y_{AB_77}

<i>Code</i>		Y_{10}	A_{10}	B_{10}	$C_{AB,10}$	a_{10}	b_{10}	$h_{AB,10}$	i_d	λ_d	i_c	λ_c
R _{me}	570_770	34.66	22.61	16.1	27.76	1.6254	0.0	35.4	38	591	15	476
Y _{me}	510_770	81.33	−1.56	37.24	37.28	0.9536	−0.0066	92.4	33	566	13	466
G _{me}	470_570	60.87	−35.85	19.09	40.62	0.3837	−0.1509	151.9	23	518	−1	518c
C _m	380_570	65.33	−22.61	−16.1	27.76	0.6266	−0.711	215.4	15	477	40	601
B _{me}	380_510	18.66	1.56	−37.24	37.28	1.0566	−2.4606	272.4	12	464	32	564
M _m	570_470	39.12	35.85	−19.09	40.62	1.8892	−0.9525	331.9	−1	500c	20	500
R _o	570_440	35.58	29.09	2.07	29.16	1.7904	−0.4062	4.0	−1	481c	16	481
G _o	520_570	46.67	−24.18	21.14	32.12	0.4547	−0.0115	138.8	27	539	−1	539c
W ₁	380_770	99.99	0.0	0.0	0.01	0.9728	−0.4645	0.0	35	575	14	471

Optimal colours (o) <i>RYGCBM</i> of maximum (m) $C_{AB,10}$; P00, $Y_m=510_770$, Y_{AB_77}												
<i>Code</i>		Y_{10}	A_{10}	B_{10}	$C_{AB,10}$	a_{10}	b_{10}	$h_{AB,10}$	i_d	λ_d	i_c	λ_c
R _{me}	570_770	40.83	26.28	13.27	29.44	1.6674	0.0	26.7	38	593	16	482
Y _{me}	510_770	85.9	0.71	27.4	27.41	1.032	-0.0059	88.5	33	569	12	463
G _{me}	470_570	56.11	-35.35	11.48	37.17	0.3937	-0.1202	161.9	21	507	-1	507c
C _m	380_570	59.16	-26.28	-13.27	29.44	0.5795	-0.5493	206.7	15	479	36	584
B _{me}	380_510	14.09	-0.71	-27.4	27.41	0.9732	-2.2694	268.5	13	465	34	570
M _m	570_470	43.88	35.35	-11.48	37.17	1.8293	-0.5868	341.9	-1	540c	28	540
R _o	570_440	41.49	30.97	2.97	31.12	1.7702	-0.2532	5.4	-1	492c	18	492
G _o	520_570	45.07	-25.57	14.13	29.21	0.4564	-0.0114	151.0	27	538	-1	538c
W ₁	380_770	99.99	0.0	0.0	0.01	1.0237	-0.325	0.0	14	470	34	573

Optimal colours (o) <i>RYGCBM</i> of maximum (m) $C_{AB,10}$; Q00, $Y_m=510_770$, Y_{AB_77}												
<i>Code</i>		Y_{10}	A_{10}	B_{10}	$C_{AB,10}$	a_{10}	b_{10}	$h_{AB,10}$	i_d	λ_d	i_c	λ_c
R _{me}	570_770	34.62	22.55	16.4	27.89	1.628	0.0	36.0	38	591	15	476
Y _{me}	510_770	81.81	-2.65	38.17	38.26	0.944	-0.007	93.9	33	566	13	465
G _{me}	470_570	60.92	-36.63	20.19	41.83	0.3751	-0.1423	151.1	23	519	-1	519c
C _m	380_570	65.37	-22.55	-16.4	27.89	0.6314	-0.7245	216.0	15	477	40	604
B _{me}	380_510	18.18	2.65	-38.17	38.26	1.1226	-2.573	273.9	12	464	32	564
M _m	570_470	39.07	36.63	-20.19	41.83	1.9142	-0.9904	331.1	-1	499c	19	499
R _o	570_440	35.68	30.1	0.15	30.11	1.8203	-0.4693	0.2	-1	482c	16	482
G _o	520_570	47.19	-25.21	21.77	33.31	0.4421	-0.0122	139.1	27	538	-1	538c
W ₁	380_770	100.0	0.0	0.0	0.01	0.9764	-0.4736	0.0	34	573	14	470