

Optimal colours (o) *RYGCBM* of maximum (m) $C_{AB,10}$; D65, $Y_m=510_770$, CIELAB_76

<i>Code</i>		L^*_{10}	a^*_{10}	b^*_{10}	$C^*_{ab,10}$	a'_{10}	b'_{10}	$h_{ab,10}$	i_d	λ^*_d	i_c	λ^*_c
R _{me}	570_770	65.04	68.85	112.14	131.59	0.2579	0.0	58.4	39	599	14	470
Y _{me}	510_770	92.61	-2.29	139.39	139.41	0.2144	-0.0219	90.9	33	565	13	465
G _{me}	470_570	82.78	-112.83	52.66	124.51	0.1583	-0.0595	154.9	22	513	-1	513c
C _m	380_570	84.95	-62.14	-25.94	67.34	0.1846	-0.099	202.6	15	476	-1	476c
B _{me}	380_510	49.41	6.15	-86.31	86.53	0.2201	-0.1521	274.0	13	465	32	562
M _m	570_470	68.21	92.27	-40.19	100.65	0.2702	-0.11	336.4	-1	511c	22	511
R _o	570_440	65.68	81.88	7.41	82.21	0.2656	-0.0816	5.1	-1	482c	16	482
G _o	520_570	74.82	-87.84	108.71	139.77	0.1671	-0.0262	128.9	27	535	10	450
W ₁	380_770	100.0	0.0	0.0	0.0	0.2154	-0.0861	0.0	-1	450c	-1	535c