

Ostwald optimal colours (o), maximum (m) C_{AB} for A00, Y_N=3,6, Y_W=90, Y_m=520_770

i ₁ , λ ₁	i ₂ , λ ₂	Y	A	B	C _{AB}	a	b	h _{xy}	i _d , λ _d	i _c , λ _c	Code
1 405	34 574	45.93	−63.15	−12.24	64.33	0.5481	−0.2489	190.9	18 494	39 599	Cm
6 435	34 574	46.09	−65.05	−8.5	65.6	0.5337	−0.2161	187.4	19 496	42 612	
9 450	34 574	46.35	−67.72	−2.79	67.78	0.5137	−0.1664	182.3	20 501	−1 501c	
12 460	35 575	46.0	−70.07	3.74	70.17	0.4889	−0.1097	176.9	21 508	−1 508c	
13 465	35 575	46.26	−70.6	5.94	70.85	0.4878	−0.0909	175.1	22 512	−1 512c	
13 470	35 576	46.86	−70.67	6.15	70.94	0.4949	−0.0897	175.0	22 513	−1 513c	
14 475	35 577	47.65	−71.0	8.27	71.48	0.5021	−0.0727	173.3	23 519	−1 519c	Gm
16 480	35 579	48.7	−70.67	11.48	71.6	0.5178	−0.0479	170.7	26 533	−1 533c	
17 485	36 582	50.33	−69.49	13.07	70.71	0.5459	−0.0383	169.3	28 540	−1 540c	
18 490	37 588	53.85	−66.43	15.14	68.13	0.6048	−0.0298	167.1	29 548	−1 548c	
19 495	40 601	61.06	−55.22	18.35	58.19	0.7364	−0.022	161.6	31 559	−1 559c	
20 500	−1 500c	77.63	−1.22	24.77	24.8	1.0919	−0.0146	92.8	35 576	13 469	max
21 510	−1 509c	76.57	1.65	24.82	24.87	1.1068	−0.0126	86.1	35 576	14 472	
24 520	−1 520c	71.52	14.53	23.77	27.86	1.1795	−0.0093	58.5	35 579	16 480	Ym
26 530	−1 530c	66.62	25.59	22.27	33.93	1.2519	−0.0085	41.0	36 582	16 484	
28 540	−1 540c	60.72	37.24	20.3	42.41	1.3435	−0.0085	28.6	37 585	17 487	
28 545	−1 544c	60.72	37.24	20.3	42.41	1.3435	−0.0085	28.6	37 585	17 487	
29 550	−1 549c	57.48	42.88	19.18	46.98	1.3966	−0.0087	24.1	37 586	17 489	
31 555	−1 555c	50.54	52.98	16.76	55.57	1.5174	−0.0096	17.5	38 590	18 491	
32 560	−1 560c	46.93	57.07	15.48	59.14	1.5847	−0.0102	15.1	38 593	18 492	
34 574	1 405	44.06	63.15	12.24	64.32	1.6714	−0.0311	10.9	39 599	18 494	Rm
34 574	6 435	43.9	65.04	8.5	65.6	1.6909	−0.0647	7.4	42 612	19 496	
34 574	9 450	43.64	67.72	2.79	67.77	1.7188	−0.1166	2.3	−1 501c	20 501	
35 575	12 460	43.99	70.06	−3.74	70.16	1.7352	−0.1763	356.9	−1 508c	21 508	
35 575	13 465	43.73	70.59	−5.94	70.84	1.7439	−0.1966	355.1	−1 512c	22 512	
35 576	13 470	43.13	70.66	−6.15	70.93	1.7535	−0.1993	355.0	−1 513c	22 513	
35 577	14 475	42.34	70.99	−8.27	71.47	1.7687	−0.2204	353.3	−1 519c	23 519	Mm
35 579	16 480	41.29	70.66	−11.48	71.58	1.7827	−0.2535	350.7	−1 533c	26 533	
36 582	17 485	39.66	69.47	−13.07	70.69	1.7988	−0.2741	349.3	−1 540c	28 540	
37 588	18 490	36.14	66.42	−15.13	68.12	1.8333	−0.3098	347.1	−1 548c	29 548	
40 601	19 495	28.93	55.21	−18.34	58.18	1.8615	−0.3959	341.6	−1 559c	31 559	
−1 500c	20 500	12.36	1.22	−24.76	24.79	1.1377	−0.9436	272.8	13 469	35 576	min
−1 509c	21 510	13.42	−1.65	−24.81	24.87	1.0489	−0.8819	266.1	14 472	35 576	
−1 520c	24 520	18.47	−14.53	−23.77	27.86	0.7836	−0.6569	238.5	16 480	35 579	Bm
−1 530c	26 530	23.37	−25.59	−22.27	33.92	0.6602	−0.5233	221.0	16 484	36 582	
−1 540c	28 540	29.27	−37.24	−20.3	42.41	0.5893	−0.4197	208.6	17 487	37 585	
−1 544c	28 545	29.27	−37.24	−20.3	42.41	0.5893	−0.4197	208.6	17 487	37 585	
−1 549c	29 550	32.51	−42.88	−19.18	46.98	0.5706	−0.3783	204.1	17 489	37 586	
−1 555c	31 555	39.45	−52.98	−16.76	55.57	0.5609	−0.3122	197.5	18 491	38 590	
−1 560c	32 560	43.06	−57.08	−15.48	59.14	0.5681	−0.2861	195.1	18 492	38 593	
W0 380	770	89.99	0.0	0.0	0.0	1.0982	−0.1422	0.0	B _c =1,000		
N0 380	770	3.59	0.0	0.0	0.0	1.0982	−0.1422	0.0	x _c =0,000		