

Optimalfarben (o) <i>RYGCBM</i> von maximalem (m) C_{AB} ; D65, $Y_m=510_770$, Y_{AB_77}												
<i>Code</i>		<i>Y</i>	<i>A</i>	<i>B</i>	C_{AB}	<i>a</i>	<i>b</i>	h_{AB}	i_d	λ_d	i_c	λ_c
R _{me}	570_770	33.13	21.25	14.25	25.59	1.592	−0.0052	33.8	38	592	16	484
Y _{me}	510_770	79.32	−6.03	33.56	34.09	0.8743	−0.0124	100.1	33	568	14	471
G _{me}	470_570	55.48	−33.6	14.57	36.63	0.3447	−0.1728	156.5	23	515	−1	515c
C _m	380_570	57.21	−21.25	−14.26	25.59	0.5789	−0.6848	213.8	16	484	38	592
B _{me}	380_510	11.02	6.04	−33.56	34.1	1.498	−3.4785	280.2	13	466	33	565
M _m	570_470	34.85	33.6	−14.57	36.62	1.9144	−0.8536	336.5	−1	504c	20	504
R _o	570_440	33.35	26.19	4.28	26.54	1.7358	−0.3072	9.2	−1	488c	17	488
G _o	520_570	46.53	−27.28	19.29	33.42	0.364	−0.0209	144.7	27	538	−1	538c
W ₁	380_770	90.0	0.0	0.0	0.01	0.9504	−0.4355	353.4	38	591	16	484