

$XYZ_{w,10}=97.095, 99.9999, 104.01$ B^*_{10}

$A^*_{10} = 500 (a'_{10} - a'_{n,10}) Y^{1/3}$

$B^*_{10} = 500 (b'_{10} - b'_{n,10}) Y^{1/3}$

$a'_{10} = a_{20} [x_{10}/y_{10} + 1]$

$b'_{10} = b_{20} [z_{10}/y_{10} + 1/6]^{1/3}$

$a_{20} = 1/15 = 0.06666$

$b_{20} = -1/12 = -0.08333$

$n = P60$

LABHNU1_79; P60

Optimalfarben (o);

6 von maximalem (m) C_{AB} ;

Buntheit (A^*_{10}, B^*_{10});


Name und Spektralbereich:

R_{me} 570_770 Y_{me} 510_770

G_{me} 470_570 C_m 380_570

B_{me} 380_510 M_m 570_470

R_o 570_440 G_o 520_570



$XYZ_{w,10}=97.6569, 100.0, 95.55$

$A^*_{10} = 500 (a'_{10} - a'_{n,10}) Y^{1/3}$

$B^*_{10} = 500 (b'_{10} - b'_{n,10}) Y^{1/3}$

$a'_{10} = a_{20} [x_{10}/y_{10} + 1]$

$b'_{10} = b_{20} [z_{10}/y_{10} + 1/6]^{1/3}$

$a_{20} = 1/15 = 0.06666$

$b_{20} = -1/12 = -0.08333$

$n = P55$

LABHNU1_79; P55 120

Optimalfarben (o);

6 von maximalem (m) C_{AB} ;

Buntheit (A^*_{10}, B^*_{10});


Name und Spektralbereich:

R_{me} 570_770 Y_{me} 510_770

G_{me} 470_570 C_m 380_570

B_{me} 380_510 M_m 570_470

R_o 570_440 G_o 520_570



$XYZ_{w,10}=98.5124, 100.0, 86.17$

$A^*_{10} = 500 (a'_{10} - a'_{n,10}) Y^{1/3}$

$B^*_{10} = 500 (b'_{10} - b'_{n,10}) Y^{1/3}$

$a'_{10} = a_{20} [x_{10}/y_{10} + 1]$

$b'_{10} = b_{20} [z_{10}/y_{10} + 1/6]^{1/3}$

$a_{20} = 1/15 = 0.06666$

$b_{20} = -1/12 = -0.08333$

$n = P50$

LABHNU1_79; P50⁻¹²⁰

Optimalfarben (o);

6 von maximalem (m) C_{AB} ;

Buntheit (A^*_{10}, B^*_{10});


Name und Spektralbereich:

R_{me} 570_770 Y_{me} 510_770

G_{me} 470_570 C_m 380_570

B_{me} 380_510 M_m 570_470

R_o 570_440 G_o 520_570



$XYZ_{w,10}=99.8033, 100.0, 75.8$

$A^*_{10} = 500 (a'_{10} - a'_{n,10}) Y^{1/3}_{10}$

$B^*_{10} = 500 (b'_{10} - b'_{n,10}) Y^{1/3}_{10}$

$a'_{10} = a_{20} [x_{10}/y_{10} + 1]$

$b'_{10} = b_{20} [z_{10}/y_{10} + 1/6]^{1/3}$

$a_{20} = 1/15 = 0.06666$

$b_{20} = -1/12 = -0.08333$

$n = P45$

LABHNU1_79; P45

Optimalfarben (o);

6 von maximalem (m) C_{AB} ;

Buntheit (A^*_{10}, B^*_{10});


Name und Spektralbereich:

R_{me} 570_770 Y_{me} 510_770

G_{me} 470_570 C_m 380_570

B_{me} 380_510 M_m 570_470

R_o 570_440 G_o 520_570



$XYZ_{w,10}=101.751, 100.0, 64.44$

$A^*_{10} = 500 (a'_{10} - a'_{n,10}) Y^{1/3}$

$B^*_{10} = 500 (b'_{10} - b'_{n,10}) Y^{1/3}$

$a'_{10} = a_{20} [x_{10}/y_{10} + 1]$

$b'_{10} = b_{20} [z_{10}/y_{10} + 1/6]^{1/3}$

$a_{20} = 1/15 = 0.06666$

$b_{20} = -1/12 = -0.08333$

$n = P40$

LABHNU1_79; P40

Optimalfarben (o);

6 von maximalem (m) C_{AB} ;

Buntheit (A^*_{10}, B^*_{10});


Name und Spektralbereich:

R_{me} 570_770 Y_{me} 510_770

G_{me} 470_570 C_m 380_570

B_{me} 380_510 M_m 570_470

R_o 570_440 G_o 520_570



$XYZ_{w,10} = 104.715, 100.0, 52.16$

$A^*_{10} = 500 (a'_{10} - a'_{n,10}) Y^{1/3}_{10}$

$B^*_{10} = 500 (b'_{10} - b'_{n,10}) Y^{1/3}_{10}$


$a'_{10} = a_{20} [x_{10}/y_{10} + 1]$

$b'_{10} = b_{20} [z_{10}/y_{10} + 1/6]^{1/3}$

$a_{20} = 1/15 = 0.06666$

$b_{20} = -1/12 = -0.08333$

$n = P35$



LABHNU1_79; P35

Optimalfarben (o);

6 von maximalem (m) C_{AB} ;

Buntheit (A^*_{10}, B^*_{10});

Name und Spektralbereich:

R_{me} 570_770 Y_{me} 510_770

G_{me} 470_570 C_m 380_570

B_{me} 380_510 M_m 570_470

R_o 570_440 G_o 520_570

$XYZ_{w,10}=116.544, 99.9999, 26.13 B^*_{10}$

$A^*_{10} = 500 (a'_{10} - a'_{n,10}) Y^{1/3}$

$B^*_{10} = 500 (b'_{10} - b'_{n,10}) Y^{1/3}$

$a'_{10} = a_{20} [x_{10}/y_{10} + 1]$

$b'_{10} = b_{20} [z_{10}/y_{10} + 1/6]^{1/3}$

$a_{20} = 1/15 = 0.06666$

$b_{20} = -1/12 = -0.08333$

$n = P25$

LABHNU1_79; P25 120

Optimalfarben (o);

6 von maximalem (m) C_{AB} ;

Buntheit (A^*_{10}, B^*_{10});

Name und Spektralbereich:

R_{me} 570_770 Y_{me} 510_770

G_{me} 470_570 C_m 380_570

B_{me} 380_510 M_m 570_470

R_o 570_440 G_o 520_570

