

Optimalfarben (o) RYGCBM von maximalem (m) $C_{AB,10}$; D65, $Y_m=510_770$, LABHNU1_79

<i>Code</i>	<i>D65</i>	L^*_{10}	A^*_{10}	B^*_{10}	$C^*_{ab,10}$	a'_{10}	b'_{10}	$h_{ab,10}$	i_d	λ^*_d	i_c	λ^*_c
R _{me}	570_770	65.04	73.33	70.78	101.92	0.1751	-0.0458	43.9	38	591	14	473
Y _{me}	510_770	92.61	-2.0	91.43	91.46	0.1289	-0.0474	91.2	33	565	13	465
G _{me}	470_570	82.78	-75.31	44.45	87.45	0.0917	-0.067	149.4	21	508	8	440
C _m	380_570	84.95	-47.25	-23.73	52.88	0.1064	-0.1012	206.6	15	477	44	622
B _{me}	380_510	49.41	5.53	-81.78	81.97	0.1341	-0.152	273.8	13	465	32	564
M _m	570_470	68.21	103.62	-37.16	110.08	0.1913	-0.1115	340.2	2	412	19	497
R _o	570_440	65.68	90.14	6.61	90.38	0.185	-0.0854	4.1	-1	484c	16	484
G _o	520_570	74.82	-61.26	74.53	96.48	0.0961	-0.0485	129.4	27	537	11	455
W ₁	380_770	100.0	0.0	0.0	0.0	0.1298	-0.0895	0.0	-1	455c	-1	537c

Optimalfarben (o) RYGCBM von maximalem (m) $C_{AB,10}$; D50, $Y_m=510_770$, LABHNU1_79

<i>Code</i>	<i>D65</i>	L^*_{10}	A^*_{10}	B^*_{10}	$C^*_{ab,10}$	a'_{10}	b'_{10}	$h_{ab,10}$	i_d	λ^*_d	i_c	λ^*_c
R _{me}	570_770	67.71	76.22	61.84	98.16	0.1766	-0.0458	39.0	38	592	15	475
Y _{me}	510_770	93.81	2.08	77.95	77.98	0.132	-0.0473	88.4	33	567	13	466
G _{me}	470_570	81.43	-75.38	34.25	82.79	0.0924	-0.0652	155.5	21	508	5	428
C _m	380_570	83.14	-54.34	-23.74	59.3	0.1037	-0.0947	203.6	15	479	44	620
B _{me}	380_510	45.88	-6.56	-78.93	79.2	0.1258	-0.1465	265.2	13	466	33	568
M _m	570_470	70.0	96.77	-28.99	101.02	0.1874	-0.0996	343.3	-1	500c	20	500
R _o	570_440	68.12	86.91	12.83	87.85	0.1828	-0.0751	8.3	-1	485c	17	485
G _o	520_570	74.35	-62.34	62.17	88.04	0.0966	-0.0483	135.0	27	537	10	451
W ₁	380_770	100.0	0.0	0.0	0.0	0.1311	-0.0827	0.0	-1	451c	-1	537c

Optimalfarben (o) RYGCBM von maximalem (m) $C_{AB,10}$; P45, $Y_m=510_770$, LABHNU1_79

<i>CodeD65</i>		L^*_{10}	A^*_{10}	B^*_{10}	$C^*_{ab,10}$	a'_{10}	b'_{10}	$h_{ab,10}$	i_d	λ^*_d	i_c	λ^*_c
R _{me}	570_770	69.48	74.8	60.4	96.14	0.1769	-0.0458	38.9	38	592	15	475
Y _{me}	510_770	94.33	2.21	74.95	74.98	0.1342	-0.0472	88.3	33	568	13	465
G _{me}	470_570	80.25	-77.6	32.4	84.09	0.0929	-0.0643	157.3	21	508	4	423
C _m	380_570	81.83	-57.1	-24.85	62.27	0.104	-0.0938	203.5	16	480	43	619
B _{me}	380_510	44.19	-7.44	-79.35	79.69	0.127	-0.147	264.6	13	466	34	570
M _m	570_470	71.47	93.97	-26.44	97.62	0.1869	-0.0963	344.2	-1	501c	20	501
R _o	570_440	69.89	85.7	10.38	86.33	0.183	-0.0751	6.9	-1	486c	17	486
G _o	520_570	73.56	-64.77	58.83	87.5	0.097	-0.0483	137.7	27	537	9	449
W ₁	380_770	100.0	0.0	0.0	0.0	0.1332	-0.0811	0.0	-1	449c	-1	537c

Optimalfarben (o) RYGCBM von maximalem (m) $C_{AB,10}$; A00, $Y_m=510_770$, LABHNU1_79

CodeD65		L^*_{10}	A^*_{10}	B^*_{10}	$C^*_{ab,10}$	a'_{10}	b'_{10}	$h_{ab,10}$	i_d	λ^*_d	i_c	λ^*_c
R _{me}	570_770	76.14	73.59	38.87	83.23	0.1806	-0.0458	27.8	39	595	16	481
Y _{me}	510_770	96.62	6.38	45.23	45.68	0.1436	-0.0468	81.9	34	574	13	466
G _{me}	470_570	75.19	-83.17	12.42	84.1	0.0951	-0.0601	171.5	21	507	-1	507c
C _m	380_570	76.0	-73.81	-23.31	77.41	0.1006	-0.0796	197.5	17	486	42	612
B _{me}	380_510	34.98	-31.18	-68.76	75.5	0.1101	-0.1344	245.6	13	469	35	578
M _m	570_470	76.93	80.08	-9.96	80.7	0.1838	-0.0723	352.9	-1	505c	21	505
R _o	570_440	76.27	76.93	17.13	78.82	0.1824	-0.0576	12.5	51	655	17	489
G _o	520_570	70.46	-72.74	32.7	79.76	0.0987	-0.048	155.7	27	538	4	422
W ₁	380_770	100.0	0.0	0.0	0.0	0.1407	-0.0669	0.0	-1	422c	-1	538c

Optimalfarben (o) *RYGCBM* von maximalem (m) $C_{AB,10}$; E00, $Y_m=510_770$, LABHNU1_79

<i>CodeD65</i>	L^*_{10}	A^*_{10}	B^*_{10}	$C^*_{ab,10}$	a'_{10}	b'_{10}	$h_{ab,10}$	i_d	λ^*_d	i_c	λ^*_c
R _{me} 570_770	67.8	72.55	70.18	100.94	0.1766	-0.0458	44.0	38	592	14	473
Y _{me} 510_770	93.38	-1.63	88.42	88.44	0.1325	-0.0473	91.0	33	567	13	465
G _{me} 470_570	81.04	-79.7	42.22	90.2	0.0922	-0.0659	152.0	21	508	7	436
C _m 380_570	83.07	-51.91	-25.98	58.05	0.1071	-0.1008	206.5	15	477	44	622
B _{me} 380_510	47.19	4.9	-83.33	83.48	0.1372	-0.1536	273.3	12	464	33	566
M _m 570_470	70.5	100.33	-33.24	105.69	0.1913	-0.1069	341.6	-1	498c	19	498
R _o 570_440	68.44	89.37	5.02	89.52	0.1862	-0.0847	3.2	-1	485c	17	485
G _o 520_570	73.64	-65.85	70.45	96.43	0.0966	-0.0484	133.0	27	537	10	453
W ₁ 380_770	100.0	0.0	0.0	0.0	0.1333	-0.0877	0.0	-1	453c	-1	537c

Optimalfarben (o) *RYGCBM* von maximalem (m) $C_{AB,10}$; C00, $Y_m=510_770$, LABHNU1_79

<i>CodeD65</i>	L^*_{10}	A^*_{10}	B^*_{10}	$C^*_{ab,10}$	a'_{10}	b'_{10}	$h_{ab,10}$	i_d	λ^*_d	i_c	λ^*_c
R _{me} 570_770	65.49	70.91	74.55	102.89	0.175	-0.0458	46.4	38	591	14	472
Y _{me} 510_770	92.28	-2.77	95.87	95.91	0.1302	-0.0473	91.6	33	566	13	465
G _{me} 470_570	82.31	-77.23	46.36	90.07	0.0922	-0.068	149.0	21	508	8	441
C _m 380_570	84.66	-46.47	-24.98	52.75	0.1084	-0.104	208.2	15	476	44	622
B _{me} 380_510	50.29	7.41	-82.81	83.14	0.1371	-0.154	275.1	12	464	32	564
M _m 570_470	68.85	103.69	-37.7	110.33	0.1926	-0.1138	340.0	3	416	19	497
R _o 570_440	66.2	89.62	5.72	89.8	0.186	-0.0881	3.6	-1	484c	16	484
G _o 520_570	73.99	-62.17	77.8	99.59	0.0969	-0.0483	128.6	27	538	11	455
W ₁ 380_770	100.0	0.0	0.0	0.0	0.1315	-0.0915	0.0	-1	455c	-1	538c

Optimalfarben (o) *RYGCBM* von maximalem (m) $C_{AB,10}$; P00, $Y_m=510_770$, LABHNU1_79

<i>CodeD65</i>	L^*_{10}	A^*_{10}	B^*_{10}	$C^*_{ab,10}$	a'_{10}	b'_{10}	$h_{ab,10}$	i_d	λ^*_d	i_c	λ^*_c
R _{me} 570_770	70.06	73.87	63.5	97.41	0.1778	-0.0458	40.6	38	593	14	474
Y _{me} 510_770	94.27	1.21	78.42	78.43	0.1354	-0.0471	89.1	33	569	13	465
G _{me} 470_570	79.68	-80.38	34.6	87.52	0.0929	-0.0646	156.7	21	508	5	425
C _m 380_570	81.38	-57.69	-26.25	63.38	0.1053	-0.0962	204.4	15	479	44	621
B _{me} 380_510	44.38	-4.06	-81.28	81.38	0.1315	-0.15	267.1	13	465	34	570
M _m 570_470	72.15	94.7	-27.14	98.51	0.1886	-0.0981	344.0	-1	500c	20	500
R _o 570_440	70.53	86.14	9.34	86.64	0.1846	-0.0773	6.1	-1	486c	17	486
G _o 520_570	72.94	-67.29	61.21	90.96	0.097	-0.0483	137.7	27	537	9	449
W ₁ 380_770	100.0	0.0	0.0	0.0	0.1349	-0.0827	0.0	-1	449c	-1	537c

Optimalfarben (o) RYGCBM von maximalem (m) $C_{AB,10}$; Q00, $Y_m=510_770$, LABHNU1_79

<i>CodeD65</i>	L^*_{10}	A^*_{10}	B^*_{10}	$C^*_{ab,10}$	a'_{10}	b'_{10}	$h_{ab,10}$	i_d	λ^*_d	i_c	λ^*_c
R _{me} 570_770	65.46	70.77	75.37	103.39	0.1752	-0.0458	46.8	38	591	14	472
Y _{me} 510_770	92.49	-4.7	96.98	97.09	0.1296	-0.0474	92.7	33	565	13	465
G _{me} 470_570	82.34	-78.86	49.18	92.94	0.0916	-0.0671	148.0	21	509	8	442
C _m 380_570	84.68	-46.33	-25.14	52.71	0.1087	-0.1046	208.4	15	476	44	622
B _{me} 380_510	49.73	12.81	-84.37	85.34	0.1415	-0.1562	278.6	12	464	32	562
M _m 570_470	68.8	106.05	-39.17	113.05	0.1942	-0.1152	339.7	3	418	19	497
R _o 570_440	66.28	92.59	0.4	92.59	0.188	-0.0918	0.2	-1	485c	17	485
G _o 520_570	74.31	-64.36	78.75	101.71	0.0961	-0.0485	129.2	27	537	11	455
W ₁ 380_770	100.0	0.0	0.0	0.0	0.1317	-0.0921	0.0	-1	455c	-1	537c