

$XYZ_{w,10}=94.8136, 100.0, 107.33$

$A_{10} = (a_{10} - a_{n,10}) Y_{10}$

$B_{10} = (b_{10} - b_{n,10}) Y_{10}$

$a_{10} = a_{20} [x_{10}/y_{10}]$

$b_{10} = b_{20} [z_{10}/y_{10}]$

$a_{20} = 1$

$b_{20} = -0,4$

$n = D65$

YAB_77; D65

Optimalfarben (o);

6 von maximalem (m) C_{AB} ;

Buntwert ($A_{0,10}, B_{0,10}$);


Name und Spektralbereich:

R_{me} 570_770 Y_{me} 510_770

G_{me} 470_570 C_m 380_570

B_{me} 380_510 M_m 570_470

R_o 570_440 G_o 520_570



$XYZ_{w,10}=96.7256, 100.0, 81.41$

$A_{10} = (a_{10} - a_{n,10}) Y_{10}$

$B_{10} = (b_{10} - b_{n,10}) Y_{10}$

$a_{10} = a_{20} [x_{10}/y_{10}]$

$b_{10} = b_{20} [z_{10}/y_{10}]$

$a_{20} = 1$

$b_{20} = -0,4$

$n = D50$

YAB_77; D50

Optimalfarben (o);

6 von maximalem (m) C_{AB} ;

Buntwert ($A_{0,10}, B_{0,10}$);


Name und Spektralbereich:

R_{me} 570_770 Y_{me} 510_770

G_{me} 470_570 C_m 380_570

B_{me} 380_510 M_m 570_470

R_o 570_440 G_o 520_570



$XYZ_{w,10}=99.8033, 100.0, 75.8$

$A_{10} = (a_{10} - a_{n,10}) Y_{10}$

$B_{10} = (b_{10} - b_{n,10}) Y_{10}$

$a_{10} = a_{20} [x_{10}/y_{10}]$

$b_{10} = b_{20} [z_{10}/y_{10}]$

$a_{20} = 1$

$b_{20} = -0,4$

$n = P45$

YAB_77; P45

Optimalfarben (o);

6 von maximalem (m) C_{AB} ;

Buntwert ($A_{0,10}, B_{0,10}$);


Name und Spektralbereich:

R_{me} 570_770 Y_{me} 510_770

G_{me} 470_570 C_m 380_570

B_{me} 380_510 M_m 570_470

R_o 570_440 G_o 520_570



$XYZ_{w,10}=111.15, 100.0, 35.19$

$A_{10} = (a_{10} - a_{n,10}) Y_{10}$

$B_{10} = (b_{10} - b_{n,10}) Y_{10}$

$a_{10} = a_{20} [x_{10}/y_{10}]$

$b_{10} = b_{20} [z_{10}/y_{10}]$

$a_{20} = 1$

$b_{20} = -0,4$

$n = A00$

YAB_77; A00

Optimalfarben (o);

6 von maximalem (m) C_{AB} ;

Buntwert ($A_{0,10}, B_{0,10}$);


Name und Spektralbereich:

R_{me} 570_770 Y_{me} 510_770

G_{me} 470_570 C_m 380_570

B_{me} 380_510 M_m 570_470

R_o 570_440 G_o 520_570



$XYZ_{w,10} = 99.9908, 99.9999, 100.0$

$A_{10} = (a_{10} - a_{n,10}) Y_{10}$

$B_{10} = (b_{10} - b_{n,10}) Y_{10}$

$a_{10} = a_{20} [x_{10}/y_{10}]$

$b_{10} = b_{20} [z_{10}/y_{10}]$

$a_{20} = 1$

$b_{20} = -0,4$

$n = E00$

YAB_77; E00

Optimalfarben (o);

6 von maximalem (m) C_{AB} ;

Buntwert ($A_{0,10}, B_{0,10}$);


Name und Spektralbereich:

R_{me} 570_770 Y_{me} 510_770

G_{me} 470_570 C_m 380_570

B_{me} 380_510 M_m 570_470

R_o 570_440 G_o 520_570



$XYZ_{w,10}=97.2866, 100.0, 116.14$

$A_{10} = (a_{10} - a_{n,10}) Y_{10}$

$B_{10} = (b_{10} - b_{n,10}) Y_{10}$


$a_{10} = a_{20} [x_{10}/y_{10}]$

$b_{10} = b_{20} [z_{10}/y_{10}]$

$a_{20} = 1$

$b_{20} = -0,4$

$n = C00$



YAB_77; C00

Optimalfarben (o);

6 von maximalem (m) C_{AB} ;

Buntwert ($A_{0,10}, B_{0,10}$);

Name und Spektralbereich:

R_{me} 570_770 Y_{me} 510_770

G_{me} 470_570 C_m 380_570

B_{me} 380_510 M_m 570_470

R_o 570_440 G_o 520_570

$XYZ_{w,10}=102.375, 100.0, 81.25$

$A_{10} = (a_{10} - a_{n,10}) Y_{10}$

$B_{10} = (b_{10} - b_{n,10}) Y_{10}$

$a_{10} = a_{20} [x_{10}/y_{10}]$

$b_{10} = b_{20} [z_{10}/y_{10}]$

$a_{20} = 1$

$b_{20} = -0,4$

$n = P00$

YAB_77; P00

Optimalfarben (o);

6 von maximalem (m) C_{AB} ;

Buntwert ($A_{0,10}, B_{0,10}$);


Name und Spektralbereich:

R_{me} 570_770 Y_{me} 510_770

G_{me} 470_570 C_m 380_570

B_{me} 380_510 M_m 570_470

R_o 570_440 G_o 520_570



$XYZ_{w,10}=98.4058, 100.0, 122.54$

$A_{10} = (a_{10} - a_{n,10}) Y_{10}$

$B_{10} = (b_{10} - b_{n,10}) Y_{10}$

$a_{10} = a_{20} [x_{10}/y_{10}]$

$b_{10} = b_{20} [z_{10}/y_{10}]$

$a_{20} = 1$

$b_{20} = -0,4$

$n = Q00$

YAB_77; Q00

Optimalfarben (o);

6 von maximalem (m) C_{AB} ;

Buntwert ($A_{0,10}, B_{0,10}$);

Name und Spektralbereich:

R_{me} 570_770 Y_{me} 510_770

G_{me} 470_570 C_m 380_570

B_{me} 380_510 M_m 570_470

R_o 570_440 G_o 520_570

