



I^* IECsRGBu3-Normhelligkeit I^*
 $Y_{nc}=Y_{W,R,B}$ $B_{nc}=100, 21, 72, 7$




BGV30-1A

$\log(\Delta Y)$ IECsRGBu3
Normfarbwertdifferenz
 $Y_{nc}=Y_{W,R,B}$ $B_{nc}=100, 21, 72, 7$




BGV30-3A

$\log(\Delta Y/Y)$ IECsRGBu3
Normfarbwertempfindlichkeit
 $Y_{nc}=Y_{W,R,B}$ $B_{nc}=100, 21, 72, 7$




BGV30-5A

$\log(Y/\Delta Y)$ IECsRGBu3
Normfarbwertkontrast
 $Y_{nc}=Y_{W,R,B}$ $B_{nc}=100, 21, 72, 7$




BGV30-7A

I^*/I^*_u IECsRGBu3 relative Normhelligkeit I^*/I^*_u
 $Y_{nc}=Y_{W,R,B}$ $B_{nc}=100, 21, 72, 7$




BGV30-2A

$\log(\Delta Y/\Delta Y_u)$ IECsRGBu3 relative
Normfarbwertdifferenz
 $Y_{nc}=Y_{W,R,B}$ $B_{nc}=100, 21, 72, 7$




BGV30-4A

$\log[(\Delta Y/Y) / (\Delta Y/Y_u)]$ IECsRGBu3 relative
Normfarbwertempfindlichkeit



BGV30-6A

$\log[(Y/\Delta Y) / (Y/\Delta Y_u)]$ IECsRGBu3 relativier
Normfarbwertkontrast



BGV30-8A

BGV30-7N