

HPE_CIE10 cone sensitivity $\bar{y}_{\max}(\lambda)=1$


$$\bar{s}_{10,1}(\lambda) = B_{31}\bar{x}_{10,1}(\lambda) + B_{32}\bar{y}_{10,1}(\lambda) + B_{33}\bar{z}_{10,1}(\lambda)$$

B_{3j} 0,000 0,000 1,000 $\lambda=440$

$$\text{P60: } \Sigma \bar{s}_{10,1}(\lambda) = 22,02$$

$$x_{10,1} = 0,3217$$

$$y_{10,1} = 0,3314$$



HPE_CIE10 cone sensitivity $\bar{y}_{\max}(\lambda)=1$


$$\bar{s}_{10,1}(\lambda) = B_{31}\bar{x}_{10,1}(\lambda) + B_{32}\bar{y}_{10,1}(\lambda) + B_{33}\bar{z}_{10,1}(\lambda)$$

B_{3j} 0,000 0,000 1,000 $\lambda=440$

P55: $\Sigma \bar{s}_{10,1}(\lambda) = 20,22$

$x_{10,1} = 0,3320$

$y_{10,1} = 0,3407$



HPE_CIE10 cone sensitivity $\bar{y}_{\max}(\lambda)=1$


$$\bar{s}_{10,1}(\lambda) = B_{31}\bar{x}_{10,1}(\lambda) + B_{32}\bar{y}_{10,1}(\lambda) + B_{33}\bar{z}_{10,1}(\lambda)$$

$$B_{3j} \quad 0,000 \quad 0,000 \quad 1,000 \quad \lambda=440$$

$$P50: \Sigma \bar{s}_{10,1}(\lambda) = 18,25$$

$$x_{10,1} = 0,3446$$

$$y_{10,1} = 0,3512$$



HPE_CIE10 cone sensitivity $\bar{y}_{\max}(\lambda)=1$


$$\bar{s}_{10,1}(\lambda) = B_{31}\bar{x}_{10,1}(\lambda) + B_{32}\bar{y}_{10,1}(\lambda) + B_{33}\bar{z}_{10,1}(\lambda)$$

$$B_{3j} \quad 0,000 \quad 0,000 \quad 1,000 \quad \lambda=440$$

$$P45: \Sigma \bar{s}_{10,1}(\lambda) = 16,10$$

$$x_{10,1} = 0,3603$$

$$y_{10,1} = 0,3632$$



HPE_CIE10 cone sensitivity $\bar{y}_{\max}(\lambda)=1$


$$\bar{s}_{10,1}(\lambda) = B_{31}\bar{x}_{10,1}(\lambda) + B_{32}\bar{y}_{10,1}(\lambda) + B_{33}\bar{z}_{10,1}(\lambda)$$

$$B_{3j} \quad 0,000 \quad 0,000 \quad 1,000 \quad \lambda=440$$

$$P40: \Sigma \bar{s}_{10,1}(\lambda) = 13,79$$

$$x_{10,1} = 0,3799$$

$$y_{10,1} = 0,3764$$



HPE_CIE10 cone sensitivity $\bar{y}_{\max}(\lambda)=1$


$$\bar{s}_{10,1}(\lambda) = B_{31}\bar{x}_{10,1}(\lambda) + B_{32}\bar{y}_{10,1}(\lambda) + B_{33}\bar{z}_{10,1}(\lambda)$$

$$B_{3j} \quad 0,000 \quad 0,000 \quad 1,000 \quad \lambda=440$$

$$P35: \Sigma \bar{s}_{10,1}(\lambda) = 11,32$$

$$x_{10,1} = 0,4047$$

$$y_{10,1} = 0,3904$$



HPE_CIE10 cone sensitivity $\bar{y}_{\max}(\lambda)=1$


$$\bar{s}_{10,1}(\lambda) = B_{31}\bar{x}_{10,1}(\lambda) + B_{32}\bar{y}_{10,1}(\lambda) + B_{33}\bar{z}_{10,1}(\lambda)$$

$$B_{3j} \quad 0,000 \quad 0,000 \quad 1,000 \quad \lambda=440$$

$$P30: \Sigma \bar{s}_{10,1}(\lambda) = 8,75$$

$$x_{10,1} = 0,4362$$

$$y_{10,1} = 0,4038$$



HPE_CIE10 cone sensitivity $\bar{y}_{\max}(\lambda)=1$

$$\bar{s}_{10,1}(\lambda) = B_{31}\bar{x}_{10,1}(\lambda) + B_{32}\bar{y}_{10,1}(\lambda) + B_{33}\bar{z}_{10,1}(\lambda)$$

$$B_{3j} \quad 0,000 \quad 0,000 \quad 1,000 \quad \lambda=440$$

$$P25: \Sigma \bar{s}_{10,1}(\lambda) = 6,16$$

$$x_{10,1} = 0,4763$$

$$y_{10,1} = 0,4135$$

