


HPE_CIEF cone sensitivity $\bar{y}_{\max}(\lambda)=1$

$$\bar{s}_{F10_L,1}(\lambda) = B_{31}\bar{x}_{F10_L,1}(\lambda) + B_{32}\bar{y}_{F10_L,1}(\lambda) + B_{33}\bar{z}_{F10_L,1}(\lambda)$$



HPE_CIEF cone sensitivity $\bar{y}_{\max}(\lambda)=1$


$$\bar{s}_{F10_L,1}(\lambda) = B_{31}\bar{x}_{F10_L,1}(\lambda) + B_{32}\bar{y}_{F10_L,1}(\lambda) + B_{33}\bar{z}_{F10_L,1}(\lambda)$$

B_{3j} 0,000 0,000 0,4657 $\lambda=440$

D50: $\Sigma \bar{s}_{F10_L,1}(\lambda) = 16,69$

$x_{F10_L,1} = 0,2538$

$y_{F10_L,1} = 0,2809$



HPE_CIEF cone sensitivity $\bar{y}_{\max}(\lambda)=1$


$$\bar{s}_{F10_L,1}(\lambda) = B_{31}\bar{x}_{F10_L,1}(\lambda) + B_{32}\bar{y}_{F10_L,1}(\lambda) + B_{33}\bar{z}_{F10_L,1}(\lambda)$$

$$B_{3j} \quad 0,000 \quad 0,000 \quad 0,4657 \quad \lambda=440$$

$$P40: \Sigma \bar{s}_{F10_L,1}(\lambda) = 13,47$$

$$x_{F10_L,1} = 0,2849$$

$$y_{F10_L,1} = 0,3102$$



HPE_CIEF cone sensitivity $\bar{y}_{\max}(\lambda)=1$


$$\bar{s}_{F10_L,1}(\lambda) = B_{31}\bar{x}_{F10_L,1}(\lambda) + B_{32}\bar{y}_{F10_L,1}(\lambda) + B_{33}\bar{z}_{F10_L,1}(\lambda)$$

B_{3j} 0,000 0,000 0,4657 $\lambda=440$

$$A00: \Sigma \bar{s}_{F10_L,1}(\lambda) = 7,55$$


$$x_{F10_L,1} = 0,3591$$

$$y_{F10_L,1} = 0,3767$$




HPE_CIEF cone sensitivity $\bar{y}_{\max}(\lambda)=1$

$$\bar{s}_{F10_L,1}(\lambda) = B_{31}\bar{x}_{F10_L,1}(\lambda) + B_{32}\bar{y}_{F10_L,1}(\lambda) + B_{33}\bar{z}_{F10_L,1}(\lambda)$$



HPE_CIEF cone sensitivity $\bar{y}_{\max}(\lambda)=1$

$$\bar{s}_{F10_L,1}(\lambda) = B_{31}\bar{x}_{F10_L,1}(\lambda) + B_{32}\bar{y}_{F10_L,1}(\lambda) + B_{33}\bar{z}_{F10_L,1}(\lambda)$$



HPE_CIEF cone sensitivity $\bar{y}_{\max}(\lambda)=1$


$$\bar{s}_{F10_L,1}(\lambda) = B_{31}\bar{x}_{F10_L,1}(\lambda) + B_{32}\bar{y}_{F10_L,1}(\lambda) + B_{33}\bar{z}_{F10_L,1}(\lambda)$$

$$B_{3j} \quad 0,000 \quad 0,000 \quad 0,4657 \quad \lambda=440$$

$$P00: \Sigma \bar{s}_{F10_L,1}(\lambda) = 17,38$$

$$x_{F10_L,1} = 0,2661$$

$$y_{F10_L,1} = 0,2760$$



HPE_CIEF cone sensitivity $\bar{y}_{\max}(\lambda)=1$

$$\bar{s}_{F10_L,1}(\lambda) = B_{31}\bar{x}_{F10_L,1}(\lambda) + B_{32}\bar{y}_{F10_L,1}(\lambda) + B_{33}\bar{z}_{F10_L,1}(\lambda)$$

0,000 0,000 0,4657 $\lambda=440$

$$Q00: \Sigma \bar{s}_{F10_L,1}(\lambda) = 26,53$$

$$x_{F10_L,1} = 0,2230$$

$$y_{F10_L,1} = 0,2192$$

