



LMS_R17M3 cone excitation

$$\log \sqrt{\bar{r}_{R17M3,s}(\lambda) / \{0,5\bar{l}_{R17M3,s}(\lambda) + 0,5\bar{m}_{R17M3,s}(\lambda)\}}$$



LMS_R17M3 cone excitation

$$\log \sqrt{\bar{r}_{R17M3,s}(\lambda) / \{0,5\bar{l}_{R17M3,s}(\lambda) + 0,5\bar{m}_{R17M3,s}(\lambda)\}}$$



LMS_R17M3 cone excitation

$$\log \sqrt{\bar{r}_{R17M3,s}(\lambda) / \{0,5\bar{l}_{R17M3,s}(\lambda) + 0,5\bar{m}_{R17M3,s}(\lambda)\}}$$

2,0

1,0

0,0

400

500

600

700

wavelength λ /nm

$$P40: \Sigma \bar{r}_{R17M3,s}(\lambda) = 63,85$$

$$x_{R17M3,s} = 0,3675$$

$$y_{R17M3,s} = 0,3815$$

P40

LMS_R17M3 cone excitation

$$\log \sqrt{\bar{r}_{R17M3,s}(\lambda) / \{0,5\bar{l}_{R17M3,s}(\lambda) + 0,5\bar{m}_{R17M3,s}(\lambda)\}}$$

2,0

1,0

0,0

400

500

600

700

wavelength λ /nm

$$A00: \Sigma \bar{r}_{R17M3,s}(\lambda) = 36,89$$


$$x_{R17M3,s} = 0,4199$$

$$y_{R17M3,s} = 0,4206$$

A00


LMS_R17M3 cone excitation

$$\log \sqrt{\bar{r}_{R17M3,s}(\lambda) / \{0,5\bar{l}_{R17M3,s}(\lambda) + 0,5\bar{m}_{R17M3,s}(\lambda)\}}$$




LMS_R17M3 cone excitation

$$\log \sqrt{\bar{r}_{R17M3,s}(\lambda) / \{0,5\bar{l}_{R17M3,s}(\lambda) + 0,5\bar{m}_{R17M3,s}(\lambda)\}}$$



LMS_R17M3 cone excitation

$$\log \sqrt{\bar{r}_{R17M3,s}(\lambda) / \{0,5\bar{l}_{R17M3,s}(\lambda) + 0,5\bar{m}_{R17M3,s}(\lambda)\}}$$



LMS_R17M3 cone excitation

$$\log \sqrt{\bar{r}_{R17M3,s}(\lambda) / \{0,5\bar{l}_{R17M3,s}(\lambda) + 0,5\bar{m}_{R17M3,s}(\lambda)\}}$$

