

LMS_R17M4 cone sensitivity $Y_{\text{sum}}=100$


$$\bar{s}_{\text{R17M4},s}(\lambda) = B_{31}\bar{x}_{\text{R17M4},s}(\lambda) + B_{32}\bar{y}_{\text{R17M4},s}(\lambda) + B_{33}\bar{z}_{\text{R17M4},s}(\lambda)$$

B_{3j} 0,000 0,000 1,000 $\lambda=440$

P60: $\Sigma \bar{s}_{\text{R17M4},s}(\lambda) = 103,14$

$x_{\text{R17M4},s} = 0,3254$

$y_{\text{R17M4},s} = 0,3313$



LMS_R17M4 cone sensitivity $Y_{\text{sum}}=100$


$$\bar{s}_{\text{R17M4},s}(\lambda) = B_{31}\bar{x}_{\text{R17M4},s}(\lambda) + B_{32}\bar{y}_{\text{R17M4},s}(\lambda) + B_{33}\bar{z}_{\text{R17M4},s}(\lambda)$$

B_{3j} 0,000 0,000 1,000 $\lambda=440$

P55: $\Sigma \bar{s}_{\text{R17M4},s}(\lambda) = 94,43$

$x_{\text{R17M4},s} = 0,3324$

$y_{\text{R17M4},s} = 0,3415$



LMS_R17M4 cone sensitivity $Y_{\text{sum}}=100$


$$\bar{s}_{\text{R17M4},s}(\lambda) = B_{31}\bar{x}_{\text{R17M4},s}(\lambda) + B_{32}\bar{y}_{\text{R17M4},s}(\lambda) + B_{33}\bar{z}_{\text{R17M4},s}(\lambda)$$

B_{3j} 0,000 0,000 1,000 $\lambda=440$

P50: $\Sigma \bar{s}_{\text{R17M4},s}(\lambda) = 84,97$

$x_{\text{R17M4},s} = 0,3412$

$y_{\text{R17M4},s} = 0,3533$



LMS_R17M4 cone sensitivity $Y_{\text{sum}}=100$


$$\bar{s}_{\text{R17M4},s}(\lambda) = B_{31}\bar{x}_{\text{R17M4},s}(\lambda) + B_{32}\bar{y}_{\text{R17M4},s}(\lambda) + B_{33}\bar{z}_{\text{R17M4},s}(\lambda)$$

B_{3j} 0,000 0,000 1,000 $\lambda=440$

P45: $\Sigma \bar{s}_{\text{R17M4},s}(\lambda) = 74,76$

$x_{\text{R17M4},s} = 0,3522$

$y_{\text{R17M4},s} = 0,3668$



LMS_R17M4 cone sensitivity $Y_{\text{sum}}=100$


$$\bar{s}_{\text{R17M4},s}(\lambda) = B_{31}\bar{x}_{\text{R17M4},s}(\lambda) + B_{32}\bar{y}_{\text{R17M4},s}(\lambda) + B_{33}\bar{z}_{\text{R17M4},s}(\lambda)$$

B_{3j} 0,000 0,000 1,000 $\lambda=440$

P40: $\Sigma \bar{s}_{\text{R17M4},s}(\lambda) = 63,85$

$x_{\text{R17M4},s} = 0,3663$

$y_{\text{R17M4},s} = 0,3822$



LMS_R17M4 cone sensitivity $Y_{\text{sum}}=100$


$$\bar{s}_{\text{R17M4},s}(\lambda) = \mathbf{B}_{31} \bar{x}_{\text{R17M4},s}(\lambda) + \mathbf{B}_{32} \bar{y}_{\text{R17M4},s}(\lambda) + \mathbf{B}_{33} \bar{z}_{\text{R17M4},s}(\lambda)$$

$\mathbf{B}_{3j}$ 0,000 0,000 1,000 $\lambda=440$

P35: $\Sigma \bar{s}_{\text{R17M4},s}(\lambda) = 52,35$

$x_{\text{R17M4},s} = 0,3847$

$y_{\text{R17M4},s} = 0,3992$



LMS_R17M4 cone sensitivity $Y_{\text{sum}}=100$


$$\bar{s}_{\text{R17M4},s}(\lambda) = B_{31}\bar{x}_{\text{R17M4},s}(\lambda) + B_{32}\bar{y}_{\text{R17M4},s}(\lambda) + B_{33}\bar{z}_{\text{R17M4},s}(\lambda)$$

B_{3j} 0,000 0,000 1,000 $\lambda=440$

P30: $\Sigma \bar{s}_{\text{R17M4},s}(\lambda) = 40,50$

$x_{\text{R17M4},s} = 0,4088$

$y_{\text{R17M4},s} = 0,4170$



LMS_R17M4 cone sensitivity $Y_{\text{sum}}=100$

$$\bar{s}_{\text{R17M4},s}(\lambda) = B_{31}\bar{x}_{\text{R17M4},s}(\lambda) + B_{32}\bar{y}_{\text{R17M4},s}(\lambda) + B_{33}\bar{z}_{\text{R17M4},s}(\lambda)$$

B_{3j} 0,000 0,000 1,000 $\lambda=440$

P25: $\Sigma \bar{s}_{\text{R17M4},s}(\lambda) = 28,75$

$x_{\text{R17M4},s} = 0,4407$

$y_{\text{R17M4},s} = 0,4330$

