



LMS_R17M6 cone excitation

$$\log [\bar{l}_{R17M6,s}(\lambda) / \{0,5\bar{l}_{R17M6,s}(\lambda) + 0,5\bar{m}_{R17M6,s}(\lambda)\}]$$




LMS_R17M6 cone excitation

$$\log [\bar{l}_{R17M6,s}(\lambda) / \{0,5\bar{l}_{R17M6,s}(\lambda) + 0,5\bar{m}_{R17M6,s}(\lambda)\}]$$




LMS_R17M6 cone excitation

$$\log [\bar{l}_{R17M6,s}(\lambda) / \{0,5\bar{l}_{R17M6,s}(\lambda) + 0,5\bar{m}_{R17M6,s}(\lambda)\}]$$




LMS_R17M6 cone excitation

$$\log [\bar{l}_{R17M6,s}(\lambda) / \{0,5\bar{l}_{R17M6,s}(\lambda) + 0,5\bar{m}_{R17M6,s}(\lambda)\}]$$



LMS_R17M6 cone excitation

$$\log [\bar{l}_{R17M6,s}(\lambda) / \{0,5\bar{l}_{R17M6,s}(\lambda) + 0,5\bar{m}_{R17M6,s}(\lambda)\}]$$




$$E00: \Sigma \bar{m}_{R17M6,s}(\lambda) = 99,94$$

$$x_{R17M6,s} = 0,4999$$

$$y_{R17M6,s} = 0,2500$$


LMS_R17M6 cone excitation

$$\log [\bar{l}_{R17M6,s}(\lambda) / \{0,5\bar{l}_{R17M6,s}(\lambda) + 0,5\bar{m}_{R17M6,s}(\lambda)\}]$$



LMS_R17M6 cone excitation

$$\log [\bar{l}_{R17M6,s}(\lambda) / \{0,5\bar{l}_{R17M6,s}(\lambda) + 0,5\bar{m}_{R17M6,s}(\lambda)\}]$$



LMS_R17M6 cone excitation

$$\log [\bar{l}_{R17M6,s}(\lambda) / \{0,5\bar{l}_{R17M6,s}(\lambda) + 0,5\bar{m}_{R17M6,s}(\lambda)\}]$$

