

LMS_R17M6 cone sensitivity $\bar{y}_{\max}(\lambda)=1$


$$\bar{s}_{R17M6,1}(\lambda) = B_{31}\bar{x}_{R17M6,1}(\lambda) + B_{32}\bar{y}_{R17M6,1}(\lambda) + B_{33}\bar{z}_{R17M6,1}(\lambda)$$

B_{3j} 0,000 0,000 1,000 $\lambda=440$

P60: $\Sigma \bar{s}_{R17M6,1}(\lambda) = 21,73$

$x_{R17M6,1} = 0,4909$

$y_{R17M6,1} = 0,2500$



LMS_R17M6 cone sensitivity $\bar{y}_{\max}(\lambda)=1$


$$\bar{s}_{R17M6,1}(\lambda) = B_{31}\bar{x}_{R17M6,1}(\lambda) + B_{32}\bar{y}_{R17M6,1}(\lambda) + B_{33}\bar{z}_{R17M6,1}(\lambda)$$

B_{3j} 0,000 0,000 1,000 $\lambda=440$

P55: $\Sigma \bar{s}_{R17M6,1}(\lambda) = 19,96$

$x_{R17M6,1} = 0,4989$

$y_{R17M6,1} = 0,2563$



LMS_R17M6 cone sensitivity $\bar{y}_{\max}(\lambda)=1$


$$\bar{s}_{R17M6,1}(\lambda) = B_{31}\bar{x}_{R17M6,1}(\lambda) + B_{32}\bar{y}_{R17M6,1}(\lambda) + B_{33}\bar{z}_{R17M6,1}(\lambda)$$

B_{3j} 0,000 0,000 1,000 $\lambda=440$

P50: $\Sigma \bar{s}_{R17M6,1}(\lambda) = 18,03$


$x_{R17M6,1} = 0,5087$

$y_{R17M6,1} = 0,2634$



LMS_R17M6 cone sensitivity $\bar{y}_{\max}(\lambda)=1$

$$\bar{s}_{R17M6,1}(\lambda) = B_{31}\bar{x}_{R17M6,1}(\lambda) + B_{32}\bar{y}_{R17M6,1}(\lambda) + B_{33}\bar{z}_{R17M6,1}(\lambda)$$



LMS_R17M6 cone sensitivity $\bar{y}_{\max}(\lambda)=1$


$$\bar{s}_{R17M6,1}(\lambda) = B_{31}\bar{x}_{R17M6,1}(\lambda) + B_{32}\bar{y}_{R17M6,1}(\lambda) + B_{33}\bar{z}_{R17M6,1}(\lambda)$$

B_{3j} 0,000 0,000 1,000 $\lambda=440$

P40: $\Sigma \bar{s}_{R17M6,1}(\lambda) = 13,70$

$x_{R17M6,1} = 0,5362$

$y_{R17M6,1} = 0,2796$



LMS_R17M6 cone sensitivity $\bar{y}_{\max}(\lambda)=1$


$$\bar{s}_{R17M6,1}(\lambda) = B_{31}\bar{x}_{R17M6,1}(\lambda) + B_{32}\bar{y}_{R17M6,1}(\lambda) + B_{33}\bar{z}_{R17M6,1}(\lambda)$$

B_{3j} 0,000 0,000 1,000 $\lambda=440$

P35: $\Sigma \bar{s}_{R17M6,1}(\lambda) = 11,33$

$x_{R17M6,1} = 0,5556$

$y_{R17M6,1} = 0,2882$



LMS_R17M6 cone sensitivity $\bar{y}_{\max}(\lambda)=1$


$$\bar{s}_{R17M6,1}(\lambda) = B_{31}\bar{x}_{R17M6,1}(\lambda) + B_{32}\bar{y}_{R17M6,1}(\lambda) + B_{33}\bar{z}_{R17M6,1}(\lambda)$$

B_{3j} 0,000 0,000 1,000 $\lambda=440$

P30: $\Sigma \bar{s}_{R17M6,1}(\lambda) = 8,86$

$x_{R17M6,1} = 0,5803$

$y_{R17M6,1} = 0,2959$



LMS_R17M6 cone sensitivity $\bar{y}_{\max}(\lambda)=1$

$$\bar{s}_{R17M6,1}(\lambda) = B_{31}\bar{x}_{R17M6,1}(\lambda) + B_{32}\bar{y}_{R17M6,1}(\lambda) + B_{33}\bar{z}_{R17M6,1}(\lambda)$$

B_{3j} 0,000 0,000 1,000 $\lambda=440$

P25: $\Sigma \bar{s}_{R17M6,1}(\lambda) = 6,39$

$x_{R17M6,1} = 0,6117$

$y_{R17M6,1} = 0,3005$

