

see similar files: <http://farbe.li.tu-berlin.de/CEA0/CEA0L0NA.TXT/.PS>
 technical information: <http://farbe.li.tu-berlin.de/CEA0/CEA0L0NA.TXT/.PS> or <http://farbe.li.tu-berlin.de/CEA0/CEA0L0NA.TXT/.PS>

Line-element examples for grey samples ($0.2 \leq x \leq 5$)

$F(x)$ is called the line-element function of $f(x)$.
 The following relations are valid for $x=Y/Y_u=Y/18$:

$$\frac{d[F(x)]}{dx} = f(x) \quad [1]$$

$$F(x) = \int \frac{f'(x)}{f(x)} dx \quad [2]$$

Example for the normalized tristimulus value $x=Y/Y_u$:

$$\frac{d/a \ln(1+b \cdot x)}{dx} = \frac{ab}{1+b \cdot x} \quad [3]$$

$$a \ln(1+b \cdot x) = \int \frac{ab}{1+b \cdot x} dx \quad [4]$$

CEA00-1N

Line-element examples for grey samples ($0.2 \leq x \leq 5$)

$F_u(x)$ is called the line-element function of $f_u(x)$.
 Both functions are normalized to the surround value:

$$\frac{d[F_u(x)]}{dx} = f_u(x) \quad [1]$$

$$F_u(x) = \int \frac{f'_u(x)}{f_u(x)} dx = \int \frac{b}{1+b \cdot x} dx \quad [2]$$

Example for $L^*(x)$ & ΔY with $x=Y/Y_u$, $x_u=1$, $b=6,141$:

$$L^*_u(x) = \frac{L^*(x)}{L^*(x_u)} = \frac{\ln(1+b \cdot x)}{\ln(1+b)} \quad [3]$$

$$f_u(x) = \frac{\Delta Y}{\Delta Y_u} = \frac{1+b \cdot x}{1+b} \quad [4]$$

CEA00-3N

Line-element equations according to CIE 230:2019

Colour-discrimination function $f(x) = \Delta Y = \Delta x Y_u$ [0]
 $\Delta Y = (A_1 + A_2 Y)/A_0$ $A_0=1,5$, $A_1=0,0170$, $A_2=0,0058$

$$f_u(x) = \frac{\Delta Y}{\Delta Y_u} = \frac{1+b \cdot x}{1+b} \quad b=A_2 Y_u/A_1 \quad x=Y/Y_u \quad [1]$$

$$F_u(x) = \int \frac{f'_u(x)}{f_u(x)} dx = \int \frac{b}{1+b \cdot x} dx \quad [2]$$

Example for $L^*(x)$ & ΔY with $x=Y/Y_u$, $x_u=1$, $b=6,141$:

$$L^*_u(x) = \frac{L^*(x)}{L^*(x_u)} = \frac{\ln(1+b \cdot x)}{\ln(1+b)} \quad [3]$$

$$f_u(x) = \frac{\Delta Y}{\Delta Y_u} = \frac{1+b \cdot x}{1+0,5b} \quad [4]$$

see K. Richter (1985), Computer Graphic and Colorimetry, p. 113–127
<http://color.li.tu-berlin.de/BUA4BF.PDF>

CEA00-5N

Line-element equations for thresholds and scaling

Colour-discrimination function $f(x) = \Delta Y = \Delta x Y_u$ [0]
 $\Delta Y = 1/(1+x)(2+x)=1/[1+x]-1/[2+x] \quad x=\sqrt{2} e^{k(u-u_0)}$

$$f_u(x) = \frac{\Delta Y}{\Delta Y_u} = \frac{1+b \cdot x - 1+0,5b \cdot x}{1+0,5b} \quad b=1, \quad x=Y/Y_u \quad [1]$$

$$F_u(x) = \int \frac{f'_u(x)}{f_u(x)} dx = \int \frac{b}{1+b \cdot x} dx - \int \frac{0,5b}{1+0,5b \cdot x} dx \quad [2]$$

Example for $L^*(x)$ & ΔY with $x=Y/Y_u$, $x_u=1$:

$$L^*_u(x) = \frac{L^*(x)}{L^*(x_u)} = \frac{\ln(1+x) - \ln(1+0,5x)}{\ln(2)} \quad [3]$$

$$f_u(x) = \frac{\Delta Y}{\Delta Y_u} = \frac{1+x - 1+0,5x}{2 - 1,5} \quad [4]$$

see K. Richter (1985), Computer Graphic and Colorimetry, p. 113–127
<http://color.li.tu-berlin.de/BUA4BF.PDF>

CEA00-7N

Line-element examples for grey samples ($0.2 \leq x \leq 5$)

$F_u(x)$ is called the line-element function of $f_u(x)$.
 Both functions are normalized to the surround value:

$$\frac{d[F_u(x)]}{dx} = f_u(x) \quad [1]$$

$$F_u(x) = \int \frac{f'_u(x)}{f_u(x)} dx \quad [2]$$

Example for the normalized functions with $x_u=1$:


$$F_u(x) = \frac{F(x)}{F(x_u)} = \frac{\ln(1+b \cdot x)}{\ln(1+b)} \quad [3]$$

$$f_u(x) = \frac{f(x)}{f(x_u)} = \frac{1+b \cdot x}{1+b} \quad [4]$$

CEA00-2N

NW-achromatic, and RG- and YB-chromatic thresholds as function of Y

experiments and data: BAM-research report no. 115 (1985), page 72, see
<https://nbn-resolving.org/urn:nbn:de:kobv:b43-3350>



CEA01-3N

Line-element equations for thresholds and scaling

Colour-discrimination function $f(x) = \Delta Y = \Delta x Y_u$ [0]
 $\Delta Y = 1/(1+x)(2+x)=1/[1+x]-1/[2+x] \quad x=\sqrt{2} e^{k(u-u_0)}$

$$f_u(x) = \frac{\Delta Y}{\Delta Y_u} = \frac{1+b \cdot x - 1+0,5b \cdot x}{1+0,5b} \quad b=1, \quad x=Y/Y_u \quad [1]$$

$$F_u(x) = \int \frac{f'_u(x)}{f_u(x)} dx = \int \frac{b}{1+b \cdot x} dx - \int \frac{0,5b}{1+0,5b \cdot x} dx \quad [2]$$

Example for $L^*(x)$ & ΔY with $x=Y/Y_u$, $x_u=1$, $b=1$:

$$L^*_u(x) = \frac{L^*(x)}{L^*(x_u)} = \frac{\ln(1+b \cdot x) - \ln(1+0,5b \cdot x)}{\ln(1+b)} \quad [3]$$

$$f_u(x) = \frac{\Delta Y}{\Delta Y_u} = \frac{1+b \cdot x - 1+0,5b \cdot x}{1+0,5b} \quad [4]$$

see K. Richter (1985), Computer Graphic and Colorimetry, p. 113–127
<http://color.li.tu-berlin.de/BUA4BF.PDF>

CEA00-6N

Line-element equations for thresholds and scaling

Colour-discrimination function $f(x) = \Delta Y = \Delta x Y_u$ [0]
 $\Delta Y = 1/(1+x)(2+x)=1/[1+x]-1/[2+x] \quad x=\sqrt{2} e^{k(u-u_0)}$

$$f_u(y) = \frac{\Delta Y}{\Delta Y_u} = \frac{y - 1+y}{2} \quad y=1+Y/Y_u, dy=dx \quad [1]$$

$$F_u(y) = \int \frac{f'_u(y)}{f_u(y)} dy = \int \frac{1}{y} dy - \int \frac{1}{1+y} dy \quad [2]$$

Example for $L^*(y)$ & ΔY with $y=1+Y/Y_u$, $y_u=2$:

$$L^*_u(y) = \frac{L^*(y)}{L^*(y_u)} = \frac{\ln(y) - \ln(1+y)}{\ln(2)} \quad [3]$$

$$f_u(y) = \frac{\Delta Y}{\Delta Y_u} = \frac{1-y - 1+0,5y}{2 - 1,5} \quad [4]$$

see K. Richter (1985), Computer Graphic and Colorimetry, p. 113–127
<http://color.li.tu-berlin.de/BUA4BF.PDF>

CEA00-8N

