

$\log(\Delta Y/Y)$

LABJNDu8

tristimulus value sensitivity

$Y_{nc} = Y_{wRGBnc} = 100, 21, 72, 7$

$S_r = (\Delta Y/Y)$

0 -1

$t^*_{LABJNDu8} = \ln(A_{1n} + A_{2n}Y) / (A_{2n}A_{0n}) \quad (Y_{nc}/100 < Y \leq Y_{nc})$

$t^*_{LABJNDu8} = \ln(A_{1n} + A_{2u}x) / (A_{2u}A_{0n}) \quad (x = Y/Y_u)$

$dY/Y = A_{0n}(A_{1n} + A_{2n}Y) / Y = A_{0n}(A_{1n} + A_{2u}x) / Y$

-1 -0,1

$(dY/Y)_{90} = 0,0061, A_{0n} = 1,5, A_{2u} = 0,0699, c_x = 0,67$

$(dY/Y)_{18} = 0,0072, A_{1n} = 0,017, A_{2n} = 0,0038$

$(dY/Y)_{3,6} = 0,0129, Y_u = 18, dY_u = 0,13$

-2 -0,0 $\log(dY/Y) = -2,13, m_u = -0,18$

application range

$t^*_u = 496, dY_u = 0,13, dY_u/Y_u = 0,0072$

-3

0,1

1

10

100

Y

-2

-1

0

$x_N = 0,2$

1

$x_W = 5$

2

$\log(Y)$