

log[sensitivity]
 $\log G_o = -0,35[u_{\lambda} - u_{570}]^2$
 $\log G_a = \log G_o + 0,00$
 $\log [L_a, B_a]$

$\log L_o = -0,35[u_{\lambda} - u_{570}]^2$
 $\log B_o = -0,35[u_{\lambda} - u_{470}]^2$
 $\log L_a = \log L_o + 0,00$
 $\log B_a = \log B_o + 0,00$
 $u_{\lambda} = (\lambda - 550)/50$
 $t_s = 0.04$
 $520: L_o = -0,35 \quad L_a = -0,35$
 $G_o = 0,00 \quad G_a = -0,35$
 $B_o = 0,55 \quad B_a = -0,55$



CEQ91-1A

log[sensitivity]
 $\log G_o = -0,35[u_{\lambda} - u_{570}]^2$
 $\log G_a = \log G_o - 0,35$
 $\log [G_a, L_a, B_a]$

$\log L_o = -0,35[u_{\lambda} - u_{570}]^2$
 $\log B_o = -0,35[u_{\lambda} - u_{470}]^2$
 $\log L_a = \log L_o + 0,00$
 $\log B_a = \log B_o + 0,00$
 $u_{\lambda} = (\lambda - 550)/50$
 $t_s = 0.04$
 $520: L_o = -0,35 \quad L_a = -0,35$
 $G_o = 0,00 \quad G_a = -0,35$
 $B_o = 0,55 \quad B_a = -0,55$



CEQ91-2A

log[sensitivity]
 $\log G_o = -0,35[u_{\lambda} - u_{570}]^2$
 $\log G_a = \log G_o - 0,35$
 $\log [G_a, B_a]$

$\log L_o = -0,35[u_{\lambda} - u_{570}]^2$
 $\log B_o = -0,35[u_{\lambda} - u_{470}]^2$
 $\log L_a = \log L_o + 0,00$
 $\log B_a = \log B_o + 0,00$
 $u_{\lambda} = (\lambda - 550)/50$
 $t_s = 0.04$
 $520: L_o = -0,35 \quad L_a = -0,35$
 $G_o = 0,00 \quad G_a = -0,35$
 $B_o = 0,55 \quad B_a = -0,55$



CEQ91-3A

log[sensitivity]
 $\log G_o = -0,35[u_{\lambda} - u_{570}]^2$
 $\log G_a = \log G_o - 0,35$
 $\log [G_a, L_a]$

$\log L_o = -0,35[u_{\lambda} - u_{570}]^2$
 $\log B_o = -0,35[u_{\lambda} - u_{470}]^2$
 $\log L_a = \log L_o + 0,00$
 $\log B_a = \log B_o + 0,00$
 $u_{\lambda} = (\lambda - 550)/50$
 $t_s = 0.04$
 $520: L_o = -0,35 \quad L_a = -0,35$
 $G_o = 0,00 \quad G_a = -0,35$
 $B_o = 0,55 \quad B_a = -0,55$



CEQ91-5A

log[saturation]
 $\log G_o = -0,35[u_{\lambda} - u_{570}]^2$
 $\log G_a = \log G_o + 0,00$
 $\log [L_a/G_a, B_a/G_a]$


$\log L_o = \log G_o + 0,00$
 $\log B_o = \log G_o + 0,00$
 $B_a = \log B_o + 0,00$
 $t_s = 0.04$
 $520: L_o = -0,35 \quad L_a = -0,35$
 $G_o = 0,00 \quad G_a = -0,35$
 $B_o = 0,55 \quad B_a = -0,55$



CEQ91-1B

log[saturation]
 $\log G_o = -0,35[u_{\lambda} - u_{570}]^2$
 $\log G_a = \log G_o - 0,35$
 $\log [G_a/G_o, L_a/G_a, B_a/G_a]$

$\log L_o = \log G_o - 0,35$
 $\log B_o = \log G_o - 0,35$
 $L_a = \log L_o + 0,00$
 $B_a = \log B_o + 0,00$
 $t_s = 0.04$
 $520: L_o = -0,35 \quad L_a = -0,35$
 $G_o = 0,00 \quad G_a = -0,35$
 $B_o = 0,55 \quad B_a = -0,55$



CEQ91-2B

log[sensitivity]
 $\log G_o = -0,35[u_{\lambda} - u_{570}]^2$
 $\log G_a = \log G_o - 0,35$
 $\log [G_a, B_a]$

$\log L_o = -0,35[u_{\lambda} - u_{570}]^2$
 $\log B_o = -0,35[u_{\lambda} - u_{470}]^2$
 $\log L_a = \log L_o + 0,00$
 $\log B_a = \log B_o + 0,00$
 $u_{\lambda} = (\lambda - 550)/50$
 $t_s = 0.04$
 $520: L_o = -0,35 \quad L_a = -0,35$
 $G_o = 0,00 \quad G_a = -0,35$
 $B_o = 0,55 \quad B_a = -0,55$



CEQ91-4A

log[saturation]
 $\log G_o = -0,35[u_{\lambda} - u_{570}]^2$
 $\log G_a = \log G_o - 0,35$
 $\log [G_a/G_o, B_a/G_o]$

$\log L_o = \log G_o - 0,35$
 $\log B_o = \log G_o - 0,35$
 $L_a = \log L_o + 0,00$
 $B_a = \log B_o + 0,00$
 $t_s = 0.04$
 $520: L_o = -0,35 \quad L_a = -0,35$
 $G_o = 0,00 \quad G_a = -0,35$
 $B_o = 0,55 \quad B_a = -0,55$



CEQ91-1C