

http://farbe.li-ut-bu-berlin.de/CEX7/CEX7/L0N1.TXT /PS; only vector graphic VG; start output
N: no 3D-linearization (OL) in file (F) or PS-startup (S), page 1/1

Oswald optimal colours (o), maximum (m) C _{AB} for P60, Y _N =0, Y _W =100, Y _m =520_770															
i, λ _i	i ₂	λ ₂	X	Y	Z	x	y	z	h _{xy}	i _d	λ _d	i _c	λ _c	Code	
0	405	32	563	31.65	53.56	93.3	0.1773	0.3	0.5226	192.2	16	483	38	590	Cm
6	435	32	563	28.3	54.12	74.65	0.1801	0.3445	0.4752	174.7	17	487	44	621	
10	450	33	565	22.96	54.2	45.12	0.1877	0.4432	0.3689	140.1	19	497	-1	497c	
11	460	33	566	22.85	55.45	37.84	0.1967	0.4774	0.3258	130.5	20	502	-1	502c	
13	465	33	568	21.78	56.12	24.97	0.2117	0.5455	0.2427	117.2	22	513	-1	513c	
14	470	34	570	22.2	57.09	19.98	0.2236	0.575	0.2012	111.9	24	521	-1	521c	Gm
15	475	34	574	24.59	59.7	16.0	0.2451	0.5952	0.1595	106.1	25	529	-1	529c	
15	480	36	580	28.98	63.87	16.01	0.2662	0.5866	0.147	102.2	27	535	-1	535c	
17	485	39	595	39.81	70.8	10.63	0.3283	0.5839	0.0877	88.4	29	549	-1	549c	
18	490	-1	490c	72.35	85.0	8.89	0.4352	0.5113	0.0534	57.3	33	566	11	459	max
19	495	-1	495c	72.31	83.76	7.55	0.4419	0.5119	0.0461	56.7	33	567	12	461	
20	500	-1	500c	72.29	82.2	6.51	0.449	0.5105	0.0404	54.5	33	568	12	464	
22	510	-1	510c	72.19	77.89	5.14	0.465	0.5017	0.0331	49.9	34	570	13	469	
24	520	-1	520c	71.62	71.91	4.45	0.4839	0.4859	0.0301	43.5	34	572	14	473	Ym
25	530	-1	529c	71.04	68.43	4.25	0.4943	0.4761	0.0295	39.9	34	574	15	475	
27	540	-1	539c	69.15	60.8	3.99	0.5162	0.4539	0.0298	32.1	35	578	15	478	
29	545	-1	545c	66.16	52.69	3.87	0.539	0.4293	0.0315	24.2	36	582	16	480	
29	550	-1	549c	66.16	52.69	3.87	0.539	0.4293	0.0315	24.2	36	582	16	480	
30	555	-1	554c	64.21	48.59	3.84	0.5504	0.4165	0.0329	20.3	36	584	16	481	
32	560	-1	560c	59.36	40.5	3.81	0.5725	0.3906	0.0367	13.2	37	589	16	483	
32	563	0	405	65.41	46.43	11.27	0.5312	0.3771	0.0915	12.2	38	590	16	483	Rm
32	563	6	435	68.76	45.87	29.92	0.4756	0.3173	0.2069	35.47	44	621	17	487	
33	565	10	450	74.1	45.79	59.44	0.4131	0.2553	0.3314	320.2	-1	497c	19	497	
33	566	11	460	74.21	44.54	66.72	0.4001	0.2401	0.3597	310.6	-1	502c	20	502	
33	568	13	465	75.28	43.87	79.59	0.3787	0.2207	0.4004	297.2	-1	513c	22	513	
34	570	14	470	74.86	42.9	84.59	0.3699	0.212	0.418	291.9	-1	521c	24	521	Mm
34	574	15	475	72.47	40.29	88.56	0.3599	0.2001	0.4398	286.2	-1	529c	25	529	
36	580	15	480	68.08	36.12	88.55	0.3531	0.1874	0.4594	282.3	-1	535c	27	535	
39	595	17	485	57.25	29.19	93.93	0.3173	0.1618	0.5207	268.5	-1	549c	29	549	
-1	490c	18	490	24.71	14.99	95.68	0.1825	0.1107	0.7067	237.7	11	459	33	566	min
-1	495c	19	495	24.75	16.23	97.02	0.1793	0.1176	0.7029	236.3	12	461	33	567	
-1	500c	20	500	24.77	17.79	98.05	0.1761	0.1265	0.6972	234.6	12	464	33	568	
-1	510c	22	510	24.87	22.1	99.42	0.1699	0.1509	0.679	229.9	13	469	34	570	
-1	520c	24	520	25.44	28.08	100.11	0.1655	0.1827	0.6516	223.6	14	473	34	572	Bm
-1	529c	25	530	26.02	31.56	100.32	0.1647	0.1999	0.6353	219.9	15	475	34	574	
-1	539c	27	540	29.91	39.19	100.57	0.1664	0.2337	0.5997	212.2	15	478	35	578	
-1	545c	29	545	30.9	47.3	100.69	0.1727	0.2644	0.5628	204.2	16	480	36	582	
-1	549c	29	550	30.9	47.3	100.69	0.1727	0.2644	0.5628	204.2	16	480	36	582	
-1	554c	30	555	32.85	51.4	100.72	0.1776	0.2778	0.5445	200.4	16	481	36	584	
-1	560c	32	560	37.7	59.49	100.75	0.1904	0.3005	0.5089	193.2	16	483	37	589	
W0	380	770	97.06	99.99	104.57	0.3218	0.3315	0.3466	0.0						
N0	380	770	3.88	3.99	4.18	0.3218	0.3315	0.3466	0.0						

Oswald optimal colours (o), maximum (m) C _{AB} for P60, Y _N =0, Y _W =100, Y _m =520_770																
i ₁ , λ _{i1}	i ₂ , λ _{i2}	Y	A	B	C	AB	a	b	h _{xy}	i _d , λ _{i_d}	i _c , λ _{i_c}	Code				
0_405	32_563	53.56	-50.83	-37.27	63.03	0.5907	-0.6965	216.2	16_483	38_590	Cm					
6_435	32_563	54.12	-60.57	-18.04	63.2	0.5227	-0.5515	196.5	17_487	44_621						
10_450	33_565	54.2	-74.1	11.55	74.99	0.4236	-0.3329	171.1	19_497	-1_497c						
11_460	33_566	55.45	-77.42	20.13	79.99	0.4119	-0.2729	165.4	20_502	-1_502c						
13_465	33_568	56.12	-81.71	33.7	88.38	0.388	-0.1779	157.5	22_513	-1_513c						
14_470	34_570	57.09	-83.01	39.7	92.02	0.3888	-0.1399	154.4	24_521	-1_521c	Gm					
15_475	34_574	59.7	-83.37	46.41	95.41	0.4118	-0.1072	150.8	25_529	-1_529c						
15_480	36_580	63.87	-82.5	50.76	96.86	0.4537	-0.1002	148.3	27_535	-1_535c						
17_485	39_595	70.8	-72.25	63.39	96.12	0.5622	-0.06	138.7	29_549	-1_549c						
18_490	-1_490c	85.0	-25.38	79.98	83.91	0.8509	-0.0418	107.6	33_566	11_459	max					
19_495	-1_495c	83.76	-22.46	80.01	83.11	0.8631	-0.036	105.6	33_567	12_461						
20_500	-1_500c	82.2	-18.71	79.42	81.59	0.8793	-0.0316	103.2	33_568	12_464						
22_510	-1_510c	77.89	-8.53	76.28	76.76	0.9265	-0.0264	96.3	34_570	13_469						
24_520	-1_520c	71.91	4.55	70.72	70.87	0.9957	-0.0247	86.3	34_572	14_473	Ym					
25_530	-1_529c	68.43	11.56	67.29	68.27	1.038	-0.0248	80.2	34_574	15_475						
27_540	-1_539c	60.8	25.33	59.57	64.73	1.137	-0.0262	66.9	35_578	15_478						
29_545	-1_545c	52.69	37.52	51.21	63.48	1.2552	-0.0294	53.7	36_582	16_480						
29_550	-1_549c	52.69	37.52	51.21	63.48	1.2552	-0.0294	53.7	36_582	16_480						
30_555	-1_554c	48.59	42.61	46.95	63.4	1.3211	-0.0316	47.7	36_584	16_481						
32_560	-1_560c	40.5	50.12	38.52	63.21	1.4654	-0.0376	37.5	37_589	16_483						
32_563	0_405	46.43	50.84	37.27	63.04	1.4083	-0.097	36.2	38_590	16_483	Rm					
32_563	6_435	45.87	60.57	18.04	63.2	1.4985	-0.2608	16.5	44_621	17_487						
33_565	10_450	45.79	74.08	-11.55	74.98	1.6175	-0.519	35.11	-1_497c	19_497						
33_566	11_460	44.54	77.4	-20.13	79.98	1.6655	-0.5989	34.54	-1_502c	20_502						
33_568	13_465	43.87	81.68	-33.69	88.36	1.7151	-0.7253	33.75	-1_513c	22_513						
34_570	14_470	42.9	82.98	-39.69	91.99	1.7441	-0.7882	33.44	-1_521c	24_521	Mm					
34_574	15_475	40.29	83.34	-46.39	95.38	1.7977	-0.8786	33.08	-1_529c	25_529						
36_580	15_480	36.12	82.47	-50.74	96.83	1.8835	-0.9799	32.83	-1_535c	27_535						
39_595	17_485	29.19	72.22	-63.36	96.08	1.9601	-1.2864	31.87	-1_549c	29_549						
-1_490c	18_490	14.99	25.36	-79.92	83.85	1.6471	-2.5507	28.76	11_459	33_566	min					
-1_495c	19_495	16.23	22.44	-79.96	83.05	1.5234	-2.3881	28.56	12_461	33_567						
-1_500c	20_500	17.79	18.7	-79.37	81.54	1.3907	-2.2019	28.32	12_464	33_568						
-1_510c	22_510	22.1	8.53	-76.24	76.72	1.1247	-1.7979	27.63	13_469	34_570						
-1_520c	24_520	28.08	-4.55	-70.7	70.84	0.9055	-1.4253	26.63	14_473	34_572	Bm					
-1_529c	25_530	31.56	-11.56	-67.27	68.25	0.8238	-1.2706	26.02	15_475	34_574						
-1_539c	27_540	39.19	-25.32	-59.55	64.72	0.7119	-1.0259	24.69	15_478	35_578						
-1_545c	29_545	47.73	-37.51	-51.2	63.47	0.6531	-0.8511	23.37	16_480	36_582						
-1_549c	29_550	47.3	-37.51	-51.2	63.47	0.6531	-0.8511	23.37	16_480	36_582						
-1_554c	30_555	51.4	-42.6	-46.94	63.4	0.6388	-0.7834	22.77	16_481	36_584						
-1_560c	32_560	59.49	-50.11	-38.52	63.21	0.6334	-0.6771	21.75	16_483	37_589						
W0	380	770	99.99	0.0	0.0	0.0	0.9704	-0.4181	0.0	Be=1,000						
N0	380	770	3.99	0.0	0.0	0.0	0.9704	-0.4181	0.0	x _c =0,000						