

LMS_17M1-Zapfen-Empfindlichkeit; $Y_w=100$


$$\bar{s}_{17M1E,D}(\lambda) = [B_{31}\bar{x}_{17M1E,D}(\lambda) + B_{32}\bar{y}_{17M1E,D}(\lambda) + B_{33}\bar{z}_{17M1E,D}(\lambda)]S(\lambda)_{E,D}; \quad t_{sa}=0,00; \quad E00, D65$$

$$B_{3j}: \quad 0,000 \quad 0,000 \quad 1,000 \quad (\lambda=440)$$

$$x_{17M1E,D}=0,3333; 0,3190$$

$$y_{17M1E,D}=0,3333; 0,3324$$

$$\Sigma \bar{s}_{17M1E,D}(\lambda)=100,00; 104,84$$



Wellenlänge λ / nm

LMS_17M1-Zapfen-Empfindlichkeit; $Y_w=100$


$$\bar{s}_{17M1E,D}(\lambda) = [B_{31}\bar{x}_{17M1E,D}(\lambda) + B_{32}\bar{y}_{17M1E,D}(\lambda) + B_{33}\bar{z}_{17M1E,D}(\lambda)]S(\lambda)_{E,D}; \quad t_{sa}=0,00; \quad E00, D50$$

B_{3j} : 0,000 0,000 1,000 ($\lambda=440$)

$x_{17M1E,D}=0,3333; 0,3424$

$y_{17M1E,D}=0,3333; 0,3650$

$\Sigma \bar{s}_{17M1E,D}(\lambda)=100,00; 80,14$



Wellenlänge λ /nm

LMS_17M1-Zapfen-Empfindlichkeit; $Y_w=100$

$$\bar{s}_{17M1E,D}(\lambda)=[B_{31}\bar{x}_{17M1E,D}(\lambda)+B_{32}\bar{y}_{17M1E,D}(\lambda)$$


$$+B_{33}\bar{z}_{17M1E,D}(\lambda)]S(\lambda)_{E,D}; t_{sa}=0,00; E00, P40$$

$$B_{3j}: 0,000 \quad 0,000 \quad 1,000 \quad (\lambda=440)$$

$$x_{17M1E,D}=0,3333; 0,3679$$

$$y_{17M1E,D}=0,3333; 0,3830$$

$$\Sigma \bar{s}_{17M1E,D}(\lambda)=100,00; 64,99$$



Wellenlänge λ /nm

LMS_17M1-Zapfen-Empfindlichkeit; $Y_w=100$


$$\bar{s}_{17M1E,D}(\lambda) = [B_{31}\bar{x}_{17M1E,D}(\lambda) + B_{32}\bar{y}_{17M1E,D}(\lambda) + B_{33}\bar{z}_{17M1E,D}(\lambda)]S(\lambda)_{E,D}; \quad t_{sa}=0,00; \quad E00, A00$$

B_{3j} : 0,000 0,000 1,000 ($\lambda=440$)

$x_{17M1E,D}=0,3333; 0,4207$

$y_{17M1E,D}=0,3333; 0,4225$

$\Sigma \bar{s}_{17M1E,D}(\lambda)=100,00; 37,07$



Wellenlänge λ /nm

LMS_17M1-Zapfen-Empfindlichkeit; $Y_w=100$


$$\bar{s}_{17M1E,D}(\lambda) = [B_{31}\bar{x}_{17M1E,D}(\lambda) + B_{32}\bar{y}_{17M1E,D}(\lambda) + B_{33}\bar{z}_{17M1E,D}(\lambda)]S(\lambda)_{E,D}; \quad t_{sa}=0,00; \quad E00, E00$$

$$B_{3j}: \quad 0,000 \quad 0,000 \quad 1,000 \quad (\lambda=440)$$

$$x_{17M1E,D}=0,3333; 0,3333$$

$$y_{17M1E,D}=0,3333; 0,3333$$

$$\Sigma \bar{s}_{17M1E,D}(\lambda)=100,00; 99,99$$



Wellenlänge λ / nm

LMS_17M1-Zapfen-Empfindlichkeit; $Y_w=100$


$$\bar{s}_{17M1E,D}(\lambda) = [B_{31}\bar{x}_{17M1E,D}(\lambda) + B_{32}\bar{y}_{17M1E,D}(\lambda) + B_{33}\bar{z}_{17M1E,D}(\lambda)]S(\lambda)_{E,D}; \quad t_{sa}=0,00; \quad E00, C00$$

B_{3j} : 0,000 0,000 1,000 ($\lambda=440$)

$x_{17M1E,D}=0,3333; 0,3188$

$y_{17M1E,D}=0,3333; 0,3220$

$\Sigma \bar{s}_{17M1E,D}(\lambda)=100,00; 111,48$



Wellenlänge λ / nm

LMS_17M1-Zapfen-Empfindlichkeit; $Y_w=100$

$$\bar{s}_{17M1E,D}(\lambda)=[B_{31}\bar{x}_{17M1E,D}(\lambda)+B_{32}\bar{y}_{17M1E,D}(\lambda)$$


$$+B_{33}\bar{z}_{17M1E,D}(\lambda)]S(\lambda)_{E,D}; t_{sa}=0,00; E00, P00$$

$$B_{3j}: 0,000 \quad 0,000 \quad 1,000 \quad (\lambda=440)$$

$$x_{17M1E,D}=0,3333; 0,3530$$

$$y_{17M1E,D}=0,3333; 0,3561$$

$$\Sigma \bar{s}_{17M1E,D}(\lambda)=100,00; 81,63$$



Wellenlänge λ / nm

LMS_17M1-Zapfen-Empfindlichkeit; $Y_w=100$


$$\bar{s}_{17M1E,D}(\lambda) = [B_{31}\bar{x}_{17M1E,D}(\lambda) + B_{32}\bar{y}_{17M1E,D}(\lambda) + B_{33}\bar{z}_{17M1E,D}(\lambda)]S(\lambda)_{E,D}; \quad t_{sa}=0,00; \quad E00, Q00$$

B_{3j} : 0,000 0,000 1,000 ($\lambda=440$)

$x_{17M1E,D}=0,3333; 0,3163$

$y_{17M1E,D}=0,3333; 0,3135$

$\Sigma \bar{s}_{17M1E,D}(\lambda)=100,00; 118,04$



Wellenlänge λ /nm