

HPE_CIEF02_X-Zapfen-Empfindlichkeit $\bar{y}_{\max}(\lambda) =$


$$\bar{l}_{F02_X,1}(\lambda) = B_{11}\bar{x}_{F02_X,1}(\lambda) + B_{12}\bar{y}_{F02_X,1}(\lambda) + B_{13}\bar{z}_{F02_X,1}(\lambda)$$

$$B_{1j} \quad 0,2105 \quad 0,8550 \quad -0,0396 \quad \lambda=570$$

$$D65: \Sigma \bar{l}_{F02_X,1}(\lambda) = 22,17$$

$$x_{F02_X,1} = 0,3133$$

$$y_{F02_X,1} = 0,3305$$



HPE_CIEF02_X-Zapfen-Empfindlichkeit $\bar{y}_{\max}(\lambda) =$


$$\bar{l}_{F02_X,1}(\lambda) = B_{11}\bar{x}_{F02_X,1}(\lambda) + B_{12}\bar{y}_{F02_X,1}(\lambda) + B_{13}\bar{z}_{F02_X,1}(\lambda)$$

$$B_{1j} \quad 0,2105 \quad 0,8550 \quad -0,0396 \quad \lambda=570$$

$$D50: \Sigma \bar{l}_{F02_X,1}(\lambda) = 22,47$$

$$x_{F02_X,1} = 0,3483$$

$$y_{F02_X,1} = 0,3607$$



HPE_CIEF02_X-Zapfen-Empfindlichkeit $\bar{y}_{\max}(\lambda) =$


$$\bar{l}_{F02_X,1}(\lambda) = B_{11}\bar{x}_{F02_X,1}(\lambda) + B_{12}\bar{y}_{F02_X,1}(\lambda) + B_{13}\bar{z}_{F02_X,1}(\lambda)$$

$$B_{1j} \quad 0,2105 \quad 0,8550 \quad -0,0396 \quad \lambda=570$$

$$P40: \Sigma \bar{l}_{F02_X,1}(\lambda) = 23,45$$

$$x_{F02_X,1} = 0,3831$$

$$y_{F02_X,1} = 0,3775$$



HPE_CIEF02_X-Zapfen-Empfindlichkeit $\bar{y}_{\max}(\lambda) =$

$$\bar{I}_{F02_X,1}(\lambda) = B_{11}\bar{x}_{F02_X,1}(\lambda) + B_{12}\bar{y}_{F02_X,1}(\lambda)$$


$$+ B_{13}\bar{z}_{F02_X,1}(\lambda)$$

$$B_{1j} \quad 0,2105 \quad 0,8550 \quad -0,0396 \quad \lambda=570$$

$$A00: \Sigma \bar{I}_{F02_X,1}(\lambda) = 25,34$$

$$x_{F02_X,1} = 0,4526$$

$$y_{F02_X,1} = 0,4086$$



Wellenlänge λ/nm

HPE_CIEF02_X-Zapfen-Empfindlichkeit $\bar{y}_{\max}(\lambda) =$

$$\bar{l}_{F02_X,1}(\lambda) = B_{11}\bar{x}_{F02_X,1}(\lambda) + B_{12}\bar{y}_{F02_X,1}(\lambda)$$


$$+ B_{13}\bar{z}_{F02_X,1}(\lambda)$$

$$B_{1j} \quad 0,2105 \quad 0,8550 \quad -0,0396 \quad \lambda=570$$

$$E00: \Sigma \bar{l}_{F02_X,1}(\lambda) = 23,20$$

$$x_{F02_X,1} = 0,3331$$

$$y_{F02_X,1} = 0,3330$$



HPE_CIEF02_X-Zapfen-Empfindlichkeit $\bar{y}_{\max}(\lambda) =$


$$\bar{I}_{F02_X,1}(\lambda) = B_{11}\bar{x}_{F02_X,1}(\lambda) + B_{12}\bar{y}_{F02_X,1}(\lambda) + B_{13}\bar{z}_{F02_X,1}(\lambda)$$

$$B_{1j} \quad 0,2105 \quad 0,8550 \quad -0,0396 \quad \lambda=570$$

$$C00: \Sigma \bar{I}_{F02_X,1}(\lambda) = 21,65$$

$$x_{F02_X,1} = 0,3101$$

$$y_{F02_X,1} = 0,3185$$



HPE_CIEF02_X-Zapfen-Empfindlichkeit $\bar{y}_{\max}(\lambda) =$

$$\bar{l}_{F02_X,1}(\lambda) = B_{11}\bar{x}_{F02_X,1}(\lambda) + B_{12}\bar{y}_{F02_X,1}(\lambda)$$


$$+ B_{13}\bar{z}_{F02_X,1}(\lambda)$$

$$B_{1j} \quad 0,2105 \quad 0,8550 \quad -0,0396 \quad \lambda=570$$

$$P00: \Sigma \bar{l}_{F02_X,1}(\lambda) = 23,67$$

$$x_{F02_X,1} = 0,3616$$

$$y_{F02_X,1} = 0,3533$$



HPE_CIEF02_X-Zapfen-Empfindlichkeit $\bar{y}_{\max}(\lambda) =$

$$\bar{I}_{F02_X,1}(\lambda) = B_{11}\bar{x}_{F02_X,1}(\lambda) + B_{12}\bar{y}_{F02_X,1}(\lambda) + B_{13}\bar{z}_{F02_X,1}(\lambda)$$

$$B_{1j} \quad 0,2105 \quad 0,8550 \quad -0,0396 \quad \lambda=570$$

$$Q00: \Sigma \bar{I}_{F02_X,1}(\lambda) = 22,89$$

$$x_{F02_X,1} = 0,3054$$

$$y_{F02_X,1} = 0,3099$$

