

LMS_R17M4-Zapfen-Empfindlichkeit $\bar{y}_{\max}(\lambda)=1$


$$\bar{s}_{R17M4,1}(\lambda) = B_{31}\bar{x}_{R17M4,1}(\lambda) + B_{32}\bar{y}_{R17M4,1}(\lambda) + B_{33}\bar{z}_{R17M4,1}(\lambda)$$

B_{3j} 0,000 0,000 1,000 $\lambda=440$

D65: $\Sigma \bar{s}_{R17M4,1}(\lambda) = 21,93$

$x_{R17M4,1} = 0,3190$

$y_{R17M4,1} = 0,3308$



LMS_R17M4-Zapfen-Empfindlichkeit $\bar{y}_{\max}(\lambda)=1$


$$\bar{s}_{R17M4,1}(\lambda) = B_{31}\bar{x}_{R17M4,1}(\lambda) + B_{32}\bar{y}_{R17M4,1}(\lambda) + B_{33}\bar{z}_{R17M4,1}(\lambda)$$

B_{3j} 0,000 0,000 1,000 $\lambda=440$

D50: $\Sigma \bar{s}_{R17M4,1}(\lambda) = 16,71$

$x_{R17M4,1} = 0,3413$

$y_{R17M4,1} = 0,3630$



LMS_R17M4-Zapfen-Empfindlichkeit $\bar{y}_{\max}(\lambda)=1$


$$\bar{s}_{R17M4,1}(\lambda) = B_{31}\bar{x}_{R17M4,1}(\lambda) + B_{32}\bar{y}_{R17M4,1}(\lambda) + B_{33}\bar{z}_{R17M4,1}(\lambda)$$

$$B_{3j} \quad 0,000 \quad 0,000 \quad 1,000 \quad \lambda=440$$

$$P40: \Sigma \bar{s}_{R17M4,1}(\lambda) = 13,70$$

$$x_{R17M4,1} = 0,3663$$

$$y_{R17M4,1} = 0,3821$$



LMS_R17M4-Zapfen-Empfindlichkeit $\bar{y}_{\max}(\lambda)=1$


$$\bar{s}_{R17M4,1}(\lambda) = B_{31}\bar{x}_{R17M4,1}(\lambda) + B_{32}\bar{y}_{R17M4,1}(\lambda) + B_{33}\bar{z}_{R17M4,1}(\lambda)$$

B_{3j} 0,000 0,000 1,000 $\lambda=440$

$$A00: \Sigma \bar{s}_{R17M4,1}(\lambda) = 8,10$$

$$x_{R17M4,1} = 0,4175$$

$$y_{R17M4,1} = 0,4222$$



LMS_R17M4-Zapfen-Empfindlichkeit $\bar{y}_{\max}(\lambda)=1$


$$\bar{s}_{R17M4,1}(\lambda) = B_{31}\bar{x}_{R17M4,1}(\lambda) + B_{32}\bar{y}_{R17M4,1}(\lambda) + B_{33}\bar{z}_{R17M4,1}(\lambda)$$

B_{3j} 0,000 0,000 1,000 $\lambda=440$

$$E00: \Sigma \bar{s}_{R17M4,1}(\lambda) = 21,18$$


$$x_{R17M4,1} = 0,3332$$

$$y_{R17M4,1} = 0,3333$$



LMS_R17M4-Zapfen-Empfindlichkeit $\bar{y}_{\max}(\lambda)=1$

$$\bar{s}_{R17M4,1}(\lambda) = B_{31}\bar{x}_{R17M4,1}(\lambda) + B_{32}\bar{y}_{R17M4,1}(\lambda) + B_{33}\bar{z}_{R17M4,1}(\lambda)$$



LMS_R17M4-Zapfen-Empfindlichkeit $\bar{y}_{\max}(\lambda)=1$


$$\bar{s}_{R17M4,1}(\lambda) = B_{31}\bar{x}_{R17M4,1}(\lambda) + B_{32}\bar{y}_{R17M4,1}(\lambda) + B_{33}\bar{z}_{R17M4,1}(\lambda)$$

B_{3j} 0,000 0,000 1,000 $\lambda=440$

P00: $\Sigma \bar{s}_{R17M4,1}(\lambda) = 17,36$

$x_{R17M4,1} = 0,3522$

$y_{R17M4,1} = 0,3559$



LMS_R17M4-Zapfen-Empfindlichkeit $\bar{y}_{\max}(\lambda)=1$

$$\bar{s}_{R17M4,1}(\lambda) = B_{31}\bar{x}_{R17M4,1}(\lambda) + B_{32}\bar{y}_{R17M4,1}(\lambda) + B_{33}\bar{z}_{R17M4,1}(\lambda)$$

