

Farbmétrische "Norm-Daten": Fernseh-Lichtfarben-System TLS00 für Helligkeit L*=00 von Schwarz und für Lichtart D65

System TLS00	Farbe i	r^*_d	g^*_d	b^*_d	$L^*_{re,d}$	$\Delta L^*_{re,d}$	$L^*_{it,d}$	$\Delta L^*_{it,d}$	w_d	X_d	Y_d	Z_d	x_d	y_d	$Y_d/88.59$
D65-Reflexion:	01,0_d	0.0	0.0	0.0	0.01	0.01	11.92	11.94	11.93	0.0	0.0	0.0	0.3127	0.329	0.0
YN = 0.0	02,1_d	0.125	0.125	0.125	11.93	11.92	11.94	11.93	0.125	1.33	1.4	1.52	0.3127	0.329	0.0158
$L^*N = 0.01$	03,2_d	0.25	0.25	0.25	23.85	23.86	23.86	11.93	0.25	3.85	4.05	4.41	0.3127	0.329	0.0458
	04,3_d	0.375	0.375	0.375	35.78	35.79	35.79	11.92	0.375	8.45	8.89	9.68	0.3127	0.329	0.1004
	05,4_d	0.5	0.5	0.5	47.7	47.71	47.71	11.92	0.5	15.74	16.56	18.03	0.3127	0.329	0.1869
	06,5_d	0.625	0.625	0.625	59.63	59.63	59.64	11.92	0.625	26.34	27.71	30.18	0.3127	0.329	0.3128
	07,6_d	0.75	0.75	0.75	71.55	71.55	71.56	11.92	0.75	40.86	42.99	46.81	0.3127	0.329	0.4853
	08,7_d	0.875	0.875	0.875	83.48	83.48	83.49	11.92	0.875	59.94	63.07	68.67	0.3127	0.329	0.7119
	09,8_d	1.0	1.0	1.0	95.41	95.41	95.41	11.93	1.0	84.2	88.59	96.46	0.3127	0.329	1.0
	10,N_d	0.0	0.0	0.0	0.01	0.01	0.01	0.0	0.0	0.0	0.0	0.0	0.3127	0.329	0.0
	11,W_d	1.0	1.0	1.0	95.41	95.4	95.41	95.4	0.0	84.2	88.59	96.46	0.3127	0.329	1.0

Farbmétrische "Adaptierte Daten (a)": Fernseh-Lichtfarben-System TLS00a für Helligkeit L*=00a von Schwarz und für Lichtart D65

System TLS00a	Farbe i	r^*_d	g^*_d	b^*_d	$L^*_{re,d}$	$\Delta L^*_{re,d}$	$L^*_{it,d}$	$\Delta L^*_{it,d}$	w_d	$X_{a,d}$	$Y_{a,d}$	$Z_{a,d}$	$x_{a,d}$	$y_{a,d}$	$Y_{a,d}/88.59$
D65-Reflexion:	01,0_d	0.0	0.0	0.0	0.01	0.01	11.92	11.94	11.93	0.0	0.0	0.0	0.3127	0.329	0.0
YN = 0.0	02,1_d	0.125	0.125	0.125	11.93	11.92	11.94	11.93	0.125	1.33	1.4	1.52	0.3127	0.329	0.0158
$L^*N = 0.01$	03,2_d	0.25	0.25	0.25	23.85	23.86	23.86	11.93	0.25	3.85	4.05	4.41	0.3127	0.329	0.0458
	04,3_d	0.375	0.375	0.375	35.78	35.79	35.79	11.92	0.375	8.45	8.89	9.68	0.3127	0.329	0.1004
	05,4_d	0.5	0.5	0.5	47.7	47.71	47.71	11.92	0.5	15.74	16.56	18.03	0.3127	0.329	0.1869
	06,5_d	0.625	0.625	0.625	59.63	59.63	59.64	11.92	0.625	26.34	27.71	30.18	0.3127	0.329	0.3128
	07,6_d	0.75	0.75	0.75	71.55	71.55	71.56	11.92	0.75	40.86	42.99	46.81	0.3127	0.329	0.4853
	08,7_d	0.875	0.875	0.875	83.48	83.48	83.49	11.92	0.875	59.94	63.07	68.67	0.3127	0.329	0.7119
	09,8_d	1.0	1.0	1.0	95.41	95.41	95.41	11.93	1.0	84.2	88.59	96.46	0.3127	0.329	1.0
	10,N_d	0.0	0.0	0.0	0.01	0.01	0.01	0.0	0.0	0.0	0.0	0.0	0.3127	0.329	0.0
	11,W_d	1.0	1.0	1.0	95.41	95.4	95.41	95.4	0.0	84.2	88.59	96.46	0.3127	0.329	1.0

Farbmétrische "Adaptierte Daten (b)": Fernseh-Lichtfarben-System TLS00b für Helligkeit L*=00b von Schwarz und für Lichtart D65

System TLS00b	Farbe i	r^*_d	g^*_d	b^*_d	$L^*_{re,d}$	$\Delta L^*_{re,d}$	$L^*_{it,d}$	$\Delta L^*_{it,d}$	w_d	$X_{b,d}$	$Y_{b,d}$	$Z_{b,d}$	$x_{b,d}$	$y_{b,d}$	$Y_{b,d}/88.59$	
D65-Reflexion:	01,0_d	0.0	0.0	0.0	0.01	0.01	11.92	11.94	11.93	0.0	0.0(=0.0+0.0)	0.0(=0.0+0.0)	0.0(=0.0+0.0)	0.3118	0.3281	0.0
YN = 0.0	02,1_d	0.125	0.125	0.125	11.93	11.92	11.94	11.93	0.125	1.33(=1.33+0.0)	1.4(=1.39+0.0)	1.52(=1.52+0.0)	0.3127	0.329	0.0158	
$L^*N = 0.01$	03,2_d	0.25	0.25	0.25	23.85	23.86	23.86	11.93	0.25	3.85(=3.85+0.0)	4.05(=4.05+0.0)	4.41(=4.41+0.0)	0.3127	0.329	0.0458	
	04,3_d	0.375	0.375	0.375	35.78	35.79	35.79	11.92	0.375	8.45(=8.45+0.0)	8.89(=8.89+0.0)	9.68(=9.68+0.0)	0.3127	0.329	0.1004	
	05,4_d	0.5	0.5	0.5	47.7	47.71	47.71	11.92	0.5	15.74(=15.74+0.0)	16.56(=16.56+0.0)	18.03(=18.03+0.0)	0.3127	0.329	0.1869	
	06,5_d	0.625	0.625	0.625	59.63	59.63	59.64	11.92	0.625	26.34(=26.34+0.0)	27.71(=27.71+0.0)	30.18(=30.17+0.0)	0.3127	0.329	0.3128	
	07,6_d	0.75	0.75	0.75	71.55	71.55	71.56	11.92	0.75	40.86(=40.86+0.0)	42.99(=42.99+0.0)	46.81(=46.81+0.0)	0.3127	0.329	0.4853	
	08,7_d	0.875	0.875	0.875	83.48	83.48	83.49	11.92	0.875	59.94(=59.94+0.0)	63.07(=63.07+0.0)	68.67(=68.67+0.0)	0.3127	0.329	0.7119	
	09,8_d	1.0	1.0	1.0	95.41	95.41	95.41	11.93	1.0	84.2(=84.2+0.0)	88.59(=88.59+0.0)	96.46(=96.46+0.0)	0.3127	0.329	1.0	
	10,N_d	0.0	0.0	0.0	0.01	0.01	0.01	0.0	0.0	0.0(=0.0+0.0)	0.0(=0.0+0.0)	0.0(=0.0+0.0)	0.3118	0.3281	0.0	
	11,W_d	1.0	1.0	1.0	95.41	95.4	95.41	95.4	0.0	84.2(=84.2+0.0)	88.59(=88.59+0.0)	96.46(=96.46+0.0)	0.3127	0.329	1.0	

Farbmehrmetrische "Adaptierte Daten (b)": Fernseh-Lichtfarben-System TLS00b für Helligkeit L*=00 von Schwarz und für Lichtart D65																
System TLS00b	Farbe i	r* _d	g* _d	b* _d	L* _{re,d}	ΔL* _{re,d}	L* _{it,d}	ΔL* _{it,d}	w _d	X _{b,d}	Y _{b,d}	Z _{b,d}	x _{b,d}	y _{b,d}	Y _{b,d} /88.59	
D65-Reflexion:	01,0 _d	0.0	0.0	0.0	0.01	0.01	11.92	11.94	11.93	0.0	0.0(=0.0+0.0)	0.0(=0.0+0.0)	0.0(=0.0+0.0)	0.3118	0.3281	0.0
Y _N = 0.0	02,1 _d	0.125	0.125	0.125	11.93	23.85	11.92	23.86	11.93	0.125	1.33(=1.33+0.0)	1.4(=1.39+0.0)	1.52(=1.52+0.0)	0.3127	0.329	0.0158
L* _N = 0.0	03,2 _d	0.25	0.25	0.25	35.78	35.78	11.93	35.79	11.92	0.25	3.85(=3.85+0.0)	4.05(=4.05+0.0)	4.41(=4.41+0.0)	0.3127	0.329	0.0458
	04,3 _d	0.375	0.375	0.375	59.63	59.63	11.93	59.64	11.92	0.375	8.45(=8.45+0.0)	8.89(=8.89+0.0)	9.68(=9.68+0.0)	0.3127	0.329	0.1004
	05,4 _d	0.5	0.5	0.5	47.7	47.71	11.92	47.71	11.92	0.5	15.74(=15.74+0.0)	16.56(=16.56+0.0)	18.03(=18.03+0.0)	0.3127	0.329	0.1869
	06,5 _d	0.625	0.625	0.625	71.55	71.55	11.92	71.56	11.93	0.625	26.34(=26.34+0.0)	27.71(=27.71+0.0)	30.18(=30.17+0.0)	0.3127	0.329	0.3128
	07,6 _d	0.75	0.75	0.75	83.48	83.48	11.93	83.49	11.92	0.75	40.86(=40.86+0.0)	42.99(=42.99+0.0)	46.81(=46.81+0.0)	0.3127	0.329	0.4853
	08,7 _d	0.875	0.875	0.875	95.41	95.41	11.93	95.41	11.93	0.875	59.94(=59.94+0.0)	63.07(=63.07+0.0)	68.67(=68.67+0.0)	0.3127	0.329	0.7119
	09,8 _d	1.0	1.0	1.0	95.41	95.41	1.0	95.41	1.0	0.0	88.59(=88.59+0.0)	96.46(=96.46+0.0)	0.3127	0.329	1.0	
	10,N _d	0.0	0.0	0.0	0.01	0.01	0.01	0.01	0.01	0.0	0.0(=0.0+0.0)	0.0(=0.0+0.0)	0.0(=0.0+0.0)	0.3118	0.3281	0.0
	11,W _d	1.0	1.0	1.0	95.41	95.41	95.41	95.41	95.41	0.0	84.2(=84.2+0.0)	88.59(=88.59+0.0)	96.46(=96.46+0.0)	0.3127	0.329	1.0

Berechnete farbmehrmetrische Daten (b): Fernseh-Lichtfarben-Systeme TLS00b für Helligkeit L*=00 von Schwarz und für Lichtart D65

System TLS00b	Farbe i	r* _{a,d}	g* _{a,d}	b* _{a,d}	L* _{re,d}	ΔL* _{re,d}	L* _{it,d}	ΔL* _{it,d}	w _d	X _{a,d}	Y _{a,d}	Z _{a,d}	x _{a,d}	y _{a,d}	Y _{a,d} /88.59	
D65-Reflexion:	01,0 _d	0.0	0.0	0.0	0.01	0.01	11.92	11.94	11.93	0.0	0.0(=0.0+0.0)	0.0(=0.0+0.0)	0.0(=0.0+0.0)	0.3037	0.3195	0.0
Y _N = 0.0	02,1 _d	0.125	0.125	0.125	11.93	23.85	11.92	23.86	11.93	0.125	1.33(=1.33+0.0)	1.4(=1.4+0.0)	1.52(=1.52+0.0)	0.3127	0.329	0.0158
L* _N = 0.0	03,2 _d	0.25	0.25	0.25	35.78	35.78	11.92	35.79	11.92	0.25	3.85(=3.85+0.0)	4.05(=4.05+0.0)	4.41(=4.41+0.0)	0.3127	0.329	0.0458
	04,3 _d	0.375	0.375	0.375	59.63	59.63	11.92	59.64	11.92	0.375	8.45(=8.45+0.0)	8.89(=8.89+0.0)	9.68(=9.68+0.0)	0.3127	0.329	0.1004
	05,4 _d	0.5	0.5	0.5	47.7	47.71	11.92	47.71	11.92	0.5	15.74(=15.74+0.0)	16.56(=16.56+0.0)	18.03(=18.03+0.0)	0.3127	0.329	0.1869
	06,5 _d	0.625	0.625	0.625	71.55	71.55	11.92	71.56	11.93	0.625	26.34(=26.34+0.0)	27.71(=27.71+0.0)	30.18(=30.18+0.0)	0.3127	0.329	0.3128
	07,6 _d	0.75	0.75	0.75	83.48	83.48	11.92	83.49	11.92	0.75	40.86(=40.86+0.0)	42.99(=42.99+0.0)	46.81(=46.81+0.0)	0.3127	0.329	0.4853
	08,7 _d	0.875	0.875	0.875	95.41	95.41	95.41	95.41	95.41	0.875	59.94(=59.94+0.0)	63.07(=63.07+0.0)	68.67(=68.67+0.0)	0.3127	0.329	0.7119
	09,8 _d	1.0	1.0	1.0	95.41	95.41	1.0	95.41	1.0	0.0	88.59(=88.59+0.0)	96.46(=96.46+0.0)	0.3127	0.329	1.0	
	10,N _d	0.0	0.0	0.0	0.01	0.01	0.01	0.01	0.01	0.0	0.0(=0.0+0.0)	0.0(=0.0+0.0)	0.0(=0.0+0.0)	0.3037	0.3195	0.0
	11,W _d	1.0	1.0	1.0	95.41	95.41	95.41	95.41	95.41	0.0	84.2(=84.2+0.0)	88.59(=88.59+0.0)	96.46(=96.46+0.0)	0.3127	0.329	1.0

Berechnete farbmehrmetrische Daten (b): Fernseh-Lichtfarben-Systeme TLS00b für Helligkeit L*=06 von Schwarz und für Lichtart D65

System TLS06b	Farbe i	r* _{a,d}	g* _{a,d}	b* _{a,d}	L* _{re,d}	ΔL* _{re,d}	L* _{it,d}	ΔL* _{it,d}	w _d	X _{a,d}	Y _{a,d}	Z _{a,d}	x _{a,d}	y _{a,d}	Y _{a,d} /88.59	
D65-Reflexion:	01,0 _d	0.0	0.0	0.0	5.7	9.87	16.91	11.21	0.0	0.6(=0.0+0.6)	0.63(=0.0+0.63)	0.69(=0.0+0.69)	0.3127	0.329	0.0071	
Y _N = 0.63	02,1 _d	0.125	0.125	0.125	15.57	25.73	10.16	28.13	11.21	0.11	1.92(=1.32+0.6)	2.02(=1.39+0.63)	2.19(=1.51+0.69)	0.3127	0.329	0.0228
L* _N = 5.69	03,2 _d	0.25	0.25	0.25	36.86	36.86	11.13	39.34	11.21	0.223	4.42(=3.83+0.6)	4.66(=4.03+0.63)	5.07(=4.38+0.69)	0.3127	0.329	0.0525
	04,3 _d	0.375	0.375	0.375	50.56	50.56	11.49	50.56	11.21	0.347	8.99(=8.39+0.6)	9.46(=8.83+0.63)	10.3(=9.62+0.69)	0.3127	0.329	0.1068
	05,4 _d	0.5	0.5	0.5	48.35	60.02	11.67	61.77	11.21	0.475	16.22(=15.63+0.6)	17.07(=16.44+0.63)	18.59(=17.9+0.69)	0.3127	0.329	0.1927
	06,5 _d	0.625	0.625	0.625	60.02	60.02	11.67	61.77	11.21	0.606	26.75(=26.15+0.6)	28.15(=27.52+0.63)	30.65(=29.96+0.69)	0.3127	0.329	0.3177
	07,6 _d	0.75	0.75	0.75	71.77	71.77	11.75	72.98	11.21	0.736	41.17(=40.57+0.6)	43.32(=42.69+0.63)	47.16(=46.48+0.69)	0.3127	0.329	0.4889
	08,7 _d	0.875	0.875	0.875	83.58	83.58	11.81	84.2	11.21	0.868	60.12(=59.52+0.6)	63.25(=62.62+0.63)	68.87(=68.18+0.69)	0.3127	0.329	0.714
	09,8 _d	1.0	1.0	1.0	95.41	95.41	11.83	95.41	11.21	1.0	84.2(=83.6+0.6)	88.59(=87.96+0.63)	96.46(=95.77+0.69)	0.3127	0.329	1.0
	10,N _d	0.0	0.0	0.0	5.7	5.7	5.7	5.7	5.7	0.6	0.6(=0.0+0.6)	0.63(=0.0+0.63)	0.69(=0.0+0.69)	0.3127	0.329	0.0071
	11,W _d	1.0	1.0	1.0	95.41	95.41	89.71	95.41	89.71	84.2	88.59(=87.96+0.63)	96.46(=95.77+0.69)	0.3127	0.329	1.0	

Farbmehrmetrische "Adaptierte Daten (b)": Fernseh-Lichtfarben-System TLS00b für Helligkeit L*=00 von Schwarz und für Lichtart D65																
System TLS00b	Farbe i	r* _d	g* _d	b* _d	L* _{re,d}	ΔL* _{re,d}	L* _{it,d}	ΔL* _{it,d}	w _d	X _{b,d}	Y _{b,d}	Z _{b,d}	x _{b,d}	y _{b,d}	Y _{b,d} /88.59	
D65-Reflexion:	01, _{0d}	0.0	0.0	0.0	0.01	0.01	11.92	11.94	11.93	0.125	1.33(=1.33+0.0)	0.0(=0.0+0.0)	0.0(=0.0+0.0)	0.3118	0.3281	0.0
YN = 0.0	02, _{1d}	0.125	0.125	0.125	11.93	11.92	11.92	11.93	0.125	1.33(=1.33+0.0)	1.4(=1.39+0.0)	1.52(=1.52+0.0)	0.3127	0.329	0.0158	
L*N = 0.0	03, _{2d}	0.25	0.25	0.25	23.85	11.92	23.86	11.93	0.25	3.85(=3.85+0.0)	4.05(=4.05+0.0)	4.41(=4.41+0.0)	0.3127	0.329	0.0458	
	04, _{3d}	0.375	0.375	0.375	35.78	11.93	35.79	11.92	0.375	8.45(=8.45+0.0)	8.89(=8.89+0.0)	9.68(=9.68+0.0)	0.3127	0.329	0.1004	
	05, _{4d}	0.5	0.5	0.5	47.7	11.92	47.71	11.92	0.5	15.74(=15.74+0.0)	16.56(=16.56+0.0)	18.03(=18.03+0.0)	0.3127	0.329	0.1869	
	06, _{5d}	0.625	0.625	0.625	59.63	11.93	59.64	11.92	0.625	26.34(=26.34+0.0)	27.71(=27.71+0.0)	30.18(=30.17+0.0)	0.3127	0.329	0.3128	
	07, _{6d}	0.75	0.75	0.75	71.55	11.92	71.56	11.93	0.75	40.86(=40.86+0.0)	42.99(=42.99+0.0)	46.81(=46.81+0.0)	0.3127	0.329	0.4853	
	08, _{7d}	0.875	0.875	0.875	83.48	11.93	83.49	11.92	0.875	59.94(=59.94+0.0)	63.07(=63.07+0.0)	68.67(=68.67+0.0)	0.3127	0.329	0.7119	
	09, _{8d}	1.0	1.0	1.0	95.41	11.93	95.41	11.93	1.0	84.2(=84.2+0.0)	88.59(=88.59+0.0)	96.46(=96.46+0.0)	0.3127	0.329	1.0	
	10, _{Nd}	0.0	0.0	0.0	0.01	0.01	0.01	0.01	0.0	0.0(=0.0+0.0)	0.0(=0.0+0.0)	0.0(=0.0+0.0)	0.3118	0.3281	0.0	
	11, _{Wd}	1.0	1.0	1.0	95.41	95.4	95.41	95.4	0.0	84.2(=84.2+0.0)	88.59(=88.59+0.0)	96.46(=96.46+0.0)	0.3127	0.329	1.0	

Berechnete farbmehrmetrische Daten (b): Fernseh-Lichtfarben-Systeme TLS11b für Helligkeit L*=11 von Schwarz und für Lichtart D65

System TLS11b	Farbe i	r* _{a,d}	g* _{a,d}	b* _{a,d}	L* _{re,d}	ΔL* _{re,d}	L* _{it,d}	ΔL* _{it,d}	w _d	X _{a,d}	Y _{a,d}	Z _{a,d}	x _{a,d}	y _{a,d}	Y _{a,d} /88.59
D65-Reflexion:	01, _{0d}	0.0	0.0	0.0	11.0	11.0	10.55	0.0	1.2(=0.0+1.2)	1.26(=0.0+1.26)	1.37(=0.0+1.37)	0.3127	0.329	0.0142	
YN = 1.26	02, _{1d}	0.125	0.125	0.125	18.52	7.52	21.55	10.55	0.089	2.51(=1.31+1.2)	2.64(=1.38+1.26)	2.87(=1.5+1.37)	0.3127	0.329	0.0298
L*N = 11.0	03, _{2d}	0.25	0.25	0.25	27.45	8.93	32.1	10.55	0.195	5.0(=3.8+1.2)	5.26(=4.0+1.26)	5.72(=4.35+1.37)	0.3127	0.329	0.0593
	04, _{3d}	0.375	0.375	0.375	37.89	10.44	42.65	10.55	0.319	9.53(=8.33+1.2)	10.03(=8.77+1.26)	10.92(=9.55+1.37)	0.3127	0.329	0.1132
	05, _{4d}	0.5	0.5	0.5	48.99	11.1	53.21	10.55	0.45	16.71(=15.51+1.2)	17.58(=16.32+1.26)	19.15(=17.77+1.37)	0.3127	0.329	0.1985
	06, _{5d}	0.625	0.625	0.625	60.41	11.42	63.76	10.55	0.585	27.16(=25.97+1.2)	28.58(=27.32+1.26)	31.12(=29.75+1.37)	0.3127	0.329	0.3226
	07, _{6d}	0.75	0.75	0.75	71.99	11.58	74.31	10.55	0.723	41.48(=40.28+1.2)	43.64(=42.38+1.26)	47.52(=46.14+1.37)	0.3127	0.329	0.4926
	08, _{7d}	0.875	0.875	0.875	83.67	11.68	84.86	10.55	0.861	60.29(=59.09+1.2)	63.43(=62.17+1.26)	69.07(=67.7+1.37)	0.3127	0.329	0.716
	09, _{8d}	1.0	1.0	1.0	95.41	11.74	95.41	10.55	1.0	84.2(=83.0+1.2)	88.59(=87.33+1.26)	96.46(=95.09+1.37)	0.3127	0.329	1.0
	10, _{Nd}	0.0	0.0	0.0	11.0	11.0	11.0	11.0	1.2(=0.0+1.2)	1.26(=0.0+1.26)	1.37(=0.0+1.37)	0.3127	0.329	0.0142	
	11, _{Wd}	1.0	1.0	1.0	95.41	84.41	95.41	84.41	0.0	84.2(=83.0+1.2)	88.59(=87.33+1.26)	96.46(=95.09+1.37)	0.3127	0.329	1.0

Berechnete farbmehrmetrische Daten (b): Fernseh-Lichtfarben-Systeme TLS18b für Helligkeit L*=18 von Schwarz und für Lichtart D65

System TLS18b	Farbe i	r* _{a,d}	g* _{a,d}	b* _{a,d}	L* _{re,d}	ΔL* _{re,d}	L* _{it,d}	ΔL* _{it,d}	w _d	X _{a,d}	Y _{a,d}	Z _{a,d}	x _{a,d}	y _{a,d}	Y _{a,d} /88.59
D65-Reflexion:	01, _{0d}	0.0	0.0	0.0	18.01	18.01	18.01	0.0	2.4(=0.0+2.4)	2.52(=0.0+2.52)	2.74(=0.0+2.74)	0.3127	0.329	0.0285	
YN = 2.52	02, _{1d}	0.125	0.125	0.125	23.26	5.24	27.69	9.67	0.068	3.68(=1.29+2.4)	3.88(=1.36+2.52)	4.22(=1.48+2.74)	0.3127	0.329	0.0438
L*N = 18.01	03, _{2d}	0.25	0.25	0.25	30.54	7.28	37.36	9.67	0.162	6.14(=3.74+2.4)	6.46(=3.94+2.52)	7.03(=4.29+2.74)	0.3127	0.329	0.0729
	04, _{3d}	0.375	0.375	0.375	39.85	9.31	47.04	9.67	0.282	10.61(=8.21+2.4)	11.16(=8.64+2.52)	12.15(=9.41+2.74)	0.3127	0.329	0.126
	05, _{4d}	0.5	0.5	0.5	50.23	10.37	56.71	9.67	0.416	17.69(=15.29+2.4)	18.61(=16.09+2.52)	20.26(=17.52+2.74)	0.3127	0.329	0.21
	06, _{5d}	0.625	0.625	0.625	61.17	10.95	66.39	9.67	0.558	27.99(=25.59+2.4)	29.45(=26.93+2.52)	32.06(=29.32+2.74)	0.3127	0.329	0.3324
	07, _{6d}	0.75	0.75	0.75	72.42	11.25	76.06	9.67	0.703	42.09(=39.7+2.4)	44.29(=41.77+2.52)	48.22(=45.48+2.74)	0.3127	0.329	0.4999
	08, _{7d}	0.875	0.875	0.875	83.86	11.44	85.74	9.67	0.851	60.63(=58.24+2.4)	63.8(=61.28+2.52)	69.46(=66.72+2.74)	0.3127	0.329	0.7201
	09, _{8d}	1.0	1.0	1.0	95.41	11.55	95.41	9.67	1.0	84.2(=81.8+2.4)	88.59(=86.07+2.52)	96.46(=93.72+2.74)	0.3127	0.329	1.0
	10, _{Nd}	0.0	0.0	0.0	18.01	18.01	18.01	18.01	1.2(=0.0+2.4)	2.4(=0.0+2.4)	2.52(=0.0+2.52)	2.74(=0.0+2.74)	0.3127	0.329	0.0285
	11, _{Wd}	1.0	1.0	1.0	95.41	77.4	95.41	77.4	0.0	84.2(=81.8+2.4)	88.59(=86.07+2.52)	96.46(=93.72+2.74)	0.3127	0.329	1.0

Farbmehrmetrische "Adaptierte Daten (b)": Fernseh-Lichtfarben-System TLS00b für Helligkeit $L^*=00$ von Schwarz und für Lichtart D65																
System TLS00b	Farbe i	r^*_d	g^*_d	b^*_d	$L^*_{re,d}$	$\Delta L^*_{re,d}$	$L^*_{it,d}$	$\Delta L^*_{it,d}$	w_d	$X_{b,d}$	$Y_{b,d}$	$Z_{b,d}$	$x_{b,d}$	$y_{b,d}$	$Y_{b,d}/88.59$	
D65-Reflexion:	01, I_d	0.0	0.0	0.0	0.01	0.01	11.92	11.94	11.93	0.125	1.33(-1.33+0.0)	0.0(=0.0+0.0)	0.0(=0.0+0.0)	0.3118	0.3281	0.0
$Y_N = 0.0$	02, I_d	0.125	0.125	0.125	11.93	11.92	11.92	11.93	0.125	1.33(-1.33+0.0)	1.4(-1.39+0.0)	1.52(-1.52+0.0)	0.3127	0.329	0.0158	
$L^*N = 0.0$	03, 2_d	0.25	0.25	0.25	23.85	23.86	23.86	11.93	0.25	3.85(-3.85+0.0)	4.05(-4.05+0.0)	4.41(-4.41+0.0)	0.3127	0.329	0.0458	
	04, 3_d	0.375	0.375	0.375	35.78	35.79	35.79	11.92	0.375	8.45(-8.45+0.0)	8.89(-8.89+0.0)	9.68(-9.68+0.0)	0.3127	0.329	0.1004	
	05, 4_d	0.5	0.5	0.5	47.7	11.92	47.71	11.92	0.5	15.74(-15.74+0.0)	16.56(-16.56+0.0)	18.03(-18.03+0.0)	0.3127	0.329	0.1869	
	06, 5_d	0.625	0.625	0.625	59.63	11.93	59.64	11.92	0.625	26.34(-26.34+0.0)	27.71(-27.71+0.0)	30.18(-30.17+0.0)	0.3127	0.329	0.3128	
	07, 6_d	0.75	0.75	0.75	71.55	11.92	71.56	11.93	0.75	40.86(-40.86+0.0)	42.99(-42.99+0.0)	46.81(-46.81+0.0)	0.3127	0.329	0.4853	
	08, 7_d	0.875	0.875	0.875	83.48	11.93	83.49	11.92	0.875	59.94(-59.94+0.0)	63.07(-63.07+0.0)	68.67(-68.67+0.0)	0.3127	0.329	0.7119	
	09, 8_d	1.0	1.0	1.0	95.41	11.93	95.41	11.93	1.0	84.2(-84.2+0.0)	88.59(-88.59+0.0)	96.46(-96.46+0.0)	0.3127	0.329	1.0	
	10, N_d	0.0	0.0	0.0	0.01	0.01	0.01	0.01	0.0	0.0(=0.0+0.0)	0.0(=0.0+0.0)	0.0(=0.0+0.0)	0.3118	0.3281	0.0	
	11, W_d	1.0	1.0	1.0	95.41	95.4	95.41	95.4	0.0	84.2(-84.2+0.0)	88.59(-88.59+0.0)	96.46(-96.46+0.0)	0.3127	0.329	1.0	

Berechnete farbmehrmetrische Daten (b): Fernseh-Lichtfarben-Systeme TLS27b für Helligkeit $L^*=27$ von Schwarz und für Lichtart D65

System TLS27b	Farbe i	$r^*_{a,d}$	$g^*_{a,d}$	$b^*_{a,d}$	$L^*_{re,d}$	$\Delta L^*_{re,d}$	$L^*_{it,d}$	$\Delta L^*_{it,d}$	w_d	$X_{a,d}$	$Y_{a,d}$	$Z_{a,d}$	$x_{a,d}$	$y_{a,d}$	$Y_{a,d}/88.59$
D65-Reflexion:	01, I_d	0.0	0.0	0.0	26.85	3.44	26.85	8.57	0.0	4.79(=0.0+4.79)	5.04(=0.0+5.04)	5.49(=0.0+5.49)	0.3127	0.329	0.0569
$Y_N = 5.04$	02, I_d	0.125	0.125	0.125	30.29	5.43	35.42	8.57	0.05	6.04(-1.25+4.79)	6.36(-1.32+5.04)	6.92(-1.43+5.49)	0.3127	0.329	0.0717
$L^*N = 26.85$	03, 2_d	0.25	0.25	0.25	35.72	7.68	43.99	8.57	0.129	8.42(-3.63+4.79)	8.86(-3.82+5.04)	9.65(-4.16+5.49)	0.3127	0.329	0.1
	04, 3_d	0.375	0.375	0.375	43.4	9.17	52.56	8.57	0.241	12.76(-7.97+4.79)	13.43(-8.39+5.04)	14.62(-9.13+5.49)	0.3127	0.329	0.1516
	05, 4_d	0.5	0.5	0.5	52.57	10.09	61.13	8.57	0.375	19.63(-14.84+4.79)	20.66(-15.62+5.04)	22.49(-17.0+5.49)	0.3127	0.329	0.2332
	06, 5_d	0.625	0.625	0.625	62.66	6.97	69.7	8.57	0.522	29.63(-24.84+4.79)	31.18(-26.14+5.04)	33.95(-28.46+5.49)	0.3127	0.329	0.3519
	07, 6_d	0.75	0.75	0.75	73.28	10.62	78.27	8.57	0.677	43.33(-38.54+4.79)	45.59(-40.55+5.04)	49.63(-44.15+5.49)	0.3127	0.329	0.5146
	08, 7_d	0.875	0.875	0.875	84.24	10.96	86.84	8.57	0.837	61.32(-56.53+4.79)	64.52(-59.48+5.04)	70.25(-64.77+5.49)	0.3127	0.329	0.7283
	09, 8_d	1.0	1.0	1.0	95.41	11.17	95.41	8.57	1.0	84.2(-79.41+4.79)	88.59(-83.55+5.04)	96.46(-90.97+5.49)	0.3127	0.329	1.0
	10, N_d	0.0	0.0	0.0	26.85	68.56	26.85	8.57	0.0	4.79(=0.0+4.79)	5.04(=0.0+5.04)	5.49(=0.0+5.49)	0.3127	0.329	0.0569
	11, W_d	1.0	1.0	1.0	95.41	95.41	95.41	84.2	0.0	84.2(-79.41+4.79)	88.59(-83.55+5.04)	96.46(-90.97+5.49)	0.3127	0.329	1.0

Berechnete farbmehrmetrische Daten (b): Fernseh-Lichtfarben-Systeme TLS38b für Helligkeit $L^*=38$ von Schwarz und für Lichtart D65

System TLS38b	Farbe i	$r^*_{a,d}$	$g^*_{a,d}$	$b^*_{a,d}$	$L^*_{re,d}$	$\Delta L^*_{re,d}$	$L^*_{it,d}$	$\Delta L^*_{it,d}$	w_d	$X_{a,d}$	$Y_{a,d}$	$Z_{a,d}$	$x_{a,d}$	$y_{a,d}$	$Y_{a,d}/88.59$
D65-Reflexion:	01, I_d	0.0	0.0	0.0	37.99	2.12	37.99	7.18	0.0	9.58(=0.0+9.58)	10.08(=0.0+10.08)	10.98(=0.0+10.98)	0.3127	0.329	0.1138
$Y_N = 10.08$	02, I_d	0.125	0.125	0.125	40.11	3.65	45.17	7.18	0.037	10.76(-1.18+9.58)	11.32(-1.24+10.08)	12.32(-1.35+10.98)	0.3127	0.329	0.1277
$L^*N = 37.99$	03, 2_d	0.25	0.25	0.25	43.76	5.69	52.34	7.18	0.101	12.99(-3.41+9.58)	13.67(-3.59+10.08)	14.89(-3.91+10.98)	0.3127	0.329	0.1543
	04, 3_d	0.375	0.375	0.375	49.45	5.69	59.52	7.18	0.2	17.07(-7.49+9.58)	17.96(-7.88+10.08)	19.56(-8.58+10.98)	0.3127	0.329	0.2028
	05, 4_d	0.5	0.5	0.5	56.84	7.39	66.7	7.18	0.328	23.53(-13.95+9.58)	24.76(-14.68+10.08)	26.95(-15.98+10.98)	0.3127	0.329	0.2794
	06, 5_d	0.625	0.625	0.625	65.47	8.63	73.88	7.18	0.479	32.92(-23.34+9.58)	34.64(-24.56+10.08)	37.72(-26.74+10.98)	0.3127	0.329	0.391
	07, 6_d	0.75	0.75	0.75	74.94	9.47	81.05	7.18	0.644	45.79(-36.21+9.58)	48.18(-38.1+10.08)	52.46(-41.48+10.98)	0.3127	0.329	0.5438
	08, 7_d	0.875	0.875	0.875	84.98	10.04	88.23	7.18	0.818	62.7(-53.12+9.58)	65.98(-55.9+10.08)	71.83(-60.86+10.98)	0.3127	0.329	0.7447
	09, 8_d	1.0	1.0	1.0	95.41	10.43	95.41	7.18	1.0	84.2(-74.62+9.58)	88.59(-78.51+10.08)	96.46(-85.48+10.98)	0.3127	0.329	1.0
	10, N_d	0.0	0.0	0.0	37.99	57.42	37.99	57.42	0.0	9.58(=0.0+9.58)	10.08(-0.0+10.08)	10.98(-0.0+10.98)	0.3127	0.329	0.1138
	11, W_d	1.0	1.0	1.0	95.41	95.41	95.41	84.2	0.0	88.59(-78.51+10.08)	96.46(-85.48+10.98)	96.46(-85.48+10.98)	0.3127	0.329	1.0

Farbmétrische "Adaptierte Daten (b)": Fernseh-Lichtfarben-System TLS00b für Helligkeit L*=00 von Schwarz und für Lichtart D65																
System TLS00b	Farbe i	r* _d	g* _d	b* _d	L* _{re,d}	ΔL* _{re,d}	L* _{it,d}	ΔL* _{it,d}	w _d	X _{b,d}	Y _{b,d}	Z _{b,d}	x _{b,d}	y _{b,d}	Y _{b,d} /88.59	
D65-Reflexion:	01,0 _d	0.0	0.0	0.0	0.01	0.01	11.92	11.94	11.93	0.0	0.0(=0.0+0.0)	0.0(=0.0+0.0)	0.0(=0.0+0.0)	0.3118	0.3281	0.0
YN = 0.0	02,1 _d	0.125	0.125	0.125	11.93	11.92	11.92	11.93	0.125	1.33(=1.33+0.0)	1.4(=1.39+0.0)	1.52(=1.52+0.0)	0.3127	0.329	0.0158	
L*N = 0.0	03,2 _d	0.25	0.25	0.25	23.85	23.86	23.86	23.85	0.25	3.85(=3.85+0.0)	4.05(=4.05+0.0)	4.41(=4.41+0.0)	0.3127	0.329	0.0458	
	04,3 _d	0.375	0.375	0.375	35.78	35.79	35.79	35.78	0.375	8.45(=8.45+0.0)	8.89(=8.89+0.0)	9.68(=9.68+0.0)	0.3127	0.329	0.1004	
	05,4 _d	0.5	0.5	0.5	47.7	47.71	47.71	47.7	0.5	15.74(=15.74+0.0)	16.56(=16.56+0.0)	18.03(=18.03+0.0)	0.3127	0.329	0.1869	
	06,5 _d	0.625	0.625	0.625	59.63	59.64	59.64	59.63	0.625	26.34(=26.34+0.0)	27.71(=27.71+0.0)	30.18(=30.17+0.0)	0.3127	0.329	0.3128	
	07,6 _d	0.75	0.75	0.75	71.55	71.56	71.56	71.55	0.75	40.86(=40.86+0.0)	42.99(=42.99+0.0)	46.81(=46.81+0.0)	0.3127	0.329	0.4853	
	08,7 _d	0.875	0.875	0.875	83.48	83.49	83.49	83.48	0.875	59.94(=59.94+0.0)	63.07(=63.07+0.0)	68.67(=68.67+0.0)	0.3127	0.329	0.7119	
	09,8 _d	1.0	1.0	1.0	95.41	95.41	95.41	95.41	1.0	84.2(=84.2+0.0)	88.59(=88.59+0.0)	96.46(=96.46+0.0)	0.3127	0.329	1.0	
	10,N _d	0.0	0.0	0.0	0.01	0.01	0.01	0.01	0.0	0.0(=0.0+0.0)	0.0(=0.0+0.0)	0.0(=0.0+0.0)	0.3118	0.3281	0.0	
	11,W _d	1.0	1.0	1.0	95.41	95.4	95.41	95.4		84.2(=84.2+0.0)	88.59(=88.59+0.0)	96.46(=96.46+0.0)	0.3127	0.329	1.0	

Berechnete farbmétrische Daten (b): Fernseh-Lichtfarben-Systeme TLS52b für Helligkeit L*=52 von Schwarz und für Lichtart D65

System TLS52b	Farbe i	r* _{a,d}	g* _{a,d}	b* _{a,d}	L* _{re,d}	ΔL* _{re,d}	L* _{it,d}	ΔL* _{it,d}	w _d	X _{a,d}	Y _{a,d}	Z _{a,d}	x _{a,d}	y _{a,d}	Y _{a,d} /88.59
D65-Reflexion:	01,0 _d	0.0	0.0	0.0	52.02	52.02	52.02	52.02	0.0	19.16(=0.0+19.16)	20.16(=0.0+20.16)	21.95(=0.0+21.95)	0.3127	0.329	0.2276
YN = 20.16	02,1 _d	0.125	0.125	0.125	53.21	1.19	57.44	5.42	0.027	20.18(=1.02+19.16)	21.24(=1.08+20.16)	23.12(=1.17+21.95)	0.3127	0.329	0.2397
L*N = 52.02	03,2 _d	0.25	0.25	0.25	55.37	2.16	62.87	5.42	0.077	22.14(=2.98+19.16)	23.29(=3.13+20.16)	25.36(=3.41+21.95)	0.3127	0.329	0.2629
	04,3 _d	0.375	0.375	0.375	59.0	3.63	68.29	5.42	0.161	25.69(=6.53+19.16)	27.03(=6.87+20.16)	29.43(=7.48+21.95)	0.3127	0.329	0.3051
	05,4 _d	0.5	0.5	0.5	64.12	5.12	73.71	5.42	0.279	31.32(=12.16+19.16)	32.95(=12.79+20.16)	35.88(=13.93+21.95)	0.3127	0.329	0.3719
	06,5 _d	0.625	0.625	0.625	70.57	6.45	79.14	5.42	0.428	39.51(=20.35+19.16)	41.57(=21.41+20.16)	45.26(=23.31+21.95)	0.3127	0.329	0.4692
	07,6 _d	0.75	0.75	0.75	78.09	7.52	84.56	5.42	0.601	50.72(=31.56+19.16)	53.37(=33.21+20.16)	58.11(=36.16+21.95)	0.3127	0.329	0.6024
	08,7 _d	0.875	0.875	0.875	86.44	8.35	89.99	5.42	0.793	65.46(=46.3+19.16)	68.88(=48.72+20.16)	75.0(=53.05+21.95)	0.3127	0.329	0.7775
	09,8 _d	1.0	1.0	1.0	95.41	8.97	95.41	5.42	1.0	84.2(=65.04+19.16)	88.59(=68.43+20.16)	96.46(=74.51+21.95)	0.3127	0.329	1.0
	10,N _d	0.0	0.0	0.0	52.02	52.02	52.02	52.02		19.16(=0.0+19.16)	20.16(=0.0+20.16)	21.95(=0.0+21.95)	0.3127	0.329	0.2276
	11,W _d	1.0	1.0	1.0	95.41	43.39	95.41	43.39		84.2(=65.04+19.16)	88.59(=68.43+20.16)	96.46(=74.51+21.95)	0.3127	0.329	1.0

Berechnete farbmétrische Daten (b): Fernseh-Lichtfarben-Systeme TLS70b für Helligkeit L*=70 von Schwarz und für Lichtart D65

System TLS70b	Farbe i	r* _{a,d}	g* _{a,d}	b* _{a,d}	L* _{re,d}	ΔL* _{re,d}	L* _{it,d}	ΔL* _{it,d}	w _d	X _{a,d}	Y _{a,d}	Z _{a,d}	x _{a,d}	y _{a,d}	Y _{a,d} /88.59
D65-Reflexion:	01,0 _d	0.0	0.0	0.0	69.7	0.54	69.7	3.21	0.0	38.32(=0.0+38.32)	40.32(=0.0+40.32)	43.9(=0.0+43.9)	0.3127	0.329	0.4551
YN = 40.32	02,1 _d	0.125	0.125	0.125	70.23	1.0	72.91	3.21	0.021	39.04(=0.72+38.32)	41.08(=0.76+40.32)	44.73(=0.83+43.9)	0.3127	0.329	0.4637
L*N = 69.7	03,2 _d	0.25	0.25	0.25	71.23	1.77	76.13	3.21	0.06	40.42(=2.1+38.32)	42.53(=2.21+40.32)	46.31(=2.41+43.9)	0.3127	0.329	0.4801
	04,3 _d	0.375	0.375	0.375	73.0	2.66	79.34	3.21	0.128	42.93(=4.61+38.32)	45.17(=4.85+40.32)	49.18(=5.28+43.9)	0.3127	0.329	0.5098
	05,4 _d	0.5	0.5	0.5	75.66	3.62	82.55	3.21	0.232	46.9(=8.58+38.32)	49.34(=9.02+40.32)	53.72(=9.82+43.9)	0.3127	0.329	0.557
	06,5 _d	0.625	0.625	0.625	79.28	4.55	85.77	3.21	0.373	52.67(=14.35+38.32)	55.42(=15.1+40.32)	60.34(=16.44+43.9)	0.3127	0.329	0.6256
	07,6 _d	0.75	0.75	0.75	83.83	5.41	88.98	3.21	0.55	60.58(=22.26+38.32)	63.75(=23.43+40.32)	69.41(=25.51+43.9)	0.3127	0.329	0.7195
	08,7 _d	0.875	0.875	0.875	89.25	6.16	92.2	3.21	0.76	70.98(=32.66+38.32)	74.69(=34.37+40.32)	81.32(=37.42+43.9)	0.3127	0.329	0.843
	09,8 _d	1.0	1.0	1.0	95.41	6.16	95.41	3.21	1.0	84.2(=45.88+38.32)	88.59(=48.27+40.32)	96.46(=52.56+43.9)	0.3127	0.329	1.0
	10,N _d	0.0	0.0	0.0	69.7	69.7	69.7	69.7		38.32(=0.0+38.32)	40.32(=0.0+40.32)	43.9(=0.0+43.9)	0.3127	0.329	0.4551
	11,W _d	1.0	1.0	1.0	95.41	25.71	95.41	25.71		84.2(=45.88+38.32)	88.59(=48.27+40.32)	96.46(=52.56+43.9)	0.3127	0.329	1.0