



C

M

Y

O

L

V

C

M

Y

O

L

V

C

M

Y

O

L

V

C

M

Y

O

L

V

C

logarithm. V_a, V_o -Daten $u_\lambda=(\lambda - 550) / 50$
 $\log V_a = (\log M_o + \log L_o)/2$ $\log M_o = -0,35[u_\lambda - u_{550}]^2$
 $\log V_o = \log V_a + 0,02$ $\log L_o = -0,35[u_\lambda - u_{570}]^2$
 $\log [V_o, V_a, M_o, L_o]$ Adaptation: $\lambda_{557}=557$

logarithm. V_a, V_o -Daten $u_\lambda=(\lambda - 550) / 50$
 $\log V_a = (\log M_o + \log L_o)/2$ $\log M_o = -0,35[u_\lambda - u_{545}]^2$
 $\log V_o = \log V_a + 0,02$ $\log L_o = -0,35[u_\lambda - u_{570}]^2$
 $\log [V_o, V_a, M_o, L_o]$ Adaptation: $\lambda_{557}=557$

maximum $\log(L_m)=-0.02$
 $L_m=0.95$ Schwelle $t_a=0,00$

545 557 570
 545 557 570
 545 557 570

CGK00-1A CGK00-2A

logarithm. L_a, L_o -Daten $u_\lambda=(\lambda - 550) / 50$
 $\log L_a = (\log M_o + \log O_o)/2$ $\log M_o = -0,35[u_\lambda - u_{550}]^2$
 $\log L_o = \log L_a + 0,08$ $\log O_o = -0,35[u_\lambda - u_{595}]^2$
 $\log [L_o, L_a, M_o, O_o]$ Adaptation: $\lambda_{570}=570$

logarithm. L_a, L_o -Daten $u_\lambda=(\lambda - 550) / 50$
 $\log L_a = (\log M_o + \log O_o)/2$ $\log M_o = -0,35[u_\lambda - u_{545}]^2$
 $\log L_o = \log L_a + 0,08$ $\log O_o = -0,35[u_\lambda - u_{595}]^2$
 $\log [L_o, L_a, M_o, O_o]$ Adaptation: $\lambda_{570}=570$

maximum $\log(L_m)=-0.08$
 $L_m=0.81$ Schwelle $t_a=0,00$

545 570 595
 360 570 595
 545 570 595

CGK00-3A CGK00-4A

logarithm. L_a, L_o -Daten $u_\lambda=(\lambda - 550) / 50$
 $\log L_a = (\log M_o + \log O_o)/2$ $\log M_o = -0,35[u_\lambda - u_{550}]^2$
 $\log L_o = \log L_a + 0,08$ $\log O_o = -0,35[u_\lambda - u_{595}]^2$
 $\log [L_o, L_a, M_o, O_o]$ Adaptation: $\lambda_{570}=570$

logarithm. L_a, L_o -Daten $u_\lambda=(\lambda - 550) / 50$
 $\log L_a = (\log M_o + \log O_o)/2$ $\log M_o = -0,35[u_\lambda - u_{545}]^2$
 $\log L_o = \log L_a + 0,08$ $\log O_o = -0,35[u_\lambda - u_{595}]^2$
 $\log [L_o, L_a, M_o, O_o]$ Adaptation: $\lambda_{570}=570$

maximum $\log(L_m)=-0.08$
 $L_m=0.81$ Schwelle $t_a=0,00$

545 570 595
 360 570 595
 545 570 595

CGK00-5A CGK00-6A

logarithm. L_a, L_o -Daten $u_\lambda=(\lambda - 550) / 50$
 $\log L_a = (\log G_o + \log R_o)/2$ $\log G_o = -0,35[u_\lambda - u_{550}]^2$
 $\log L_o = \log L_a + 0,35$ $\log R_o = -0,35[u_\lambda - u_{620}]^2$
 $\log [L_o, L_a, G_o, R_o]$ Adaptation: $\lambda_{570}=570$

logarithm. L_a, L_o -Daten $u_\lambda=(\lambda - 550) / 50$
 $\log L_a = (\log G_o + \log R_o)/2$ $\log G_o = -0,35[u_\lambda - u_{545}]^2$
 $\log L_o = \log L_a + 0,35$ $\log R_o = -0,35[u_\lambda - u_{620}]^2$
 $\log [L_o, L_a, G_o, R_o]$ Adaptation: $\lambda_{570}=570$

maximum $\log(L_m)=-0.35$
 $L_m=0.44$ Schwelle $t_a=0,00$

520 570 620
 520 570 620
 520 570 620

CGK00-7A CGK00-8A

TUB-Prüfvorlage CGK0; Elementar-Farbensehen; Schwelle $t_a=0,00$ (links) und $0,10$ (rechts), E00
 $\log[\text{Empfindlichkeiten} \& \text{Differenzen}] LMS-R2I=(545,557,570), (545,570,595), (520,570,620)$, DL

CGK00-7A CGK00-8A

logarithm. V_a, V_o -Daten $u_\lambda=(\lambda - 550) / 50$
 $\log V_a = (\log M_o + \log L_o)/2$ $\log M_o = -0,35[u_\lambda - u_{545}]^2$
 $\log V_o = \log V_a + 0,01$ $\log L_o = -0,35[u_\lambda - u_{570}]^2$
 $\log [V_o, V_a, M_o, L_o]$ Adaptation: $\lambda_{557}=557$

logarithm. V_a, V_o -Daten $u_\lambda=(\lambda - 550) / 50$
 $\log V_a = (\log M_o + \log L_o)/2$ $\log M_o = -0,35[u_\lambda - u_{545}]^2$
 $\log V_o = \log V_a + 0,01$ $\log L_o = -0,35[u_\lambda - u_{570}]^2$
 $\log [V_o, V_a, M_o, L_o]$ Adaptation: $\lambda_{557}=557$

maximum $\log(L_m)=-0.01$
 $L_m=0.95$ Schwelle $t_a=0,00$

545 557 570
 490 557 625
 545 557 570

CGK01-1A CGK01-2A

logarithm. L_a, L_o -Daten $u_\lambda=(\lambda - 550) / 50$
 $\log L_a = (\log M_o + \log O_o)/2$ $\log M_o = -0,35[u_\lambda - u_{550}]^2$
 $\log L_o = \log L_a + 0,07$ $\log O_o = -0,35[u_\lambda - u_{595}]^2$
 $\log [L_o, L_a, M_o, O_o]$ Adaptation: $\lambda_{570}=570$

logarithm. L_a, L_o -Daten $u_\lambda=(\lambda - 550) / 50$
 $\log L_a = (\log M_o + \log O_o)/2$ $\log M_o = -0,35[u_\lambda - u_{545}]^2$
 $\log L_o = \log L_a + 0,07$ $\log O_o = -0,35[u_\lambda - u_{595}]^2$
 $\log [L_o, L_a, M_o, O_o]$ Adaptation: $\lambda_{570}=570$

maximum $\log(L_m)=-0.07$
 $L_m=0.83$ Schwelle $t_a=0,10$

545 570 595
 595 635
 545 570 595

CGK01-3A CGK01-4A

logarithm. L_a, L_o -Daten $u_\lambda=(\lambda - 550) / 50$
 $\log L_a = (\log M_o + \log O_o)/2$ $\log M_o = -0,35[u_\lambda - u_{550}]^2$
 $\log L_o = \log L_a + 0,07$ $\log O_o = -0,35[u_\lambda - u_{595}]^2$
 $\log [L_o, L_a, M_o, O_o]$ Adaptation: $\lambda_{570}=570$

logarithm. L_a, L_o -Daten $u_\lambda=(\lambda - 550) / 50$
 $\log L_a = (\log M_o + \log O_o)/2$ $\log M_o = -0,35[u_\lambda - u_{545}]^2$
 $\log L_o = \log L_a + 0,07$ $\log O_o = -0,35[u_\lambda - u_{595}]^2$
 $\log [L_o, L_a, M_o, O_o]$ Adaptation: $\lambda_{570}=570$

maximum $\log(L_m)=-0.07$
 $L_m=0.83$ Schwelle $t_a=0,10$

545 570 595
 595 635
 545 570 595

CGK01-5A CGK01-6A

logarithm. L_a, L_o -Daten $u_\lambda=(\lambda - 550) / 50$
 $\log L_a = (\log G_o + \log R_o)/2$ $\log G_o = -0,35[u_\lambda - u_{550}]^2$
 $\log L_o = \log L_a + 0,30$ $\log R_o = -0,35[u_\lambda - u_{620}]^2$
 $\log [L_o, L_a, G_o, R_o]$ Adaptation: $\lambda_{570}=570$

logarithm. L_a, L_o -Daten $u_\lambda=(\lambda - 550) / 50$
 $\log L_a = (\log G_o + \log R_o)/2$ $\log G_o = -0,35[u_\lambda - u_{545}]^2$
 $\log L_o = \log L_a + 0,30$ $\log R_o = -0,35[u_\lambda - u_{620}]^2$
 $\log [L_o, L_a, G_o, R_o]$ Adaptation: $\lambda_{570}=570$

maximum $\log(L_m)=-0.30$
 $L_m=0.49$ Schwelle $t_a=0,10$

520 570 620
 570 620
 520 570 620

CGK01-7A CGK01-8A

TUB-Prüfvorlage CGK0; Elementar-Farbensehen; Schwelle $t_a=0,00$ (links) und $0,10$ (rechts), E00
 $\log[\text{Empfindlichkeiten} \& \text{Differenzen}] LMS-R2I=(545,557,570), (545,570,595), (520,570,620)$, DL

CGK01-7A CGK01-8A