


lin[Empfindlichkeit]
 $\log G_o = -0,35[u_{\lambda} - u_{530}]^2$
 $\log G_a = \log G_o + 0,00$
 $[L_a, B_a]$


$\log L_o = -0,35[u_{\lambda} - u_{570}]^2$
 $\log B_o = -0,35[u_{\lambda} - u_{470}]^2$
 $\log L_a = \log L_o + 0,00$
 $\log B_a = \log B_o + 0,00$
 $u_{\lambda} = (\lambda - 550)/50$



CGP90-1A

lin[Sättigung]
 $\log G_o = -0,35[u_{\lambda} - u_{530}]^2$
 $\log G_a = \log G_o + 0,00$
 $[L_o/G_o, B_o/G_o]$


$\log L_o = -0,35[u_{\lambda} - u_{570}]^2$
 $\log B_o = -0,35[u_{\lambda} - u_{470}]^2$
 $\log L_a = \log L_o + 0,00$
 $\log B_a = \log B_o + 0,00$
Sättigung L



CGP90-2A

lin[Empfindlichkeit]
 $\log G_o = -0,35[u_{\lambda} - u_{530}]^2$
 $\log G_a = \log G_o - 0,35$
 $[G_o, L_a, B_a]$

$\log L_o = -0,35[u_{\lambda} - u_{570}]^2$
 $\log B_o = -0,35[u_{\lambda} - u_{470}]^2$
 $\log L_a = \log L_o + 0,00$
 $\log B_a = \log B_o + 0,00$
 $u_{\lambda} = (\lambda - 550)/50$



CGP90-3A

lin[Sättigung]
 $\log G_o = -0,35[u_{\lambda} - u_{530}]^2$
 $\log G_a = \log G_o - 0,35$
 $[G_o/G_a, L_a/G_a, B_a/G_a]$


$\log L_o = -0,35[u_{\lambda} - u_{570}]^2$
 $\log B_o = -0,35[u_{\lambda} - u_{470}]^2$
 $\log L_a = \log L_o + 0,00$
 $\log B_a = \log B_o + 0,00$
Sättigung L



CGP90-4A

lin[Empfindlichkeit]
 $\log G_o = -0,35[u_{\lambda} - u_{530}]^2$
 $\log G_a = \log G_o - 0,35$
 $[G_o, B_a]$

$\log L_o = -0,35[u_{\lambda} - u_{570}]^2$
 $\log B_o = -0,35[u_{\lambda} - u_{470}]^2$
 $\log L_a = \log L_o + 0,00$
 $\log B_a = \log B_o + 0,00$
 $u_{\lambda} = (\lambda - 550)/50$



CGP90-5A

lin[Sättigung]
 $\log G_o = -0,35[u_{\lambda} - u_{530}]^2$
 $\log G_a = \log G_o - 0,35$
 $[G_o/G_a, B_a/G_a]$


$\log L_o = -0,35[u_{\lambda} - u_{570}]^2$
 $\log B_o = -0,35[u_{\lambda} - u_{470}]^2$
 $\log L_a = \log L_o + 0,00$
 $\log B_a = \log B_o + 0,00$
Sättigung L



CGP90-6A

lin[Empfindlichkeit]
 $\log G_o = -0,35[u_{\lambda} - u_{530}]^2$
 $\log G_a = \log G_o - 0,35$
 $[G_o, L_a]$

$\log L_o = -0,35[u_{\lambda} - u_{570}]^2$
 $\log B_o = -0,35[u_{\lambda} - u_{470}]^2$
 $\log L_a = \log L_o + 0,00$
 $\log B_a = \log B_o + 0,00$
 $u_{\lambda} = (\lambda - 550)/50$



CGP90-7A

lin[Sättigung]
 $\log G_o = -0,35[u_{\lambda} - u_{530}]^2$
 $\log G_a = \log G_o - 0,35$
 $[G_o/G_a, L_a/G_a]$

$\log L_o = -0,35[u_{\lambda} - u_{570}]^2$
 $\log B_o = -0,35[u_{\lambda} - u_{470}]^2$
 $\log L_a = \log L_o + 0,00$
 $\log B_a = \log B_o + 0,00$
Sättigung L



CGP90-8A

CGP90-7N