


$\log[\text{Empfindlichkeit}]$
 $\log V_o = -0,35[u_{\lambda} - u_{557}]^2$
 $\log V_a = \log V_o + 0,00$
 $\log [V_a, L_a, M_a]$


$\log L_o = -0,35[u_{\lambda} - u_{570}]^2$
 $\log M_o = -0,35[u_{\lambda} - u_{555}]^2$
 $\log L_a = \log L_o - 0,19$
 $\log M_a = \log M_o + 0,24$
 $u_{\lambda} = (\lambda - 550)/50$



CGQ41-1A

$\log[\text{Empfindlichkeit}]$
 $\log V_o = -0,35[u_{\lambda} - u_{557}]^2$
 $\log V_a = \log V_o + 0,00$
 $\log [V_a, L_a, M_a]$


$\log L_o = -0,35[u_{\lambda} - u_{570}]^2$
 $\log M_o = -0,35[u_{\lambda} - u_{555}]^2$
 $\log L_a = \log L_o + 0,07$
 $\log M_a = \log M_o + 0,07$
 $u_{\lambda} = (\lambda - 550)/50$



CGQ41-2A

$\log[\text{Empfindlichkeit}]$
 $\log V_o = -0,35[u_{\lambda} - u_{557}]^2$
 $\log V_a = \log V_o + 0,00$
 $\log [V_a, L_a, M_a]$


$\log L_o = -0,35[u_{\lambda} - u_{570}]^2$
 $\log M_o = -0,35[u_{\lambda} - u_{555}]^2$
 $\log L_a = \log L_o + 0,58$
 $\log M_a = \log M_o - 0,11$
 $u_{\lambda} = (\lambda - 550)/50$



CGQ41-3A

$\log[\text{Empfindlichkeit}]$
 $\log V_o = -0,35[u_{\lambda} - u_{557}]^2$
 $\log V_a = \log V_o + 0,00$
 $\log [V_a, L_a, M_a]$


$\log L_o = -0,35[u_{\lambda} - u_{570}]^2$
 $\log M_o = -0,35[u_{\lambda} - u_{555}]^2$
 $\log L_a = \log L_o + 1,12$
 $\log M_a = \log M_o - 0,28$
 $u_{\lambda} = (\lambda - 550)/50$



CGQ41-5A

$\log[\text{Sättigung}]$
 $\log V_o = -0,35[u_{\lambda} - u_{557}]^2$
 $\log V_a = \log V_o + 0,00$
 $\log [V_a/V_o, L_a/V_o, M_a/V_o]$


$\log L_o = -0,35[u_{\lambda} - u_{570}]^2$
 $\log M_o = -0,35[u_{\lambda} - u_{555}]^2$
 $\log L_a = \log L_o - 0,19$
 $\log M_a = \log M_o + 0,24$
 $u_{\lambda} = (\lambda - 550)/50$



CGQ41-1B

$\log[\text{Sättigung}]$
 $\log V_o = -0,35[u_{\lambda} - u_{557}]^2$
 $\log V_a = \log V_o + 0,00$
 $\log [V_a/V_o, L_a/V_o, M_a/V_o]$


$\log L_o = -0,35[u_{\lambda} - u_{570}]^2$
 $\log M_o = -0,35[u_{\lambda} - u_{555}]^2$
 $\log L_a = \log L_o + 0,07$
 $\log M_a = \log M_o + 0,07$
 $u_{\lambda} = (\lambda - 550)/50$



CGQ41-2B

$\log[\text{Sättigung}]$
 $\log V_o = -0,35[u_{\lambda} - u_{557}]^2$
 $\log V_a = \log V_o + 0,00$
 $\log [V_a/V_o, L_a/V_o, M_a/V_o]$


$\log L_o = -0,35[u_{\lambda} - u_{570}]^2$
 $\log M_o = -0,35[u_{\lambda} - u_{555}]^2$
 $\log L_a = \log L_o + 0,58$
 $\log M_a = \log M_o - 0,11$
 $u_{\lambda} = (\lambda - 550)/50$



CGQ41-3B

$\log[\text{Sättigung}]$
 $\log V_o = -0,35[u_{\lambda} - u_{557}]^2$
 $\log V_a = \log V_o + 0,00$
 $\log [V_a/V_o, L_a/V_o, M_a/V_o]$

$\log L_o = -0,35[u_{\lambda} - u_{570}]^2$
 $\log M_o = -0,35[u_{\lambda} - u_{555}]^2$
 $\log L_a = \log L_o + 1,12$
 $\log M_a = \log M_o - 0,28$
 $u_{\lambda} = (\lambda - 550)/50$



CGQ41-5B

CGQ41-7N