

$\log[\text{Empfindlichkeit}]$
 $\log L_o = -0,35[u_{\lambda} - u_{570}]^2$
 $\log L_a = \log L_o + 0,00$
 $\log [L_o, O_o, M_o]$

$\log O_o = -0,35[u_{\lambda} - u_{595}]^2$
 $\log M_o = -0,35[u_{\lambda} - u_{595}]^2$
 $\log O_a = \log O_o + 0,09$
 $\log M_a = \log M_o + 0,26$
 $u_{\lambda} = (\lambda - 550)/50$
 $t_s = 0.1$
 $O_o = 0.00 \quad O_a = -0.09$
 $L_o = -0.09 \quad L_a = -0.09$
 $M_o = -0.35 \quad M_a = -0.09$



CGR50-1A

$\log[\text{Empfindlichkeit}]$
 $\log L_o = -0,35[u_{\lambda} - u_{570}]^2$
 $\log L_a = \log L_o + 0,00$
 $\log [L_o, O_o, M_o]$

$\log O_o = -0,35[u_{\lambda} - u_{595}]^2$
 $\log M_o = -0,35[u_{\lambda} - u_{595}]^2$
 $\log O_a = \log O_o + 0,09$
 $\log M_a = \log M_o + 0,09$
 $u_{\lambda} = (\lambda - 550)/50$
 $t_s = 0.1$
 $O_o = -0.09 \quad O_a = 0.00$
 $L_o = 0.00 \quad L_a = 0.00$
 $M_o = -0.09 \quad M_a = 0.00$



CGR50-2A

$\log[\text{Empfindlichkeit}]$
 $\log L_o = -0,35[u_{\lambda} - u_{570}]^2$
 $\log L_a = \log L_o + 0,00$
 $\log [L_o, O_o, M_o]$

$\log O_o = -0,35[u_{\lambda} - u_{595}]^2$
 $\log M_o = -0,35[u_{\lambda} - u_{595}]^2$
 $\log O_a = \log O_o + 0,26$
 $\log M_a = \log M_o - 0,09$
 $u_{\lambda} = (\lambda - 550)/50$
 $t_s = 0.1$
 $O_o = -0.09 \quad O_a = -0.09$
 $L_o = -0.09 \quad L_a = -0.09$
 $M_o = 0.00 \quad M_a = -0.09$



CGR50-3A

$\log[\text{Empfindlichkeit}]$
 $\log L_o = -0,35[u_{\lambda} - u_{570}]^2$
 $\log L_a = \log L_o + 0,00$
 $\log [L_o, O_o, M_o]$

$\log O_o = -0,35[u_{\lambda} - u_{595}]^2$
 $\log M_o = -0,35[u_{\lambda} - u_{595}]^2$
 $\log O_a = \log O_o + 0,44$
 $\log M_a = \log M_o - 0,26$
 $u_{\lambda} = (\lambda - 550)/50$
 $t_s = 0.1$
 $O_o = -0.79 \quad O_a = -0.35$
 $L_o = -0.35 \quad L_a = -0.35$
 $M_o = -0.09 \quad M_a = -0.35$




CGR50-7A

$\log[\text{Sättigung}]$
 $\log L_o = -0,35[u_{\lambda} - u_{570}]^2$
 $\log L_a = \log L_o + 0,00$
 $\log [L_o/L_o, O_o/L_o, M_o/L_o]$

Ma La Oa

$\log O_o = -0,35[u_{\lambda} - u_{595}]^2$
 $\log M_o = -0,35[u_{\lambda} - u_{595}]^2$
 $\log O_a = \log O_o - 0,09$
 $\log M_a = \log M_o + 0,26$
 $Sättigung \text{ L}$



CGR50-2B

$\log[\text{Sättigung}]$
 $\log L_o = -0,35[u_{\lambda} - u_{570}]^2$
 $\log L_a = \log L_o + 0,00$
 $\log [L_o, O_o, M_o]$

$\log O_o = -0,35[u_{\lambda} - u_{595}]^2$
 $\log M_o = -0,35[u_{\lambda} - u_{595}]^2$
 $\log O_a = \log O_o + 0,09$
 $\log M_a = \log M_o + 0,09$
 $u_{\lambda} = (\lambda - 550)/50$
 $t_s = 0.1$
 $O_o = 0.00 \quad O_a = 0.00$
 $L_o = 0.00 \quad L_a = 0.00$
 $M_o = 0.09 \quad M_a = 0.09$



CGR50-4B

$\log[\text{Sättigung}]$
 $\log L_o = -0,35[u_{\lambda} - u_{570}]^2$
 $\log L_a = \log L_o + 0,00$
 $\log [L_o, O_o, M_o]$

$\log O_o = -0,35[u_{\lambda} - u_{595}]^2$
 $\log M_o = -0,35[u_{\lambda} - u_{595}]^2$
 $\log O_a = \log O_o + 0,26$
 $\log M_a = \log M_o - 0,09$
 $u_{\lambda} = (\lambda - 550)/50$
 $t_s = 0.1$
 $O_o = -0.09 \quad O_a = -0.09$
 $L_o = -0.09 \quad L_a = -0.09$
 $M_o = 0.00 \quad M_a = -0.09$



CGR50-6B

$\log[\text{Sättigung}]$
 $\log L_o = -0,35[u_{\lambda} - u_{570}]^2$
 $\log L_a = \log L_o + 0,00$
 $\log [L_o, O_o, M_o]$

$\log O_o = -0,35[u_{\lambda} - u_{595}]^2$
 $\log M_o = -0,35[u_{\lambda} - u_{595}]^2$
 $\log O_a = \log O_o + 0,44$
 $\log M_a = \log M_o - 0,26$
 $u_{\lambda} = (\lambda - 550)/50$
 $t_s = 0.1$
 $O_o = -0.79 \quad O_a = -0.35$
 $L_o = -0.35 \quad L_a = -0.35$
 $M_o = -0.09 \quad M_a = -0.35$



CGR50-8B

CGR50-7N