


log[Empfindlichkeit]  
 $\log L_o = -0,35[u_{\lambda} - u_{570}]^2$   
 $\log L_a = \log L_o + 0,00$   
 $\log [L_o, O_o, M_o]$


log  $O_o = -0,35[u_{\lambda} - u_{570}]^2$   
 $\log M_o = -0,35[u_{\lambda} - u_{570}]^2$   
 $\log O_a = \log O_o + 0,26$   
 $\log M_a = \log M_o + 0,44$   
 $u_{\lambda} = (\lambda - 550)/50$



CGR60-1A

log[Empfindlichkeit]  
 $\log L_o = -0,35[u_{\lambda} - u_{570}]^2$   
 $\log L_a = \log L_o + 0,00$   
 $\log [L_o, O_o, M_o]$


log  $O_o = -0,35[u_{\lambda} - u_{570}]^2$   
 $\log M_o = -0,35[u_{\lambda} - u_{570}]^2$   
 $\log O_a = \log O_o + 0,09$   
 $\log M_a = \log M_o + 0,09$   
 $u_{\lambda} = (\lambda - 550)/50$



CGR60-2A

log[Empfindlichkeit]  
 $\log L_o = -0,35[u_{\lambda} - u_{570}]^2$   
 $\log L_a = \log L_o + 0,00$   
 $\log [L_o, O_o, M_o]$


log  $O_o = -0,35[u_{\lambda} - u_{570}]^2$   
 $\log M_o = -0,35[u_{\lambda} - u_{570}]^2$   
 $\log O_a = \log O_o + 0,44$   
 $\log M_a = \log M_o - 0,26$   
 $u_{\lambda} = (\lambda - 550)/50$



CGR60-3A

log[Empfindlichkeit]  
 $\log L_o = -0,35[u_{\lambda} - u_{570}]^2$   
 $\log L_a = \log L_o + 0,00$   
 $\log [L_o, O_o, M_o]$


log  $O_o = -0,35[u_{\lambda} - u_{570}]^2$   
 $\log M_o = -0,35[u_{\lambda} - u_{570}]^2$   
 $\log O_a = \log O_o + 0,79$   
 $\log M_a = \log M_o - 0,61$   
 $u_{\lambda} = (\lambda - 550)/50$



CGR60-5A

log[Sättigung]  
 $\log L_o = -0,35[u_{\lambda} - u_{570}]^2$   
 $\log L_a = \log L_o + 0,00$   
 $\log [L_o/L_o, O_o/L_o, M_o/L_o]$


log  $O_o = -0,35[u_{\lambda} - u_{570}]^2$   
 $\log M_o = -0,35[u_{\lambda} - u_{570}]^2$   
 $\log O_a = \log O_o + 0,26$   
 $\log M_a = \log M_o + 0,44$



CGR60-2A

log[Empfindlichkeit]  
 $\log L_o = -0,35[u_{\lambda} - u_{570}]^2$   
 $\log L_a = \log L_o + 0,00$   
 $\log [L_o, O_o, M_o]$


log  $O_o = -0,35[u_{\lambda} - u_{570}]^2$   
 $\log M_o = -0,35[u_{\lambda} - u_{570}]^2$   
 $\log O_a = \log O_o + 0,09$   
 $\log M_a = \log M_o + 0,09$   
 $u_{\lambda} = (\lambda - 550)/50$



CGR60-4A

log[Empfindlichkeit]  
 $\log L_o = -0,35[u_{\lambda} - u_{570}]^2$   
 $\log L_a = \log L_o + 0,00$   
 $\log [L_o, O_o, M_o]$


log  $O_o = -0,35[u_{\lambda} - u_{570}]^2$   
 $\log M_o = -0,35[u_{\lambda} - u_{570}]^2$   
 $\log O_a = \log O_o + 0,44$   
 $\log M_a = \log M_o - 0,26$   
 $u_{\lambda} = (\lambda - 550)/50$



CGR60-6A

log[Empfindlichkeit]  
 $\log L_o = -0,35[u_{\lambda} - u_{570}]^2$   
 $\log L_a = \log L_o + 0,00$   
 $\log [L_o, O_o, M_o]$

log  $O_o = -0,35[u_{\lambda} - u_{570}]^2$   
 $\log M_o = -0,35[u_{\lambda} - u_{570}]^2$   
 $\log O_a = \log O_o + 0,79$   
 $\log M_a = \log M_o - 0,61$   
 $u_{\lambda} = (\lambda - 550)/50$



CGR60-8A

CGR60-7N