

CIE-D65 data of *Ostwald* colours of maximum chromatic value C_{AB}

$Y_w=88,6$, $Y_m=520_770$, $Bm=380_520$

tristimulus value Y , and chromatic values A_1, B_1, C_{AB1}
in the range $Y=0,0$ to $88,6$

80, 83

68, 72

134, 57

214, 51

314, 42

34, 48


248, 27

260, 16


h_{AB1}

CIE-D50 data of *Ostwald* colours of maximum chromatic value C_{AB}
 $Y_w=88,6$, $Y_m=520_770$, $Bm=380_520$

tristimulus value Y , and chromatic values A_1, B_1, C_{AB1}
in the range $Y=0,0$ to 88,6




CIE-P40 data of *Ostwald* colours of maximum chromatic value C_{AB}
 $Y_w=88,6$, $Y_m=520_770$, $Bm=380_520$



CIE-A00 data of *Ostwald* colours of maximum chromatic value C_{AB} $Y_w=88,6$, $Ym=520_770$, $Bm=380_520$

tristimulus value Y , and chromatic values A_1, B_1, C_{AB1}
in the range $Y=0,0$ to 88,6




1-000030-L0

DE031-2A 2 4

CIE-E00 data of Ostwald colours of maximum chromatic value C_{AB}


$Y_w=88,6$, $Y_m=520_770$, $Bm=380_520$



CIE-C00 data of *Ostwald* colours of maximum chromatic value C_{AB}


$Y_w=88,6$, $Y_m=520_770$, $Bm=380_520$

tristimulus value Y , and chromatic values A_1, B_1, C_{AB1}
in the range $Y=0,0$ to $88,6$



CIE-P00 data of *Ostwald* colours of maximum chromatic value C_{AB}
 $Y_w=88,6$, $Y_m=520_770$, $Bm=380_520$

tristimulus value Y , and chromatic values A_1, B_1, C_{AB1}
in the range $Y=0,0$ to $88,6$



CIE-Q00 data of *Ostwald* colours of maximum chromatic value C_{AB}

$Y_w=88,6$, $Y_m=520_770$, $Bm=380_520$

tristimulus value Y , and chromatic values A_1, B_1, C_{AB1}
in the range $Y=0,0$ to $88,6$

