




CIE-P60 data of *Ostwald* colours of maximum chromatic value C_{AB}
 $Y_w=100$, $Y_m=520_770$, $Bm=380_520$




CIE-P55 data of *Ostwald* colours of maximum chromatic value C_{AB}
 $Y_w=100$, $Y_m=520_770$, $Bm=380_520$




CIE-P50 data of *Ostwald* colours of maximum chromatic value C_{AB}
 $Y_w=100$, $Y_m=520_770$, $Bm=380_520$



CIE-P45 data of *Ostwald* colours of maximum chromatic value C_{AB}
 $Y_w=100$, $Y_m=520_770$, $Bm=380_520$




CIE-P40 data of *Ostwald* colours of maximum chromatic value C_{AB}
 $Y_w=100$, $Y_m=520_770$, $Bm=380_520$




CIE-P35 data of *Ostwald* colours of maximum chromatic value C_{AB} $Y_w=100$, $Y_m=520_770$, $Bm=380_520$

tristimulus value Y , and chromatic values A_0, B_0, C_{AB0}
in the range $Y=0$ to 100



CIE-P30 data of *Ostwald* colours of maximum chromatic value C_{AB}
 $Y_w=100$, $Y_m=520_770$, $Bm=380_520$



CIE-P25 data of *Ostwald* colours of maximum chromatic value C_{AB}
 $Y_w=100$, $Y_m=520_770$, $Bm=380_520$

